
marset

Working Catalogue 2024 V.09

Working Catalogue

2024



08 Ambrosia



28 Atlas



37 Bohemia



45 Cluster




56 Dipping Light



61 Discocó



66 Djembé



80 Fris



102 LED-Ginger



128 Ihana



133 Jaima



151 Mercer



154 Milana



171 Pleat Box




180 Santorini



188 Soho



194 Tam Tam



202 The W



208 Vetra



211 Zenc

Floor



41 Cala



49 Copérnica



98 Funiculí



99 Funiculí Fabric



108 Ginger



136 Jaima



176 Polo



184 Scantling



198 Tam Tam



204 Theia



209 Vetra

Table



39 Bolita



48 Copérnica



51 Dipping Light



78 Fragile



100 Funiculí



101 Funiculí Fabic



107 LED-Ginger



150 Mercer



176 Polo



204 Theia

Portable



35 Bicoca



43 Chispa



51 Dipping Light



76 FollowMe



107 LED-Ginger



186 Sips

Wall



28 Atlas



30 Aura



55 Dipping Light



65 Discocó



99 Funiculí



100 Funiculí Fabric



109 LED-Ginger



140 Konoha



146 Ledtube



153 Mercer

Wall



163 N. Ocho



164 Plaff-on!



178 Roc



185 Scantling



199 Tam Tam

Ceiling



28 Atlas



64 Discocó



71 Djembé



110 LED-Ginger



153 Mercer



164 Plaff-on!



192 Soho



32 Babila



42 Cala



118 LED-Ginger



133 Jaima



142 Lab



164 Plaff-on!



178 Roc



180 Santorini



188 Soho



206 TXL





Ambrosia, Ciszak Dalmas

Discover more at marset.com


Ambrosia 120

Code	Finish	CCT
A704-101-15-22K	Matt Gold	22K
A704-101-15-27K	Matt Gold	27K
A704-101-15-30K	Matt Gold	30K
A704-101-16-22K	Black	22K
A704-101-16-27K	Black	27K
A704-101-16-30K	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant / Ceiling
Light source Ambrosia 22K: LED SMD 24Vdc 19.2W 2200K CRI90 2116lm
Luminaire Ambrosia 22K: (Power supply not included) 1885lm
Light source Ambrosia 27K: LED SMD 24Vdc 19.2W 2700K CRI90 2028lm
Luminaire Ambrosia 27K: (Power supply not included) 1891lm
Light source Ambrosia 30K: LED SMD 24Vdc 19.2W 3000K CRI90 2256lm
Luminaire Ambrosia 30K: (Power supply not included) 1927lm
Weight: Net 5.3 lb – Gross 6.6 lb
Package: 11.4 x 3.9 x 53.1 " - 4.4 lb – Vol - 1.4 ft^3
3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.4 ft^3
Product notes: 24V remote power supply to be ordered separately.
Canopy not included. Supplied with 10.8 ft wire.
Suitable for damp locations. LED included



Dimmable

(1) The height can be increased by means of the 15.7 or 23.6 " poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 120 + Pole 60



Ambrosia 180

Code	Finish	CCT
A704-102-15-22K	Matt Gold	22K
A704-102-15-27K	Matt Gold	27K
A704-102-15-30K	Matt Gold	30K
A704-102-16-22K	Black	22K
A704-102-16-27K	Black	27K
A704-102-16-30K	Black	30K


Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant / Ceiling
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
Luminaire Ambrosia 30K: (Power supply not included) 2886lm
Weight: Net 6.8 lb – Gross 7.9 lb
Package: 11.4 x 3.9 x 53.2 " - 4.4 lb – Vol - 1.4 ft³
3.1 x 3.1 x 74 " - 3.5 lb – Vol - 0.4 ft³
Product notes: 24V remote power supply to be ordered separately.
Canopy not included. Supplied with 9.8 ft wire.
Suitable for damp locations. LED included



Dimmable

(1) The height can be increased by means of the 15.7 or 23.6 " poles (max. 3 units.) They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 180 + Pole 60




Ambrosia 210

Code	Finish	CCT
A704-103-15-22K	Matt Gold	22K
A704-103-15-27K	Matt Gold	27K
A704-103-15-30K	Matt Gold	30K
A704-103-16-22K	Black	22K
A704-103-16-27K	Black	27K
A704-103-16-30K	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant / Ceiling
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2802lm
Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
Luminaire Ambrosia 27K: (Power supply not included) 2812lm
Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
Luminaire Ambrosia 30K: (Power supply not included) 2865lm
Weight: Net 6.8 lb – Gross 7.9 lb
Package: 11.4 x 3.9 x 53.1 " - 4.4 lb – Vol - 1.4 ft³
3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³
3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.35 ft³
Product notes: 24V remote power supply to be ordered separately.
Canopy not included. Supplied with 12.8 ft wire.
Suitable for damp locations. LED included



Dimmable

(1) The height can be increased by means of the 15.7 or 23.6 " poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 210 + 2 Pole 60




Ambrosia 315

Code	Finish	CCT
A704-104-15-22K	Matt Gold	22K
A704-104-15-27K	Matt Gold	27K
A704-104-15-30K	Matt Gold	30K
A704-104-16-22K	Black	22K
A704-104-16-27K	Black	27K
A704-104-16-30K	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant / Ceiling
Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K: (Power supply not included) 4220lm
Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4563lm
Luminaire Ambrosia 27K: (Power supply not included) 4235lm
Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5076lm
Luminaire Ambrosia 30K: (Power supply not included) 4314lm
Weight: Net 11.2 lb – Gross 12.9 lb
Package: 11.4 x 3.9 x 88.6 " - 7.7 lb – Vol - 2.3 ft³
3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³
3.1 x 3.1 x 74 " - 3.5 lb – Vol - 0.4 ft³
Product notes: 24V remote power supply to be ordered separately.
Canopy not included. Supplied with 12.1 ft wire.
Suitable for damp locations. LED included



Dimmable

(1) The height can be increased by means of the 15.7 or 23.6 "
(max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 315 + 2 Pole 60




Height extension pole 16

Code	Finish
A704-005-15	Matt Gold
A704-005-16	Black

Materials
Structure: Metal

Product type: Accessory






Height extension pole 24

Code	Finish
A704-006-15	Matt Gold
A704-006-16	Black

Materials
Structure: Metal

Product type: Accessory






Canopy Ambrosia

Code	Finish	Dimming
A666-213-15	● Matt Gold - 60W 24V	0-10V
A666-213-16	● Black - 60W 24V	0-10V

INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 1.54 lb – Gross 2.2 lb
Package: 14.6 x 6.7 x 2.6 " - 2.2 lb - VOL - 0.14 ft³




A666-254-15	● Matt Gold - 60W 24V	ELV / Triac / 0-10V
A666-254-16	● Black - 60W 24V	ELV / Triac / 0-10V

INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 2.9 lb – Gross 3.53 lb
Package: 14.6 x 6.7 x 2.6 " - 3.53 lb - VOL - 0.14 ft³

Materials
Structure: Metal

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Dimmable






Remote LED Driver

Code	Description	Dimming
A968-333	60W - 24V	ELV

Product type: Power supply
INPUT: 120 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 0.22 lb – Gross 0.44 lb
Package: 4.3 x 4.3 x 4.3 " - 0.44 lb - VOL - 0.05 ft³

Code	Description	Dimming
968-230	60W - 24V	0-10V

Product type: Power supply
INPUT: 120 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Dimmable


Outlet Box Cover Plate

Code	Finish
A666-219-15	● Matt Gold
A666-219-16	● Black

Weight: Net: 0.22 lb – Gross 0.44 lb
Package: 6.3 x 5.7 x 3.5 " - 0.44 lb - VOL - 0.07 ft³

Materials
Structure: Metal

Product type: Accessory
Product notes: Ceiling cover plate for 4" octagonal junction box.







marset

Ambrosia, 2021

Ambrosia A 60 left

Code	Finish	CCT
A704-115-15-22K	Matt Gold	22K
A704-115-15-27K	Matt Gold	27K
A704-115-15-30K	Matt Gold	30K
A704-115-16-22K	Black	22K
A704-115-16-27K	Black	27K
A704-115-16-30K	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.


Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm
Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm
Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm
Luminaire Ambrosia 30K: (Power supply not included)


Weight: Net 1.3 lb – Gross 2.8 lb
Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

Product notes: 24V remote power supply to be ordered separately.
Suitable for damp locations. LED included



Dimmable

Wire installation: Hardwired / Recessed



Ambrosia A 60 right

Code	Finish	CCT
A704-116-15-22K	Matt Gold	22K
A704-116-15-27K	Matt Gold	27K
A704-116-15-30K	Matt Gold	30K
A704-116-16-22K	Black	22K
A704-116-16-27K	Black	27K
A704-116-16-30K	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.


Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm
Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm
Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm
Luminaire Ambrosia 30K: (Power supply not included)


Weight: Net 1.3 lb – Gross 2.8 lb
Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

Product notes: 24V remote power supply to be ordered separately.
Suitable for damp locations. LED included



Dimmable

Wire installation: Hardwired / Recessed



Ambrosia A 90 left

Code	Finish	CCT
A704-117-15-22K	Matt Gold	22K
A704-117-15-27K	Matt Gold	27K
A704-117-15-30K	Matt Gold	30K
A704-117-16-22K	Black	22K
A704-117-16-27K	Black	27K
A704-117-16-30K	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.


Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm
Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm
Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm
Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb
Package: 24 x 5.3 x 5.7 '' - 1.5 lb – Vol - 0,4 ft³
3.1 x 3.1 x 38.5 '' - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately.
Suitable for damp locations. LED included



Dimmable

Wire installation: Hardwired / Recessed



Ambrosia A 90 right

Code	Finish	CCT
A704-118-15-22K	Matt Gold	22K
A704-118-15-27K	Matt Gold	27K
A704-118-15-30K	Matt Gold	30K
A704-118-16-22K	Black	22K
A704-118-16-27K	Black	27K
A704-118-16-30K	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.


Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm
Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm
Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm
Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb
Package: 24 x 5.3 x 5.7 '' - 1.5 lb – Vol - 0,4 ft³
3.1 x 3.1 x 38.5 '' - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately.
Suitable for damp locations. LED included



Dimmable

Wire installation: Hardwired / Recessed



Ambrosia A 210

Code	Finish	CCT
A704-121-15-22K	Matt Gold	22K
A704-121-15-27K	Matt Gold	27K
A704-121-15-30K	Matt Gold	30K
A704-121-16-22K	Black	22K
A704-121-16-27K	Black	27K
A704-121-16-30K	Black	30K

Materials
Structure: Aluminum
Diffuser: Methacrylate
Canopy: Aluminum / Steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.


Product type: Wall
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 6.2 lb – Gross 7.9 lb
Package: 59.8 x 5.3 x 6.5 " - 4.4 lb – Vol - 1 ft³
3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³
3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.35 ft³

Product notes: 24V remote power supply to be ordered separately.
Suitable for damp locations. LED included



Dimmable




Wire installation: Hardwired / Recessed

Disk accessory

Code	Finish
A704-128-15	Matt Gold
A704-128-16	Black

Materials
Structure: Metal

Product type: Accessory
Accessory used to hide the driver behind the canopy.
Two units are required for Ambrosia A 210, one for each canopy.






Remote LED Driver

Code	Description	Dimming
A968-333	60W - 24V	ELV

Product type: Power supply
INPUT: 120 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 0.22 lb – Gross 0.44 lb
Package: 4.3 x 4.3 x 4.3 " - 0.44 lb - VOL - 0.05 ft³




Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable

Code	Description	Dimming
968-230	60W - 24V	0-10V

Product type: Power supply
INPUT: 120 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.




Ambrosia, Ciszak Dalmas



Ambrosia V 130 Plug-in NEW

Code	Finish	CCT
A704-163-15-22K	Matt Gold	22K
A704-163-15-27K	Matt Gold	27K
A704-163-15-30K	Matt Gold	30K
A704-163-16-22K	Black	22K
A704-163-16-27K	Black	27K
A704-163-16-30K	Black	30K



Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer type: Progressive from 0 to 100


Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: 100 - 240 VAC 33.8W 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: 100 - 240 VAC 33.8W 3021lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: 100 - 240 VAC 33.8W 3078lm

Weight: Net 3.1 lb – Gross 4.6 lb
Package: 5.1 x 5.1 x 53.5 " - 4.6 lb – VOL - 0.7 ft^3
LED included

Luminaires manufactured in compliance
with North American Certification standards.



Wire installation: Plug-in
Cable length: 7.5 ft
Steel cable length: 6.6 ft
Color cord: Black
Switch location: In-line

Dimmable

Ambrosia V 130 NEW

Code	Finish	CCT
A704-160-15-22K	Matt Gold	22K
A704-160-15-27K	Matt Gold	27K
A704-160-15-30K	Matt Gold	30K
A704-160-16-22K	Black	22K
A704-160-16-27K	Black	27K
A704-160-16-30K	Black	30K



Materials
Structure: Aluminium
Diffuser: Methacrylate


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: (Power supply not included) 3021lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: (Power supply not included) 3078lm

Product notes: 24V remote power supply to be ordered separately.
Weight: Net 2.6 lb – Gross 4.2 lb
Package: 5.1 x 5.1 x 53.4 " - 4.2 lb – VOL - 0,07 ft^3
LED included



Dimmable

Wire installation: Hardwired
Cable length: 8.2 ft.
Steel cable length: 6.5 ft.
Color cord: Black

Ambrosia V 175 Plug-in NEW

Code	Finish	CCT
A704-164-15-22K	Matt Gold	22K
A704-164-15-27K	Matt Gold	27K
A704-164-15-30K	Matt Gold	30K
A704-164-16-22K	Black	22K
A704-164-16-27K	Black	27K
A704-164-16-30K	Black	30K



Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer type: Progressive from 0 to 100


Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K: 100 - 240 50.5W VAC 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4788lm
Luminaire Ambrosia 27K: 100 - 240 50.5W VAC 4491lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5016lm
Luminaire Ambrosia 30K: 100 - 240 50.5W VAC 4575lm

Weight: Net 3.5 lb – Gross 6 lb
Package: 5.1 x 5.1 x 72.4 " - 6 lb – VOL - 1.06 ft³
LED included

Luminaires manufactured in compliance
with North American Certification standards.



Wire installation: Plug-in
Cable length: 8.6 ft
Steel cable length: 6.6 ft
Color cord: Black
Switch location: In-line

Dimmable

Ambrosia V 175 NEW

Code	Finish	CCT
A704-161-15-22K	Matt Gold	22K
A704-161-15-27K	Matt Gold	27K
A704-161-15-30K	Matt Gold	30K
A704-161-16-22K	Black	22K
A704-161-16-27K	Black	27K
A704-161-16-30K	Black	30K



Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.


Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K: (Power supply not included) 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4788lm
Luminaire Ambrosia 27K: (Power supply not included) 4491lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5016lm
Luminaire Ambrosia 30K: (Power supply not included) 4575lm

Weight: Net 3.1 lb – Gross 5.5 lb
Package: 5.1 x 5.1 x 72.4 " - 5.5 lb – VOL - 1.1 m^3

Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

Wire installation: Hardwired
Cable length: 8.2 ft.
Steel cable length: 6.5 ft.
Color cord: Black

Circular Canopy 60W 24V ELV/Triac/0-10V

Code	Finish	Dimming
A666-257-15	● Matt Gold	ELV, Triac, 0-10V
A666-257-16	● Black	ELV, Triac, 0-10V

Materials
Structure: Painted iron


Product type: Accessory

Weight: Net 2.6 lb – Gross 3.5 lb
Package: 16.5 x 16.5 x 3.1 " -3.5 lb – VOL - 0.4 ft³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 1

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV, Triac, 0-10V

Dimmable






Outlet Box Cover Plate with hanging support

Code	Finish
A666-258-39	● Black

Materials
Structure: Metal


Product type: Accessory
Product notes: Ceiling cover plate for 4" octagonal junction box.



Outlet Box Cover Plate

Code	Finish
A666-219-15	● Matt Gold
A666-219-16	● Black

Materials
Structure: Metal



Steel cable suspension kit


Code	Finish
A704-166-15	● Matt Gold
A704-166-15	● Black



Remote LED Driver

Code	Description	Dimming
A968-333	60W - 24V	ELV

Product type: Power supply
INPUT: 120 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 0.22 lb – Gross 0.44 lb
Package: 4.3 x 4.3 x 4.3 " - 0.44 lb - VOL - 0.05 ft³




Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable

Code	Description	Dimming
968-230	60W - 24V	0-10V

Product type: Power supply
INPUT: 120 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.





Circular Cluster Canopy 90W 24V ELV/Triac/0-10V

Code
A666-259-39

Finish
● Black

Materials
Structure: Painted iron


Product type: Accessory
INPUT: 120-277VAC 50/60Hz
OUTPUT: CV 24V DC 90W max.

Weight: Net 6.83 lb – Gross 8.16 lb
Package: 16.14 x 16.14 x 3.15 " - 8.16 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V

Dimmable





Circular Cluster Canopy 180W 24V ELV/Triac/0-10V

Code
A666-260-39

Finish
● Black

Materials
Structure: Painted iron


Product type: Accessory
Input: 120-277VAC 50/60Hz
Output: CV 24V DC 180W max.

Weight: Net 10.8 lb – Gross 12.35 lb
Package: 16.14 x 16.14 x 3.15 " - 12.35 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V

Dimmable





Hook Accessory


Code
A693-007


Finish
● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.8 x 0.8 x 2 " - 0.02 lb – VOL - 0.07 ft³

Product notes: Accessory to guide the cable.






Peter Lindbergh

Ambrosia V 235 Plug-in NEW

Code	Finish	CCT
A704-165-15-22K	Matt Gold	22K
A704-165-15-27K	Matt Gold	27K
A704-165-15-30K	Matt Gold	30K
A704-165-16-22K	Black	22K
A704-165-16-27K	Black	27K
A704-165-16-30K	Black	30K



Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive from 0 to 100


Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: 100 - 240 VAC 33.8W 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: 100 - 240 VAC 33.8W 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: 100 - 240 VAC 33.8W 2865lm

Weight: Net 3.5 lb – Gross 9.3 lb
Package: 6.1 x 6.1 x 100.8 " - 9.3 lb – VOL - 2.1 ft^3
LED included

Luminaires manufactured in compliance
with North American Certification standards.



Cable length: 6.6 ft.
Wire installation: Plug-in
Color cord: Black
Switch location: In-line

Dimmable

Ambrosia V 235 NEW

Code	Finish	CCT
A704-162-15-22K	Matt Gold	22K
A704-162-15-27K	Matt Gold	27K
A704-162-15-30K	Matt Gold	30K
A704-162-16-22K	Black	22K
A704-162-16-27K	Black	27K
A704-162-16-30K	Black	30K



Materials
Structure: Aluminium
Diffuser: Methacrylate


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 3.1 lb – Gross 8.8 lb
Package: 6.1 x 6.1 x 100.8 " - 8.8 lb – VOL - 2.1 ft³
Product notes: 24V remote power supply to be ordered separately.
LED included




Dimmable

Wire installation: Hardwired
Cable length: 6.5 ft.
Color cord: Black

Rectangular Canopy 60W

Code	Finish	Dimming
A666-213-15	Matt Gold - 60W 24V	0-10V
A666-213-16	Black - 60W 24V	0-10V

INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 1.54 lb – Gross 2.2 lb
Package: 14.6 x 6.7 x 2.6 " - 2.2 lb - VOL - 0.14 ft³






Code	Finish	Dimming
A666-254-15	Matt Gold - 60W 24V	ELV / Triac / 0-10V
A666-254-16	Black - 60W 24V	ELV / Triac / 0-10V

INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 2.9 lb – Gross 3.53 lb
Package: 14.6 x 6.7 x 2.6 " - 3.53 lb - VOL - 0.14 ft³

Materials
Structure: Metal

Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.


Dimmable



Remote LED Driver

Code	Description	Dimming
A968-333	60W - 24V	ELV

Product type: Power supply
INPUT: 120 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 0.22 lb – Gross 0.44 lb
Package: 4.3 x 4.3 x 4.3 " - 0.44 lb - VOL - 0.05 ft³




Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable

Code	Description	Dimming
968-230	60W - 24V	0-10V

Product type: Power supply
INPUT: 120 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.




Outlet Box Cover Plate

Code	Finish
A666-219-15	Matt Gold
A666-219-16	Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Ceiling cover plate for 4" octagonal junction box.




Length Extension Stem V255

Code	Finish
A704-150-09	Steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0.19 lb – Gross 0.9 lb
Package: 3.1 x 3.1 x 14.9 " - 0.9 lb – VOL - 0.07 ft³
Product notes: Ceiling stem accessory to increase the drop-length of the Ambrosia V235. Total increase 7.9".








Atlas

Code
A34-010

Finish
○ Translucent

Materials
Shade: Polycarbonate
Canopy: White polyamide
Structure: Stainless steel

Product type: Wall / Ceiling
Light source: E26 LED PAR30S 13W 36º 2700K
Weight: Net 0.7 lb – Gross 1.2 lb
Package: 7 x 8.3 x 9.5 " - 1.2 lb – Vol - 0.28 ft³
Lamping not included



Wire installation: Hardwired
Canopy color: White
Cord color: Transparent



Atlas Susp.


Code
A34-019

Finish
○ Translucent



Materials
Shade: Polycarbonate
Canopy: White polyamide

Product type: Pendant
Light source: E26 LED PAR30S 13W 36º 2700K
Weight: Net 0.7 lb – Gross 1.2 lb
Package: 7 x 8.3 x 9.5 '' - 1.2 lb – Vol - 0.28 ft³
Lamping not included




Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Transparent
Canopy color: White

Base Atlas 2

Code
A34-037

Finish
○ White





Materials
Structure: White polyamide

Canopy color: White



Aura, Joan Gaspar


Aura

Code	Finish
A676-008	Transparent
A676-009	Opal
A676-010	Smoked
A676-012	Copper

Materials
Shade: Blown Glass
Structure: Polycarbonate
Dissipater: Aluminum

Dimmable: No

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 90 - 264 VAC 8.7W 448lm
Weight: Net 1.1 lb – Gross 2.2 lb
Package: 10.2 x 10.2 x 7.8 '' - 2.2 lb – Vol - 0.56 ft^3
Product notes: Suitable for damp locations
Not suitable for ceiling mount
Structure in black, except for the opal version, with structure in white.
LED included



ADA

c UL us

Wire installation: Hardwired




Aura Plus

Code	Finish
A676-019	Translucent
A676-020	Opal
A676-021	Smoked
A676-022	Copper

Materials
Shade: Blown Glass
Structure: Polycarbonate
Dissipater: Aluminum


Dimmable: No

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 90 - 264 VAC 8.7W 470lm
Weight: Net 1.96 lb – Gross 2.64 lb
Package: 13 x 13 x 8.6 " - 2.64 lb – Vol - 0.74 ft³
Product notes: Suitable for damp locations
Structure in black, except for the opal version, with structure in white.
LED included



ADA

Wire installation: Hardwired



Spare parts

Code	Product	Finish	Spare part
A676-105	Aura	Transparent	Glass
A676-104	Aura	Opal	Glass
A676-102	Aura	Smoked	Glass
A676-103	Aura	Copper	Glass
A676-111	Aura Plus	Transparent	Glass
A676-110	Aura Plus	Opal	Glass
A676-108	Aura Plus	Smoked	Glass
A676-109	Aura Plus	Copper	Glass

Babila, Marco Zanuso Jr.

Babila demonstrates that, when it comes to a design, the material can be as important as the shape. This outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is not designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.






Babila 18

Code	Finish	Dimming
A706-005	Polished stainless steel	ELV
A706-006-35	White (RAL 9010)	ELV
A706-006-47	Brown (RAL 8019)	ELV
A706-017	Polished stainless steel	0-10V
A706-010-35	White (RAL 9010)	0-10V
A706-010-47	Brown (RAL 8019)	0-10V
A706-019	Polished stainless steel	on/off
A706-020-35	White (RAL 9010)	on/off
A706-020-47	Brown (RAL 8019)	on/off

Materials
Diffuser: Polished stainless steel
AISI 316 or lacquered aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V (120-277V)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 225lm
120-277 VAC 0-10V 8.7W 225lm
120 VAC AC LED on/off 8W 225lm
Weight: Net 1.8 lb – Gross 2.6 lb
Package: 11.4 x 12 x 4.9 '' - 2.6 lb – Vol - 0.35 ft³
LED included




Dimmable

ADA

Suitable for wet locations

c UL us

Wire installation: Hardwired




Code	Finish	Dimming
A706-007	Polished stainless steel	ELV
A706-008-35	White (RAL 9010)	ELV
A706-008-47	Brown (RAL 8019)	ELV
A706-011	Polished stainless steel	0-10V
A706-018-35	White (RAL 9010)	0-10V
A706-009-47	Brown (RAL 8019)	0-10V
A706-021	Polished stainless steel	on/off
A706-022-35	White (RAL 9010)	on/off
A706-022-47	Brown (RAL 8019)	on/off

Materials
Diffuser: Polished stainless steel
AISI 316 or lacquered aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V (120-277V)


Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 185lm
120-277 VAC 0-10V 8.7W 185lm
120 VAC AC LED on/off 8W 185lm
Weight: Net 3 lb – Gross 4.6 lb
Package: 15.4 x 15.7 x 4.9 " - 4.6 lb Vol - 0.7 ft³
LED included



Dimmable

Suitable for wet locations

Wire installation: Hardwired







Bicoca. Christophe Mathieu

The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tiltable shade to direct the light. Two accessories increase the applicability and versatility of the lamp.





Discover more at marset.com

DESIGN PLUS
powered by: light+building


Bicoca

Code	Finish
A680-055	Off-white (RAL 9001)
A680-056	Anthracite (RAL 7026)
A680-057	Red wine (RAL 3005)
A680-058	Yellow (RAL 1032)
A680-059	Light blue (PANTONE 7542C)
A680-060	Pale pink (PANTONE 5015C)

Materials
Shade: Polycarbonate
Body: Polycarbonate
Diffuser: Opal polycarbonate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 398lm
Luminaire: in 5 Vdc 1.5A 241lm
Weight: Net 1.01 lb – Gross 2.2 lb
Package: Ø6.29 x 11.81 '' – 2.2 lb Vol – 0.21 ft³ (1U)
20 x 11.8 x 13.4 '' – 15 lb Vol –1.8 ft³ (6U)
Product notes: Sold in multiples of 6.
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power




Magnet accessory

Code	Finish
A680-008	● Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.04 lb
Package: 4.72 x 6.89 x 0.39 '' - 0.04 lb – Vol - 0.035 ft³






Armrest accessory + magnet

Code	Finish
A680-007	● Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory
Weight: Net 2 lb – Gross 2.2 lb
Package: 6.3 x 5.5 x 3.5 '' - 2.2 lb – Vol - 0.07 ft³





Spare parts

Code	Product	Spare part
R680-014	Bicoca	Battery
R968-002-USA	Bicoca	Black power adapter
R961-057	Bicoca	Usb type C cable black

Bohemia, Joan Gaspar

At first glance, the Bohemia appears to be made of blown glass. However, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two volumes into a single shape. The design allows for a large shade in different colors with a white interior for pristine reflection.





Discover more at marset.com

DESIGN AWARD 2021


Bohemia 84

Code	Finish
A698-010	Green
A698-011	Violet
A698-012	Amber
A698-023-53-27K	Smoked

Materials
Shade: Rotomoulded Polycarbonate
Diffuser: Opal methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: 120 VAC ELV 26W 1619lm
120 - 277 VAC 0-10V 26W 1619lm
Weight: Net 28 lb – Gross 44 lb
Package: 37 x 37 x 20 " – 44 lb Vol – 17.6 ft³
LED included



Dimmable

Cable length: 8.2 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Bohemia 84 E26

Code	Finish
A698-016	Green
A698-017	Violet
A698-018	Amber

Materials
Shade: Rotomoulded Polycarbonate

Product type: Pendant
Light source: E26 LED GLOBE 20W
Weight: Net 28 lb – Gross 39 lb
Package: 37 x 37 x 20 " – 39 lb Vol – 17.6 ft³
Lamping not included



Cable length: 8.2 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black





A technologically innovative design that brings back the sense of touch. Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect. Bolita seeks out that user interaction.

The idea of Florian and Sebastian at the kaschkasch studio was to design a lamp in which the dimming process was mechanical and not electronic.





Discover more at marset.com

Silver Delta
ADI Awards 2020

Bolita


Code
A695-007

Finish
○ White (RAL 9011)

Materials
Base: Steel
Diffuser: Opal blown glass

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Analog, dimmed via glass movement.

Product type: Table
Light Source: LED SMD 24Vdc 6.5W 2700K CRI90 579lm
Luminaire: 120 VAC 8.7W 157lm
Weight: Net 0.9 lb – Gross 3.3 lb
Package: 9 x 7 x 5 " – 3.3 lb Vol – 0.18 ft³ (1u)
15 x 16.7 x 17.7 " – 11 lb Vol – 1 ft³ (4u)
Product note: Sold in multiples of 4.
LED included



Cable length: 4.9 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Base



Spare parts


Code	Product	Finish	Spare part
R695-001	Bolita	-	Glass



Cala, Joan Gaspar

The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.

With a structure made of oak or black lacquered metal, the Cala is an iconic Marset design defined by that most valuable of pairings: form and function.






Cala P165

Code
A645-020

Finish
Oak - Pearl White

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Varnished oak

Product type: Floor
Light source: 3x E26 LED TYPE A 11W
Weight: Net 11 lb – Gross 22.7 lb
Package: 27.2 x 27.2 x 14.5 '' - 11.7 lb – Vol - 6.4 ft^3
19.7 x 5 x 61 '' - 11 lb – Vol - 3.5 ft^3
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Cala Metal P145

Code
A645-060-39

Finish
● Black

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Iron

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 12.8 lb – Gross 20.5 lb
Package: 23.6 x 23.6 x 11.8 '' - 9.9 lb – Vol - 3.8 ft³
19.7 x 5 x 52 '' - 12 lb – Vol - 3.18 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Cala 140 IP65

Code
A645-014

Finish
● Iroko - Brown

Materials
Shade: Polyethilene , Textilene
Structure: Iroko wood

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 23.6 lb – Gross 24.6 lb
Package: 22 x 22 x 11.4 '' - 11.4 lb – Vol - 3.2 ft³
18.5 x 4.7 x 49.6 '' - 13.2 lb – Vol - 2.5 ft³
Lamping not included



Suitable for wet locations

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built in the shade



Chispa, Joan Gaspar

Its design evokes a high-quality garage lamp, lightweight and useful, with three dimming levels. It's sophisticated and warm, decidedly designed to accompany.

Its structure is protected by a grid that revolves around the light source, an original touch. A built-in hook in the base allows it to be hung via the included cord.





Discover more at marset.com


Chispa

Code	Finish
A703-001	Black (RAL 9004)
A703-002	Blue (RAL DESIGN 230 20 20)
A703-003	Green (RAL 6009)
A703-004	Orange (RAL 2010)

Materials
Base: Polycarbonate
Diffuser: Opal Polyethylene
Accessory: Rope cord with metal hook.

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 0.7A 2.7W 2700K CRI90 216lm
Luminaire: in 5 Vdc 1.5A 110lm
Weight: Net 1.1 lb – Gross 1.7 lb
Package: 5.5 x 5.5 x 11 " – 1.7 lb Vol – 0.17 ft³ (1u)
11.8 x 11.8 x 9.4 " – 7 lb Vol – 0.7 ft³ (4u)
Product notes: Sold in multiples of 4.
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.



Switch location: Body
Charging time 10 h

Battery life time:
7 hours in peak power
14 hours in half power
28 hours in a quarter power

Spare parts

Code	Product	Spare part
R703-001	Chispa	Battery
R968-002-USA	Chispa	Black power adapter
R961-057	Chispa	Usb type C cable black



Cluster, Accessory

The cluster gives you absolute freedom to design the light you desire. With it, you can illuminate large spaces and create different compositions.





Take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required. Finally, the number of lamps installed in a single canopy cannot exceed the number of wire entry points of that canopy. Customize your space with our Dipping Light cluster configutaror at configurator.marset.com/dipping-light

Circular Canopy 20W

Code
A693-013


Finish
● Black

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 24W (max.)
Weight: Net 1.7 lb – Gross 2.2 lb
Package: 9 x 8.3 x 3.5 " - 2.2 lb – Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: No



Circular Canopy 50W

Code
A693-015

Finish
● Black


Dimming
0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb – Gross 3.08 lb
Package: 9 x 8.2 x 3.5 " - 3.08 lb – Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming Protocols: 0-10V (120-277V)



Rectangular Canopy 50W

Code
A693-017

Finish
● Black

Dimming
0-10V


Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 4.6 lb – Gross 5.5 lb
Package: 16.3 x 8.3 x 2.8 '' - 5.5 lb – Vol - 0.25 ft³
Product notes: Canopy for 24V luminaires.

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Dimmable

Wire installation: Hardwired
Canopy color: Black - Entry points: 9



Circular Canopy 50W

Code
A693-019

Finish
● Black

Dimming
0-10V


Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb – Gross 5.5 lb
Package: 16 x 15.7 x 3 '' - 5.5 lb – Vol - 0.38 ft³
Product notes: Canopy for 24V luminaires.

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Dimmable

Wire installation: Hardwired
Canopy color: Black - Entry points: 9



Circular Canopy 100W

Code
A693-021

Finish
● Black

Dimming
0-10V


Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 114W (max.)
Weight: Net 7.2 lb – Gross 8.3 lb
Package: 16.5 x 15.7 x 3 '' - 8.3 lb – Vol - 0.35 ft³
Product notes: Canopy for 24V luminaires.

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Dimmable

Wire installation: Hardwired
Canopy color: Black - Entry points: 19




Hook Accessory

Code
A693-007

Finish
● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.5 x 0.5 x 1.7 '' - 0.02 lb – Vol - 0.035 ft³
Product notes: This accessory is included when purchasing the 24V pendants.





The Copérnica collection consists of desktop and floor lamps that use counterweights of mixed materials and density, such as steel and aluminum, allowing one to move the lamp with great precision and providing a wide range of heights, distances, and adjustments to suit one's taste. The Copérnica draws minimalist structures in space, as if it were a canvas, and the carefully selected color schemes add soft chromatic touches to the ensemble.





Discover more at marset.com

HiP at NeoCon award


Copérnica M

Code	Finish
A686-046	Graphite-Golden-Black
A686-047	Graphite-Satin Nickel-Black
A686-048	Graphite-Red-Black

Materials
Structure: Steel
Base: Steel
Counterweight: Steel
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: 3 positions dimmer

Product type: Table
Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
Luminaire: 85 - 264 VAC 7W 416lm
Weight: Net 7.7 lb – Gross 13.4 lb
Package: 44.4 x 9.8 x 6.7 " – 6.83 lb Vol – 1.68 ft³
14.2 x 14.2 x 1.18 " – 6.6 lb Vol – 0.14 ft³
LED included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Underside of shade.




Code	Finish
A686-052	Graphite-Golden-Black
A686-053	Graphite-Satin Nickel-Black
A686-054	Graphite-Red-Black

Materials
Structure: Steel
Base: Steel
Counterweight: Steel
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: 3 positions dimmer

Product type: Floor
Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
Luminaire: 85 - 264 VAC 7W 416lm
Weight: Net 8.8 lb – Gross 15 lb
Package: 64.6 x 9.8 x 6.7 '' – 9 lb Vol – 2.3 ft³
14 x 14 x 1.2 '' – 6 lb Vol – 0.14 ft³
LED included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Underside of shade.






Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and an eye-catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturizing the light.





Discover more at marset.com


Dipping Light

Code	Finish
A691-013	White - Brushed Brass
A691-300	White - Graphite
A691-014	Blue - Brushed Brass
A691-301	Blue - Graphite
A691-015	Green - Brushed Brass
A691-302	Green - Graphite
A691-016	Amber - Brushed Brass
A691-303	Amber - Graphite
A691-017	Pink - Brushed Brass
A691-304	Pink - Graphite

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: No

Product type: Table
Light Source: LED SMD 700mA 2.2W 2700K CRI80 243lm
Luminaire: 120 - 240 VAC 4W 123lm
Weight: Net 2.6 lb – Gross 4 lb
Package: 13.7 x 13.7 x 7 " – 4 lb Vol – 0.38 ft^3



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Dipping Light S

Code	Finish
A691-306	White - Brushed Brass
A691-307	White - Graphite
A691-308	Blue - Brushed Brass
A691-309	Blue - Graphite
A691-310	Green - Brushed Brass
A691-311	Green - Graphite
A691-312	Amber - Brushed Brass
A691-313	Amber - Graphite
A691-314	Pink - Brushed Brass
A691-315	Pink - Graphite

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
Luminaire: 85 - 264 VAC 11W
Weight: Net 3 lb – Gross 5.5 lb
Package: 6.7 x 13 x 6.7 " – 3 lb Vol – 0.3 ft³
9.8 x 9.8 x 12.2 " – 2.4 lb Vol – 0.7 ft³
LED included



Dimmer

Cable length: 5.75 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Dipping Light M

Code	Finish
A691-019	White - Brushed Brass
A691-318	White - Graphite
A691-020	Blue - Brushed Brass
A691-319	Blue - Graphite
A691-021	Green - Brushed Brass
A691-320	Green - Graphite
A691-022	Amber - Brushed Brass
A691-321	Amber - Graphite
A691-023	Pink - Brushed Brass
A691-322	Pink - Graphite

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
Luminaire: 85 - 264 VAC 11W 312lm
Weight: Net 7.3 lb – Gross 11.7 lb
Package: 13.4 x 10.2 x 10.2 " – 6.39 lb Vol – 0.078 ft³
16.1 x 16.1 x 16.1 " – 5.29 lb Vol – 2.4 ft³
LED included



Dimmer

Cable length: 5.75 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Dipping Light Portable

Code	Finish
A691-530	White - Brushed Brass
A691-532	Blue - Brushed Brass
A691-534	Green - Brushed Brass
A691-536	Amber - Brushed Brass
A691-538	Pink - Brushed Brass

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table
Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
Luminaire: in 5 Vdc 1.5A 123lm
Weight: Net 2.6 lb – Gross 3.3 lb
Package: 7 x 7 x 14 " – 3.3 lb Vol – 0.4 ft³
LED included



Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power




Disk accessory + magnet

Code	Finish
A691-097	Black

Materials
Structure: Metal counterweight

Product type: Accessory
Weight: Net 1.1 lb – Gross 1.3 lb
Package: 6 x 5.5 x 3.5 " - 1.3 lb – Vol - 0.07 ft³






Magnet accessory

Code	Finish
A680-008	Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0.04 lb – Gross 0.04 lb
Package: 4.72 x 6.89 x 0.39 " - 0.04 lb – Vol - 0.035 ft³







@Miguel Galiano


Dipping Light A1-13

Code	Finish
A691-336	White - Brushed Brass
A691-338	Blue - Brushed Brass
A691-340	Green - Brushed Brass
A691-342	Amber - Brushed Brass
A691-344	Pink - Brushed Brass

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Wall
Light source: LED COB 500mA 5.68W 2700K CRI90 645lm
Luminaire: 120 VAC ELV 9W
Weight: Net 2 lb – Gross 3.3 lb
Package: 7 x 7 x 11 " – 3.3 lb Vol – 0.04 ft³
Product notes: 0-10V dimming upon request.
LED included



Dimmable

Wire installation: Hardwired




Dipping Light A2-13

Code	Finish
A691-348	White - Brushed Brass
A691-349	White - Graphite
A691-350	Blue - Brushed Brass
A691-351	Blue - Graphite
A691-352	Green - Brushed Brass
A691-353	Green - Graphite
A691-354	Amber - Brushed Brass
A691-355	Amber - Graphite
A691-356	Pink - Brushed Brass
A691-357	Pink - Graphite

Materials
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Wall
Light source: LED SMD 500mA 8.6W 2700K CRI90 765lm
Luminaire: 120 VAC ELV 7.5W
Weight: Net 2 lb – Gross 3.3 lb
Package: 7 x 7 x 11 " – 3.3 lb Vol – 0.04 ft³
Product notes: 0-10V dimming upon request.
LED included



Dimmable

Wire installation: Hardwired




Dipping Light 13

Code	Finish	Dimming
A691-360	White	on/off
A691-361	Blue	on/off
A691-362	Green	on/off
A691-363	Amber	on/off
A691-364	Pink	on/off
A691-396	White	0-10V
A691-397	Blue	0-10V
A691-398	Green	0-10V
A691-399	Amber	0-10V
A691-410	Pink	0-10V

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 203lm
110 - 127 VAC 0-10V 6W 203lm
Weight: Net 1.7 lb – Gross 2.86 lb
Package: 8.6 x 8.6 x 9 " – 2.86 lb Vol – 0.35 ft³
LED included



Dimmable

Cable length: 6.7 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Dipping Light 13 - 24V

Code	Finish
A691-250	White
A691-251	Blue
A691-252	Green
A691-253	Amber
A691-254	Pink

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on purchased power supply. See Cluster accessory, page 35.

Product type: Pendant
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 203lm
Weight: Net 1.3 lb – Gross 2.86 lb
Package: 8.6 x 8.6 x 9 " – 2.86 lb Vol – 0.35 ft³
Product notes: Use with cluster accessory, see pg 33, 34.
1 pc. hook accessory included.
LED included



Dimmable

Cable length: 13.1 ft
Wire installation: Hardwired
Cord color: Black




Dipping Light 20

Code	Finish	Dimming
A691-366	White	on/off
A691-367	Blue	on/off
A691-368	Green	on/off
A691-369	Amber	on/off
A691-370	Pink	on/off
A691-412	White	0-10V
A691-413	Blue	0-10V
A691-414	Green	0-10V
A691-415	Amber	0-10V
A691-416	Pink	0-10V

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 231lm
110 - 127 VAC 0-10V 6W 231lm
Weight: Net 2.6 lb – Gross 3.7 lb
Package: 13 x 10.2 x 10.2 " – 3.7 lb Vol – 0.7 ft³
LED included



Dimmable

Cable length: 6.7 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Dipping Light 20 - 24V

Code	Finish
A691-270	White
A691-271	Blue
A691-272	Green
A691-273	Amber
A691-274	Pink

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on purchased power supply. See Cluster accessory, page 35.

Product type: Pendant
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 231lm
Weight: Net 2.4 lb – Gross 4.4 lb
Package: 13 x 10.2 x 10.2 " – 4.4 lb Vol – 0.7 ft³
Product notes: Use with cluster accessory, see pg 33, 34.
1 pc. hook accessory included.
LED included



Dimmable

Cable length: 13.1 ft
Wire installation: Hardwired
Cord color: Black




Dipping Light 30

Code	Finish	Dimming
A691-372	White	ELV
A691-373	Blue	ELV
A691-374	Green	ELV
A691-375	Amber	ELV
A691-376	Pink	ELV
A691-418	White	0-10V
A691-419	Blue	0-10V
A691-420	Green	0-10V
A691-421	Amber	0-10V
A691-422	Pink	0-10V

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC ELV 14W 379lm
110 - 127 VAC 0-10V 14W 379lm
Weight: Net 5.2 lb – Gross 8 lb
Package: 16 x 15.7 x 16 '' – 8 lb Vol – 2.47 ft³
LED included



Dimmable

Cable length: 6.7 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Dipping Light 30 - 24V

Code	Finish
A691-290	White
A691-291	Blue
A691-292	Green
A691-293	Amber
A691-294	Pink

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 35.

Product type: Pendant
Light source: LED SMD 24Vdc 11.5W 2700K CRI90 1024lm
Luminaire: (Power supply not included) 379lm
Weight: Net 4.4 lb – Gross 7.3 lb
Package: 16 x 15.7 x 16 '' – 7.3 lb Vol – 2.47 ft³
Product notes: Use with cluster accessory, see pg 33, 34.
1 pc. hook accessory included.
LED included



Dimmable

Cable length: 13.1 ft
Wire installation: Hardwired
Cord color: Black




Dipping Light 40 NEW

Code	Finish	Dimming
A691-550-35-27K	White	ELV
A691-550-48-27K	Blue	ELV
A691-550-45-27K	Green	ELV
A691-550-30-27K	Amber	ELV
A691-550-44-27K	Pink	ELV
A691-551-35-27K	White	ELV + 0-10V
A691-551-48-27K	Blue	ELV + 0-10V
A691-551-45-27K	Green	ELV + 0-10V
A691-551-30-27K	Amber	ELV + 0-10V
A691-551-44-27K	Pink	ELV + 0-10V

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
ELV
ELV + 0-10V


Product type: Pendant
Light source: LED COB 700mA 23.7W 2700K CRI90 3280lm
Luminaire: 120 VAC 27.5W
Weight: Net 9.3 lb – Gross 14.3 lb
Package: 21.7 x 21.7 x 22.4 '' – 14.33 lb Vol – 6 ft³
LED included



Dimmable

Cable length: 9.8 ft
Wire installation: Hardwired
Color cord: Black
Canopy color: Black





Code	Product	Finish	Spare part
A691-402	Dipping light	White	Glass
A691-401	Dipping light	Blue	Glass
A691-405	Dipping light	Green	Glass
R691-005	Dipping light	Amber	Glass
A691-404	Dipping light	Pink	Glass
A691-509	Dipping light S	White	Glass
A691-510	Dipping light S	Blue	Glass
A691-511	Dipping light S	Green	Glass
A691-512	Dipping light S	Amber	Glass
A691-514	Dipping light S	Pink	Glass
A691-101	Dipping light M	White	Glass
A691-102	Dipping light M	Blue	Glass
A691-103	Dipping light M	Green	Glass
A691-104	Dipping light M	Amber	Glass
A691-105	Dipping light M	Pink	Glass
R691-012	Dipping light A	White	Glass
R691-013	Dipping light A	Blue	Glass
R691-014	Dipping light A	Green	Glass
R691-015	Dipping light A	Amber	Glass
R691-016	Dipping light A	Pink	Glass
R691-018	Dipping Light 13	White	Glass
R691-019	Dipping Light 13	Blue	Glass
R691-020	Dipping Light 13	Green	Glass
R691-021	Dipping Light 13	Amber	Glass
R691-022	Dipping Light 13	Pink	Glass
R691-024	Dipping Light 20	White	Glass
R691-025	Dipping Light 20	Blue	Glass
R691-026	Dipping Light 20	Green	Glass
R691-027	Dipping Light 20	Amber	Glass
R691-028	Dipping Light 20	Pink	Glass
R691-030	Dipping Light 30	White	Glass
R691-031	Dipping Light 30	Blue	Glass
R691-032	Dipping Light 30	Green	Glass
R691-033	Dipping Light 30	Amber	Glass
R691-034	Dipping Light 30	Pink	Glass
R691-064	Dipping Light 40	White	Glass
R691-065	Dipping Light 40	Blue	Glass
R691-066	Dipping Light 40	Green	Glass
R691-067	Dipping Light 40	Amber	Glass
R691-068	Dipping Light 40	Pink	Glass
R680-014	Dipping Light portable		Battery
R968-002-USA	Dipping Light portable		Black power adapter
R961-057	Dipping Light portable		Usb type C cable black




Discocó, Christophe Mathieu

Discocó 35

Code	Finish
A620-055	White (RAL 9003)
A620-127	Matte Grey (RAL 7037)
A620-128	Matte Beige (RAL 1001)
A620-083	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E12 LED TYPE G16.5 5W
Weight: Net 3.3 lb – Gross 5.7 lb
Package: 33.8 x 7 x 7.4 '' -5.7 lb – Vol - 1.06 ft^3
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White




Discocó 53


Code	Finish
A620-005	White (RAL 9003)
A620-129	Matte Grey (RAL 7037)
A620-130	Matte Beige (RAL 1001)
A620-084	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 6.17 lb – Gross 10.4 lb
Package: 42.5 x 10.2 x 10.6 " - 10.4 lb – Vol - 2.82 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White




Discocó 68

Code	Finish
A620-122	White (RAL 9003)
A620-131	Matte Grey (RAL 7037)
A620-132	Matte Beige (RAL 1001)
A620-145	Black - Gold (RAL 9004 - Gold)
A620-162	American oak-Black chrome

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E26 LED TYPE A 11W
Weight: Net 10.1 lb – Gross 16.5 lb
Package: 49.2 x 12.9 x 11.02 " - 16.5 lb – Vol - 4.06 ft³
Product notes: For the wood version, the discs are made of pressed American oak of 0.16". Black chrome sphere.
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black (American oak version), White (all the rest)
Canopy Color: Black (American oak version), White (all the rest)




Discocó 88

Code	Finish
A620-006	White (RAL 9003)
A620-133	Matte Grey (RAL 7037)
A620-134	Matte Beige (RAL 1001)
A620-085	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E26 LED TYPE A 11W
Weight: Net 14.8 lb – Gross 23.4 lb
Package: 52.7 x 12.2 x 16.5 '' - 23.4 lb – Vol - 6 ft³
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White




Discocó 132

Code	Finish
A620-047	White (RAL 9003)
A620-135	Matte Grey (RAL 7037)
A620-136	Matte Beige (RAL 1001)
A620-086	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 6x E26 LED TYPE A 11W
Weight: Net 40.8 lb – Gross 52.9 lb
Package: 47.6 x 16.1 x 16.1 '' - 30.9 lb – Vol - 7.06 ft³
17.7 x 16.5 x 16.5 '' - 22 lb – Vol - 2.82 ft³
Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White




Discocó C53

Code	Finish
A620-065	White (RAL 9003)
A620-087	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: E26 LED TYPE A 11W
Weight: Net 4.9 lb – Gross 8.1 lb
Package: 33.8 x 10.6 x 8.6 '' - 8.1 lb – Vol - 1.76 ft³
Lamping not included



Wire installation: Hardwired




Discocó C68


Code	Finish
A620-147	White (RAL 9003)
A620-146	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: 3x E26 LED TYPE A 11W
Weight: Net 8.8 lb – Gross 15.4 lb
Package: 42.9 x 13 x 10.6 '' - 15.4 lb – Vol - 3.42 ft³
Lamping not included



Wire installation: Hardwired




Discocó A

Code	Finish
A620-089	White (RAL 9003)
A620-093	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Wall
Light source: 2x E12 LED TYPE G16.5 5W
Weight: Net 2.6 lb – Gross 3.3 lb
Package: 23 x 7.5 x 6 '' - 3.3 lb – Vol - 0.7 ft^3
Lamping not included



Wire installation: Hardwired





Djembé, Joan Gaspar

Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.





Discover more at marset.com


Djembé 42.21

Code	Finish	Dimming
A681-291	White (RAL 1013)	ELV
A681-292	Grey (RAL 7022)	ELV
A681-293	Red (RAL 3011)	ELV
A681-294	Sky Blue (PANTONE 7542C)	ELV
A681-380	White (RAL 1013)	0-10v
A681-381	Grey (RAL 7022)	0-10v
A681-382	Red (RAL 3011)	0-10v
A681-383	Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10v

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 19W 955lm
120 - 277 VAC 0-10V 19W 955lm
Weight: Net 6.6 lb – Gross 9.7 lb
Package: 17.3 x 17.3 x 12 " – 9.7 lb Vol – 2.11 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Cable length: 6.56 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Djembé 42.28

Code	Finish	Dimming
A681-295	White (RAL 1013)	ELV
A681-296	Grey (RAL 7022)	ELV
A681-297	Red (RAL 3011)	ELV
A681-298	Sky Blue (PANTONE 7542C)	ELV
A681-384	White (RAL 1013)	0-10v
A681-385	Grey (RAL 7022)	0-10v
A681-386	Red (RAL 3011)	0-10v
A681-387	Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 19W 925lm
120 - 277 VAC 0-10V 19W 925lm
Weight: Net 6.6 lb – Gross 11 lb
Package: 17.3 x 17.3 x 12.6 " – 11 lb Vol – 2.118 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Cable length: 6.56 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Djembé 65.23

Code	Finish
A681-388	White (RAL 1013)
A681-389	Grey (RAL 7022)
A681-390	Red (RAL 3011)
A681-391	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 26W 1843lm
120 - 277 VAC 0-10V 26W 1843lm
Weight: Net 11 lb – Gross 16.3 lb
Package: 25.6 x 25.6 x 11 " – 16.3 lb Vol – 4.23 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black




Djembé 65.35

Code	Finish
A681-392	White (RAL 1013)
A681-393	Grey (RAL 7022)
A681-394	Red (RAL 3011)
A681-395	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 26W 1845lm
120 - 277 VAC 0-10V 26W 1845lm
Weight: Net 13.4 lb – Gross 18.7 lb
Package: 25.6 x 25.6 x 16.5 " – 18.7 lb Vol – 6.35 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black




Djembé 65.45

Code	Finish
A681-396	White (RAL 1013)
A681-397	Grey (RAL 7022)
A681-398	Red (RAL 3011)
A681-399	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 26W 1770lm
120 - 277 VAC 0-10V 26W 1770lm
Weight: Net 15.2 lb – Gross 20.5 lb
Package: 25.6 x 25.6 x 19.3 " – 20.5 lb Vol – 7.06 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black




Code	Finish
A681-506	White (RAL 1013)
A681-507	Grey (RAL 7022)
A681-508	Red (RAL 3011)
A681-509	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
Luminaire: Only 120 VAC ELV 42W 2519lm
120 - 277 VAC 0-10V 42W 2519lm
Weight: Net 22 lb – Gross 41.9 lb
Package: 45.2 x 45.2 x 20 '' – 41.9 lb Vol – 24.7 ft³
Product notes: 3000K available upon request
LED included



Dimmable

c UL us

Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black




@Phil Bernard


Djembé C42.13

Code	Finish	Dimming
A681-136	White (RAL 1013)	ELV
A681-137	Grey (RAL 7022)	ELV
A681-138	Red (RAL 3011)	ELV
A681-139	Sky Blue (PANTONE 7542C)	ELV
A681-312	White (RAL 1013)	0-10v
A681-313	Grey (RAL 7022)	0-10v
A681-314	Red (RAL 3011)	0-10v
A681-315	Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC ELV 19W 846lm
120 - 277 VAC 0-10V 19W 846lm
Weight: Net 5.3 lb – Gross 7.7 lb
Package: 17.3 x 17.3 x 7.4 '' – 7.7 lb Vol – 1.41 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Wire installation: Hardwired




Djembé C42.21

Code	Finish	Dimming
A681-140	White (RAL 1013)	ELV
A681-141	Grey (RAL 7022)	ELV
A681-142	Red (RAL 3011)	ELV
A681-143	Sky Blue (PANTONE 7542C)	ELV
A681-316	White (RAL 1013)	0-10v
A681-317	Grey (RAL 7022)	0-10v
A681-318	Red (RAL 3011)	0-10v
A681-319	Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC ELV 19W 955lm
120 - 277 VAC 0-10V 19W 955lm
Weight: Net 6.6 lb – Gross 9.4 lb
Package: 17.3 x 17.3 x 9.8 '' – 9.4 lb Vol – 1.765 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Wire installation: Hardwired




Djembé C 42.28

Code	Finish	Dimming
A681-144	White (RAL 1013)	ELV
A681-145	Grey (RAL 7022)	ELV
A681-146	Red (RAL 3011)	ELV
A681-147	Sky Blue (PANTONE 7542C)	ELV
A681-320	White (RAL 1013)	0-10v
A681-321	Grey (RAL 7022)	0-10v
A681-322	Red (RAL 3011)	0-10v
A681-323	Sky Blue (PANTONE 7542C)	0-10v

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC ELV 19W 925lm
120 - 277 VAC 0-10V 19W 925lm
Weight: Net 6.6 lb – Gross 11.5 lb
Package: 17.3 x 17.3 x 12.6 " – 11.5 lb Vol – 2.12 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Wire installation: Hardwired




Djembé C 65.23

Code	Finish
A681-324	White (RAL 1013)
A681-325	Grey (RAL 7022)
A681-326	Red (RAL 3011)
A681-327	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 26W 1843lm
120 - 277 VAC 0-10V 26W 1843lm
Weight: Net 10.8 lb – Gross 15.4 lb
Package: 25.6 x 25.6 x 11.8 " – 15.4 lb Vol – 4.59 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Wire installation: Hardwired




Djembé C 65.35

Code	Finish
A681-328	White (RAL 1013)
A681-329	Grey (RAL 7022)
A681-330	Red (RAL 3011)
A681-331	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 26W 1845lm
120 - 277 VAC 0-10V 26W 1845lm
Weight: Net 14.8 lb – Gross 19.8 lb
Package: 25.6 x 25.6 x 16.5 " – 19.8 lb Vol – 6.36 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Wire installation: Hardwired




Djembé C 65.45

Code	Finish
A681-332	White (RAL 1013)
A681-333	Grey (RAL 7022)
A681-334	Red (RAL 3011)
A681-335	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10v

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 26W 1770lm
120 - 277 VAC 0-10V 26W 1770lm
Weight: Net 16.5 lb – Gross 22 lb
Package: 25.6 x 25.6 x 19.3 " – 22 lb Vol – 7.06 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Wire installation: Hardwired




Code	Finish
A681-514	White (RAL 1013)
A681-515	Grey (RAL 7022)
A681-516	Red (RAL 3011)
A681-517	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Ceiling
Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
Luminaire: Only 120 VAC ELV 42W 2519lm
120 - 277 VAC 0-10V 42W 2519lm
Weight: Net 22 lb – Gross 42 lb
Package: 45.3 x 45.3 x 20" - 42lb Vol – 24.7 ft^3
Product notes: 3000K available upon request
LED included



Dimmable

Wire installation: Hardwired




Accessory C2 Djembé 42

Code
A681-424

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2 lb – Gross 3.52 lb
Package: 24.4 x 7.8 x 3.5" - 3.52 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 2 Djembé 42 models for a single junction box.
Only for ELV versions.






Accessory C3 Djembé 42

Code
A681-425

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.5 lb – Gross 4.4 lb
Package: 24.4 x 7.8 x 3.5" - 4.4 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 3 Djembé 42 models for a single junction box.
Only for ELV versions.






Accessory C2 Djembé 65

Code
A681-426

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2.5 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 2 Djembé 65 models for a single junction box.
Only for ELV versions.






Accessory C3 Djembé 65

Code
A681-427

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 3 Djembé 65 models for a single junction box.
Only for ELV versions.





FollowMe, Inma Bermúdez

Few lamps have had as strong an impact as the FollowMe. A pioneer in portable lighting, this bold lantern has become a design icon in just a few short years.

Its simple and lightweight shapes, tiltable lampshade and technological rigor have cemented its position as a practical and beautiful trendsetter.





Discover more at marset.com

reddot award 2016
winner lighting design


FollowMe

Code	Finish
A657-080	White
A657-082	Green (RAL 120 40 20)
A657-083	Pink (RAL 050 80 20)
A657-084	Terracotta (RAL 040 50 30)
A657-085	Blue (RAL 190 80 10)

Materials
Diffuser: Opal polycarbonate
Body: Polycarbonate
Handle: Plywood with natural oak varnish

Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
Luminaire: in 5 Vdc 1.5A 135lm
Weight: Net 1.5 lb – Gross 4 lb
Package: 13.8 x 9.5 x 14" - 2.2lb Vol – 1 ft^3 (1u)
20.08 x 13.39 x 14.17" – 17.6 lb Vol – 2.3 ft^3 (6u)
Product notes: Sold in multiples of 6.
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power




FollowMe Plus

Code	Finish
A657-081	White

Materials
Diffuser: Opal polycarbonate
Body: Polycarbonate
Diffuser: Opal polycarbonate
Handle: Plywood with natural oak veneer

Dimmer
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 395lm
Luminaire: in 5 Vdc 1.5A 290lm
Weight: Net 2.5 lb – Gross 7.8 lb
Package: Ø9 x 20'' – 4.8 lb Vol – 0.706 ft³ (1u)
9.44 x 20.8 x 20.4'' – 13.2 lb Vol – 0,07 ft³ (2u)
Product notes: Sold in multiples of 2.
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power



Spare parts

Code	Product	Spare part
A657-101	FollowMe / FollowMe Plus	Battery
R968-002-USA	FollowMe colors	Black power adapter
R968-006-USA	FollowMe / FollowMe Plus	White power adapter
R961-057	FollowMe colors	Usb type C cable black
R961-062	FollowMe / FollowMe Plus	Usb type C cable white

Fragile, Jaume Ramírez

Fascinated by timeless design, designer Jaume Ramírez is interested in the archetypal table lamp in which a lampshade distributes light in all directions. This is the starting point from which he reflects and experiments to propose a new glass design, with more streamlined shapes. The Fragile lamp is a mix of geometric shapes. A cone and a sphere are arranged to hold a cylinder that emits ambient light from below.






Fragile NEW

Code	Finish
A724-103-50-22K	○ Translucent
A724-103-46-22K	● Amber

Materials
Diffuser: Blown Glass
Base: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive from 0 to 100

Product type: Table
Light source: LED SMD 700mA 2.1W 2200K CRI80 226.5lm
Luminaire: 85 - 264 VAC
Weight: Net 4.6 lb – Gross 10.1 lb
Package: 25.6 x 15.4 x 12.2 '' - 10.1 lb – VOL - 2.8 ft³
LED included



Cable length: 3.2 ft
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Spare parts

Code	Product	Finish	Spare part
R724-001-46	Fragile	Amber	Glass - Cone
R724-001-50	Fragile	Translucent	Glass - Cone
R724-002-46	Fragile	Amber	Glass - Sphere
R724-002-50	Fragile	Translucent	Glass - Sphere
R724-003	Fragile	-	Glass - Tube



Drawing thin beams of light in a space with each one of them pointing in any direction. This is why we have created Fris, a multi-purpose lighting system, available in a wall/ceiling or pendant version, which allows you to combine several units in different sizes and positions, each one aiming its own beam of light. What makes it unique is that the glass not only protects the light, but also provides a mechanical function, suspending the whole system and allowing the lamp to rotate and the light to be steered in a certain direction. There is also a more technical Pro version where the light is distributed in cells with independent lenses, achieving a UGR of under 19.



Fris Pro 155 NEW

Code	Finish
A718-054-16-30K-W	● Black
A718-054-18-30K-W	● Bronze

Materials
Structure: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
See canopy A666-256-16

Product type: Pendant
Light source: LED SMD 1050mA 40W 3000K CRI90 5495lm
Luminaire: 3991lm
LED beam angle: 55º

Product notes: 1050mA power supply and hooks (see the accesories section) to be ordered separately.
Tunable White (27K - 40K) available upon request.
4000K available upon request.
LED beam angle: 30º y 65º available upon request.
LED included



Dimmable

Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Fris Pro 155 + Hook 47 x2

Rectangular Canopy 50W ELV/0-10V NEW

Code	Finish	Dimming
A666-256-16	● Black	ELV / Triac / 0-10V

Materials
Structure: Metal



Product type: Ceiling
INPUT: 120-277 VAC 50/60Hz (ELV / Triac only 120 VAC)
OUTPUT: CC 1050mA 44W max. (24VDC - 42VDC)
Weight: Weight 1.5 lb – Gross 2.2 lb
Package: 13.4 x 8.3 x 2.8 " - 2.2 lb - VOL - 0.35 ft³

Dimmable



Fris Pro 155 + Support 16 x2

Fris 80 NEW

Code	Finish	CCT
A718-055-16-27K	● Black	27K
A718-055-18-27K	● Bronze	27K
A718-055-16-30K	● Black	30K
A718-055-18-30K	● Bronze	30K


Materials
Structure: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 13.7W 2700K CRI90 1657lm
Luminaire: (Power supply not included) 1165lm

Light source: LED SMD 24Vdc 13.7W 3000K CRI90 1612lm
Luminaire: (Power supply not included) 1165lm

Product notes: 24V remote power supply and hooks (see the accesories section) to be ordered separately.
LED included



Dimmable

Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black

Wire installation: Hardwired / Recessed



Fris 80 + Support 16 x2

Fris 155 NEW

Code	Finish	CCT
A718-056-16-27K	● Black	27K
A718-056-18-27K	● Bronze	27K
A718-056-16-30K	● Black	30K
A718-056-18-30K	● Bronze	30K

Materials
Structure: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source: LED SMD 24Vdc 29.4W 2700K CRI90 3570lm
Luminaire: (Power supply not included) 2258lm

Light source: LED SMD 24Vdc 29.4W 3000K CRI90 3472lm
Luminaire: (Power supply not included) 2258lm

Product notes: 24V remote power supply and hooks (see the accesories section) to be ordered separately.
LED included

Dimmable



Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black

Wire installation: Hardwired / Recessed



Fris 155 + Hook 47 x2



Fris 155 + Support 16 x2



Fris 215 NEW

Code	Finish	CCT
A718-057-16-27K	● Black	27K
A718-057-18-27K	● Bronze	27K
A718-057-16-30K	● Black	30K
A718-057-18-30K	● Bronze	30K

Materials
Structure: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source: LED SMD 24Vdc 42W 2700K CRI90 5100lm
Luminaire: (Power supply not included) 3132lm

Light source: LED SMD 24Vdc 42W 3000K CRI90 4960lm
Luminaire: (Power supply not included) 3132lm


Product notes: 24V remote power supply and hooks (see the accesories section) to be ordered separately.
LED included



Dimmable

Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black

Wire installation: Hardwired / Recessed



Fris 215 + Hook 47 x2




Fris 215 + Support 16 x2

Rectangular Canopy

Code	Finish	Dimming
A666-213-16	● Black - 60W 24V	0-10V

INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 1.54 lb – Gross 2.2 lb
Package: 14.6 x 6.7 x 2.6 " - 2.2 lb - VOL - 0.14 ft³






A666-254-16	● Black - 60W 24V	ELV / Triac / 0-10V

INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 2.9 lb – Gross 3.53 lb
Package: 14.6 x 6.7 x 2.6 " - 3.53 lb - VOL - 0.14 ft³

A666-255-16	● Black - 90W 24V	ELV / Triac / 0-10V

INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 90W max.
Weight: Net: 3.31 lb – Gross 3.97 lb
Package: 14.6 x 6.7 x 2.6 " - 3.97 lb - VOL - 0.14 ft³



Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

These canopies are not compatible with Fris Pro.


Materials
Structure: Metal

Dimmable

Remote LED Driver (ELV)

Code	Description	Dimming
A968-333	60W - 24V	ELV

Product type: Power supply
INPUT: 120 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.
Weight: Net: 0.22 lb – Gross 0.44 lb
Package: 4.3 x 4.3 x 4.3 " - 0.44 lb - VOL - 0.05 ft³



Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable


Outlet box cover plate

Code	Finish
A666-219-16	● Black

Weight: Net: 0.22 lb – Gross 0.44 lb
Package: 6.3 x 5.7 x 3.5 " - 0.44 lb - VOL - 0.07 ft³

Materials
Structure: Metal

Product type: Accessory
Product notes: Ceiling cover plate for 4" octagonal junction box.




Outlet box cover plate with hanging support

Code	Finish
A666-258-39	● Black

Weight: Net: 0.22 lb – Gross 0.44 lb
Package: 6.3 x 5.7 x 3.5 " - 0.44 lb - VOL - 0.07 ft³

Materials
Structure: Metal

Product type: Accessory
Product notes: Ceiling cover plate for 4" octagonal junction box.



Circular Canopy 60W 24V ELV/Triac/0-10V

Code
A666-257-16

Finish
● Black

Dimming
ELV / Triac / 0-10V


Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No

Product type: Accessory
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.

Weight: Net 2.6 lb – Gross 3.5 lb
Package: 16.5 x 16.5 x 3.1 " -3.5 lb – VOL - 0.4 ft³
Product notes: Canopy for 24V luminaires.

Dimmable



Wire installation: Hardwired
Canopy color: Black - Entry points: 1




Support Fris A 16 x2

Code
A718-040-39

Finish
● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory for wall installation.






Support Fris A 37 x2


Code
A718-041-39

Finish
● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory for wall installation.






Side cover

Code
A718-033-39

Finish
● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: End-cap with cable ports, to create compositions of numerous fixtures.







KINFOLK

Code	Finish
Hook 47 x2 A718-061-39	● Black


2 units included






Double hook 96 x2 A718-062-39	● Black

2 units included




Double hook 71 x2 A718-063-39	● Black

2 units included



Double hook 146 x2 A718-064-39	● Black

2 units included




Materials
Structure: Aluminium

Product notes: Hooks to make compositions.




Individual hook Fris

Code	Finish
Hook 47 x1 A718-065-39 1 unit included	● Black







Double hook 96 x1 A718-066-39 1 unit included	● Black



Double hook 71 x1 A718-067-39 1 unit included	● Black



Double hook 146 x1 A718-068-39 1 unit included	● Black



Materials
Structure: Aluminium

Product notes: Hooks to make compositions.

Unions Fris

Code
Union 30
A718-069-39

1 unit included

Finish


● Black



Union 50
A718-070-39

1 unit included

● Black



Union 100
A718-071-39


1 unit included

● Black



Materials
Structure: Aluminium

Product notes: Unions to make compositions.



Ceiling support x2 Fris

Code
Support 13x2
A718-072-39

2 units included

Finish

● Black















Fris

- Diffuse decorative light.
- LED 2700K and 3000K CRI90
- 24V product, can be connected to each other.
  Max. 5 Fris 80
  Max. 3 Fris 155
  Max. 2 Fris 215
- Power supply not included, order separately.


Fris Pro

- Direct light for tasks requiring higher luminance and increased glare control.
- LED 3000K CRI90 (4000K available upon request).
- Power supply not included, order separately.
  They cannot be connected to each other.
- LED beam angle: 55º
(30º and 65º available upon request)
- Tunable White 2700K 4000K version (available upon request).






1 unit Fris 155
1 unit Hook 47 x2
1 unit Canopy




2 units Fris 215
2 units Hook 47 x2
1 unit Canopy
1 unit Side cover


Product notes: Max. 3x Fris 155
Max. 2x Fris 215




2 units Fris 215
2 units Double hook 96
1 unit Canopy




1 unit Fris 155
1 unit Fris 215
1 unit Hook 47 x2
1 unit Hook 47 x1
1 unit Union 30
1 unit Canopy Fris 155
1 unit Canopy Fris 215




1 unit Fris Pro 155
1 unit Hook 47 x2
1 unit Canopy



2 units Fris Pro 155
2 units Hook 47 x2
2 units Canopy



2 units Fris Pro 155
2 units Hook double 96
2 units Canopy



2 units. Fris Pro 155
1 unit Hook 47 x2
1 unit Hook 47 x1
1 unit Union 30
2 units canopy

Funiculí, Lluís Porqueras

Funiculí is a revamped edition of a lamp originally designed in 1979. Lluis Porqueras always sought an absolute simplicity in his designs, stripping everything superfluous to leave only the essence of the simple, useful object.

Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360 degree shade rotation to fit the needs of any room or user.






Discover more at marset.com

Funiculí


Code	Finish
A641-006	Moss grey (RAL 7003)
A641-007	Off-white (RAL 1013)
A641-008	Black (RAL 9005)
A641-482	Green (RAL 110 40 30)
A641-483	Terracotta (RAL 050 40 50)
A641-484	Mustard (RAL 075 60 70)

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: Aluminum

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 6.8 lb – Gross 11 lb
Package: 14.9 x 21.2 x 4.7" - 9.3lb Vol - 0.847 ft^3
1.9 x 1.9 x 56.3" - 1.8lb Vol - 0.14 ft^3
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Funiculí Fabric

Code	Finish
A641-413	Black - White
A641-414	Black - Sand

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Floor
Light source: E26 LED Standard 8W
Weight: Net 11.5 lb – Gross 16.5 lb
Package: 20.4 x 16.5 x 5.1" - 13.8lb Vol - 1.051 ft³
13.38 x 13.38 x 9" - 1.31lb Vol - 0.706 ft³
47.2 x 1.6 x 1.6" - 1.3lb Vol - 0.07ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Funiculí A

Code	Finish
A641-040	Moss grey (RAL 7003)
A641-041	Off-white (RAL 1013)
A641-042	Black (RAL 9005)
A641-485	Green (RAL 110 40 30)
A641-486	Terracotta (RAL 050 40 50)
A641-487	Mustard (RAL 075 60 70)

Materials
Stem: Iron
Shade: Aluminum

Product type: Wall
Light source: E12 LED TYPE G16.5 5W
Weight: Net 1.8 lb – Gross 3.31 lb
Package: 18.1 x 13.4 x 4.3" - 3.31 lb Vol - 0.6 ft³
Lamping not included



Cable length: 5.4 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Funiculí A Fabric

Code	Finish
A641-415	Black - White
A641-416	Black - Sand

Materials
Stem: Iron
Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Wall
Light source: E12 LED 5W
Weight: Net 1.5 lb – Gross 3.7 lb
Package: 25.6 x 11.4 x 3.9" - 6.61 lb Vol - 0.7 ft³
10.3 x 10.3 x 7" - 2.64 lb Vol - 042 ft³
Lamping not included



Cable length: 5.4 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Funiculí S

Code	Finish
A641-030	Moss grey (RAL 7003)
A641-031	Off-white (RAL 1013)
A641-032	Black (RAL 9005)
A641-488	Green (RAL 110 40 30)
A641-489	Terracotta (RAL 050 40 50)
A641-490	Mustard (RAL 075 60 70)

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: Aluminum

Product type: Table
Light source: E12 LED 5W
Weight: Net 4 lb – Gross 6 lb
Package: 18.5 x 13.4 x 4.3" – 6 lb Vol – 0.6 ft³
Lamping not included



Cable length: 5.4 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Funiculí S Fabric

Code	Finish
A641-417	Black - White
A641-418	Black - Sand

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Table
Light source: E12 LED 5W
Weight: Net 3.7 lb – Gross 5.9 lb
Package: 25.6 x 12.2 x 3.9" - 5.31 lb Vol - 0.706 ft³
10.2 x 10.2 x 7" - 0.6 lb Vol - 0.42 ft³
Lamping not included



Cable length: 5.4 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line






LED-Ginger, Joan Gaspar

The LED-Ginger collection is notable for its great simplicity of form, its lightweight appearance and reflected direct light. A design for any type of project.

Available in two very different materials, wood or metal, it provides a warm glow with no glare, illuminating just the areas that need it.





Discover more at marset.com


LED-Ginger 20

Code	Finish
A662-189	Oak-White
A662-190	Wenge-White
A662-191	Oak-Oak
A662-192	Wenge-Wenge
A662-252	Brushed brass-Brushed brass
A662-253	Brushed brass-White
A662-254	Black-White

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: No

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 161lm
Weight: Net 1.3 lb – Gross 1.8 lb
Package: 9 x 8.26 x 3.93 '' – 1.8 lb Vol – 0.35 ft³
LED included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




LED-Ginger 20 - 24V

Code	Finish
A662-392	Oak-White
A662-393	Wenge-White
A662-394	Oak-Oak
A662-395	Wenge-Wenge
A662-344	Brushed brass-Brushed brass
A662-345	Brushed brass-White
A662-346	Black-White

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 31.

Product type: Pendant
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0.7 lb – Gross 1.1 lb
Package: 9 x 8.26 x 3.93 " – 1.1 lb Vol – 0.35 ft³
Product notes: Use with Cluster accessory, see pg 33, 34.
1 pc. hook accessory included.
LED included



Dimmable

Cable length: 13.1 ft
Wire installation: Hardwired
Cord color: Black




LED-Ginger 20x3

Code	Finish
A662-193	Oak-White
A662-194	Wenge-White
A662-195	Oak-Oak
A662-196	Wenge-Wenge
A662-237	Brushed brass-Brushed brass
A662-238	Brushed brass-White
A662-239	Black-White

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 350mA 12.15W 2700K CRI90 1389lm
Luminaire: Only 120 VAC ELV 16W 483lm
120 - 277 VAC 0-10V 16W 483lm
Weight: Net 3.3 lb – Gross 4.4 lb
Package: 16.5 x 16.5 x 2.8 " – 4.4 lb Vol – 0.35 ft³
LED included



Dimmable

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black - Entry point: 3




LED-Ginger accessory 20x3

Code	Finish
A662-188	● Black

Materials
Disc: Iron

Product type: Accessory
Weight: Net 1.5 lb – Gross 2.2 lb
Package: 16.1 x 16.1 x 1 " - 2.2 lb – Vol - 0.003 ft³





LED-Ginger 32


Code	Finish	Dimming
A662-035	Oak-White	ELV
A662-036	Wenge-White	ELV
A662-241	Brushed brass-Brushed brass	ELV
A662-242	Brushed brass-White	ELV
A662-243	Black-White	ELV
A662-318	Oak-White	0-10V
A662-319	Wenge-White	0-10V
A662-245	Brushed brass-Brushed brass	0-10V
A662-246	Brushed brass-White	0-10V
A662-247	Black-White	0-10V

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC ELV 14W 350lm
120 - 277 VAC 0-10V 14W 350lm
Weight: Net 3 lb – Gross 5.5 lb
Package: 18.9 x 18.9 x 6.7" - 5.5 lb Vol - 1.4 ft³
LED included





Dimmable

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black


LED-Ginger 42

Code	Finish	Dimming
A662-037	Oak-White	ELV
A662-038	Wenge-White	ELV
A662-276	Brushed brass-Brushed brass	ELV
A662-277	Brushed brass-White	ELV
A662-278	Black-White	ELV
A662-320	Oak-White	0-10V
A662-321	Wenge-White	0-10V
A662-280	Brushed brass-Brushed brass	0-10V
A662-281	Brushed brass-White	0-10V
A662-282	Black-White	0-10V

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 21W 698lm
120 - 277 VAC 0-10V 21W 698lm
Weight: Net 4,4 lb – Gross 7.7 lb
Package: 22.44 x 20.87 x 6.69" - 7.7 lb Vol - 1.8 ft³
LED included



Dimmable

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




LED-Ginger 60

Code	Finish
A662-746-2035-27K	Oak-White
A662-746-2135-27K	Wenge-White
A662-749-1515-27K	Brushed brass-Brushed brass
A662-749-1535-27K	Brushed brass-White
A662-749-3935-27K	Black-White

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 28W 1165lm
120 - 277 VAC 0-10V 28W 1165lm
Weight: Net 7.7 lb – Gross 13.7 lb
Package: 26.37 x 26.37 x 9.4" - 13.7 lb Vol - 3.46 ft³
LED included



Dimmable

Cable length: 10 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black





LED-Ginger, Joan Gaspar


LED-Ginger 20 M

Code	Finish
A662-560	Oak-White
A662-561	Wenge-White
A662-562	Brushed brass-Brushed brass
A662-563	Brushed brass-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 395lm
Luminaire: in 5 Vdc 1.5A 290lm
Weight: Net 1.7 lb – Gross 2.2 lb
Package: 15.7 x 8.2 x 6.7" - 2.2 lb (1u) Vol - 0.35 ft³ (1u)
15.3 x 8.6 x 16.1" - 5.3 lb (2u) Vol - 1.4 ft³ (2u)
Product notes: Sold in multiples of 2.
Charging cable included (USB to USB-C). Power adapter not included.



Dimmer

Switch location: Base
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power




LED-Ginger S

Code	Finish
A662-039	Oak-White
A662-040	Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W 350lm
Weight: Net 5.7 lb – Gross 9.92 lb
Package: 22.44 x 20.87 x 6.69" - 9.92 lb Vol - 1.8 ft³
LED included



Dimmer

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



LED-Ginger M


Code
A662-085
A662-086

Finish
Oak-White
Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 85 - 264 VAC 16.85W 698lm
Weight: Net 7.5 lb – Gross 12.3 lb
Package: 24 x 24 x 8.6" - 12.3 lb Vol - 2.8 ft³
LED included



Dimmer

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



LED-Ginger P


Code
A662-041
A662-042

Finish
Oak-White
Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Aluminum

Integrated dimmer: Yes
Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 264 VAC 21W 698lm
Weight: Net 10.8 lb – Gross 14.4 lb
Package: 22.44 x 20.87 x 6.69" - 14.4lb Vol - 1.8 ft³
7.4 x 7.4 x 52.4" - 4.41 lb Vol - 1.6 ft³
LED included



Dimmer

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




LED-Ginger XL 42

Code	Finish
A662-120	Oak-White
A662-121	Wenge-White

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Stem: Metal
Arm: Carbon fiber

Integrated dimmer: Yes
Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 85 - 264 VAC 21W 698lm
Weight: Net 52.5 lb – Gross 61.3 lb
Package: 22.44 x 20.87 x 6.69" - 6.171 lb Vol - 1.8 ft³
75.2 x 7.87 x 4.3" - 22.04 lb Vol - 1.41 ft³
24.8 x 24.4 x 1.57" - 33.06 lb Vol - 0.7 ft³
LED included



Dimmer



Cable length: 8.2 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line


LED-Ginger 20 A

Code	Finish	Dimmer
Plug-in		
A662-199	Oak-White	Progressive
A662-200	Wenge-White	Progressive
Hardwired		
A662-201	Oak-White	No
A662-202	Wenge-White	No

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Structure: Metal

Integrated dimmer: Yes (Plug-in version)
Dimmer Type:
Plug-in version, Progressive in-line dimmer from 0 to 100.

Product type: Wall
Light source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 85 - 264 VAC 5.7W 161lm
Weight: Net 1.3 lb – Gross 3.3 lb
Package: 18.1 x 11 x 9.4 " - 3.3 lb Vol - 1.06 ft³
Product notes: Plug-in: Progressive dimmer from 0 to 100.
Hardwired: Canopy with switch on/off.
LED included



Dimmer



Cord color: Black
Wire installation: Plug-in / Hardwired


LED-Ginger A

Code	Finish	Dimmer
Plug-in		
A662-087	Oak-White	Progressive
A662-088	Wenge-White	Progressive
Hardwired (Canopy)		
A662-095	Oak-White	ELV / on-off
A662-096	Wenge-White	ELV / on-off

Materials
Diffuser and base: Pressed wood or brushed aluminum
Dissipater: Aluminum
Structure: Metal

Integrated dimmer: Yes (Plug-in version)
Dimmer Type:
Plug-in version: progressive in-line dimmer from 0 to 100.
Hardwired version: Phase cut (ELV) dimming driver

Product type: Wall
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W 350lm (Plug-in)
100 - 120 VAC ELV 14W 350lm (Canopy)
Weight: Net 3.3 lb – Gross 6.61 lb
Package: 22.4 x 20.8 x 6.69" - 6.61 lb Vol - 1.8 ft³
LED included



Dimmer / Dimmable

Cord color: Black
Wire installation: Plug-in / Hardwired




LED-Ginger 20C

Code	Finish
A662-288	Oak-White
A662-289	Wenge-White
A662-290	Oak-Oak
A662-291	Wenge-Wenge
A662-292	Brushed brass-Brushed brass
A662-293	Black-White
A662-576-36-27K	Mauve (RAL 010 70 10)
A662-576-37-27K	Sand (RAL 050 85 10)
A662-576-38-27K	Stone Grey (RAL 000 65 00)

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum
Canopy: Metal

Dimmable: No

Product type: Wall / Ceiling
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 100 - 240 VAC 6W 161lm
Weight: Net 0.9 lb – Gross 1.5 lb
Package: 9.4 x 8.3 x 3.9" - 1.5 lb Vol - 0.35 ft³
LED included




ADA

Canopy color: Black
Wire installation: Hardwired



LED-Ginger 32C


Code	Finish	Dimming
A662-203	Oak-White	ELV
A662-204	Wenge-White	ELV
A662-205	Oak-Oak	ELV
A662-206	Wenge-Wenge	ELV
A662-294	Brushed brass	ELV
A662-295	Black-White	ELV
A662-577-36-27K	Mauve (RAL 010 70 10)	ELV
A662-577-37-27K	Sand (RAL 050 85 10)	ELV
A662-577-38-27K	Stone Grey (RAL 000 65 00)	ELV
A662-324	Oak-White	0-10V
A662-325	Wenge-White	0-10V
A662-326	Oak-Oak	0-10V
A662-327	Wenge-Wenge	0-10V
A662-296	Brushed brass	0-10V
A662-297	Black-White	0-10V
A662-578-36-27K	Mauve (RAL 010 70 10)	0-10V
A662-578-37-27K	Sand (RAL 050 85 10)	0-10V
A662-578-38-27K	Stone Grey (RAL 000 65 00)	0-10V



Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum
Canopy: Metal


Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Wall / Ceiling
Light Source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC ELV 14W 350lm
120 - 277 VAC 0-10V 14W 350lm
Weight: Net 2.2 lb – Gross 4.41 lb
Package: 16.9 x 18.9 x 6.7" - 4.41 lb Vol - 1.4 ft^3
LED included



Canopy color: Black
Wire installation: Hardwired


Code	Finish	Dimming
A662-207	Oak-White	ELV
A662-208	Wenge-White	ELV
A662-209	Oak-Oak	ELV
A662-210	Wenge-Wenge	ELV
A662-446	Brushed brass	ELV
A662-447	Black-White	ELV
A662-579-36-27K	Mauve (RAL 010 70 10)	ELV
A662-579-37-27K	Sand (RAL 050 85 10)	ELV
A662-579-38-27K	Stone Grey (RAL 000 65 00)	ELV
A662-328	Oak-White	0-10V
A662-329	Wenge-White	0-10V
A662-330	Oak-Oak	0-10V
A662-331	Wenge-Wenge	0-10V
A662-448	Brushed brass	0-10V
A662-449	Black-White	0-10V
A662-580-36-27K	Mauve (RAL 010 70 10)	0-10V
A662-580-37-27K	Sand (RAL 050 85 10)	0-10V
A662-580-38-27K	Stone Grey (RAL 000 65 00)	0-10V



Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Wall / Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 21W 698lm
120 - 277 VAC 0-10V 21W 698lm
Weight: Net 4.2 lb – Gross 7.71 lb
Package: 22.4 x 20.8 x 6.7 " - 7.71 lb Vol - 1.80 ft^3
LED included



Dimmable

c UL us

Canopy color: Black
Wire installation: Hardwired


LED-Ginger 60C

Code	Finish
A662-332	Oak-White
A662-333	Wenge-White
A662-334	Oak-Oak
A662-335	Wenge-Wenge
A662-450	Brushed brass-Brushed brass
A662-451	Black-White
A662-581-36-27K	Mauve (RAL 010 70 10)
A662-581-37-27K	Sand (RAL 050 85 10)
A662-581-38-27K	Stone Grey (RAL 000 65 00)

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum
Canopy: Metal


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 28W 1165lm
120 - 277 VAC 0-10V 28W 1165lm
Weight: Net 7.3 lb – Gross 13.8 lb
Package: 26.3 x 26.3 x 9.44" - 13.8 lb Vol - 3.53 ft³
LED included




Dimmable

Canopy color: Black
Wire installation: Hardwired



Accessory C2 20/32

Code	Finish
Structure	
A662-518	Black
Shades 20	
A662-519	Oak-White
A662-520	Wenge-White
A662-521	Oak-Oak
A662-522	Wenge-Wenge
A662-523	Brushed brass-Brushed brass
A662-524	Black-White
A662-582-36-27K	Mauve (RAL 010 70 10)
A662-582-37-27K	Sand (RAL 050 85 10)
A662-582-38-27K	Stone Grey (RAL 000 65 00)
Shades 32	
A662-525	Oak-White
A662-526	Wenge-White
A662-527	Oak-Oak
A662-528	Wenge-Wenge
A662-529	Brushed brass-Brushed brass
A662-530	Black-White
A662-583-36-27K	Mauve (RAL 010 70 10)
A662-583-37-27K	Sand (RAL 050 85 10)
A662-583-38-27K	Stone Grey (RAL 000 65 00)



Dimmable


ADA

Materials
Canopy: Metal


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
Luminaire: Only 120 VAC ELV 20W (max.)
120 - 277 VAC 0-10V 20W (max.)
Weight: Net 9.9 lb – Gross 13.2 lb
Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft³
22.4 x 20.9 x 6.7"- 6.6 lb Vol - 1.8 ft³
24.4 x 7.8 x 3.5" - 4.4 lb Vol - 0.35 ft³
LED included

Canopy color: Black
Wire installation: Hardwired




Code	Finish
Structure	
A662-539	Black
Shades 20	
A662-519	Oak-White
A662-520	Wenge-White
A662-521	Oak-Oak
A662-522	Wenge-Wenge
A662-523	Brushed brass-Brushed brass
A662-524	Black-White
A662-582-36-27K	Mauve (RAL 010 70 10)
A662-582-37-27K	Sand (RAL 050 85 10)
A662-582-38-27K	Stone Grey (RAL 000 65 00)
Shades 32	
A662-525	Oak-White
A662-526	Wenge-White
A662-527	Oak-Oak
A662-528	Wenge-Wenge
A662-529	Brushed brass-Brushed brass
A662-530	Black-White
A662-583-36-27K	Mauve (RAL 010 70 10)
A662-583-37-27K	Sand (RAL 050 85 10)
A662-583-38-27K	Stone Grey (RAL 000 65 00)
Shades 42	
A662-532	Oak-White
A662-533	Wenge-White
A662-534	Oak-Oak
A662-535	Wenge-Wenge
A662-536	Brushed brass-Brushed brass
A662-537	Black-White
A662-584-36-27K	Mauve (RAL 010 70 10)
A662-584-37-27K	Sand (RAL 050 85 10)
A662-584-38-27K	Stone Grey (RAL 000 65 00)



Materials
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
Luminaire: Only 120 VAC ELV 30W (max.)
120 - 277 VAC 0-10V 30W (max.)
Weight: Net 17.2 lb – Gross 22 lb
Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft³
22.4 x 20.8 x 6.7" - 7.7 lb Vol - 1.8 ft³
22.4 x 20.8 x 6.7" - 6.6 lb Vol - 1.8 ft³
20.9 x 20.9 x 4.7" - 5.5 lb Vol - 1.1 ft³
LED included



Dimmable

Canopy color: Black
Wire installation: Hardwired


Accessory C2 LED-Ginger 32/42

Code
A662-215

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.4 lb
Package: When ordered, this item is shipped coupled with the Ginger 42C.
Product notes: Must be specified together with Ginger 32C + 42C . See pg 81, 82.






Accessory C2 LED-Ginger 42/60

Code
A662-273

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.8 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 42C + 60C. See pg 82, 83.






Accessory C3 LED-Ginger 32/42/60

Code
A662-216

Finish
● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 5.9 lb – Gross 6.6 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 32C + 42C + 60C. See pg 81, 82, 83.






Code	Product	Finish	Spare part
R662-013	LED-Ginger 20	Oak-White	Shade
R662-014	LED-Ginger 20	Wenge-White	Shade
R662-015	LED-Ginger 20	Oak	Shade
R662-016	LED-Ginger 20	Wenge	Shade
R662-017	LED-Ginger 20	Brushed brass	Shade
R662-018	LED-Ginger 20	Brushed brass-White	Shade
R662-019	LED-Ginger 20	Black-White	Shade
R662-211-36	LED-Ginger 20	Mauve	Shade
R662-211-37	LED-Ginger 20	Sand	Shade
R662-211-38	LED-Ginger 20	Stone Grey	Shade
R662-039	LED-Ginger 32	Oak-White	Shade
R662-040	LED-Ginger 32	Wenge-White	Shade
R662-038	LED-Ginger 32	Oak	Shade
R662-041	LED-Ginger 32	Wenge	Shade
R662-042	LED-Ginger 32	Brushed brass	Shade
R662-043	LED-Ginger 32	Brushed brass-White	Shade
R662-044	LED-Ginger 32	Black-White	Shade
R662-212-36	LED-Ginger 32	Mauve	Shade
R662-212-37	LED-Ginger 32	Sand	Shade
R662-212-38	LED-Ginger 32	Stone Grey	Shade
R662-032	LED-Ginger 42	Oak-White	Shade
R662-024	LED-Ginger 42	Wenge-White	Shade
R662-046	LED-Ginger 42	Oak	Shade
R662-047	LED-Ginger 42	Wenge	Shade
R662-048	LED-Ginger 42	Brushed brass	Shade
R662-049	LED-Ginger 42	Brushed brass-White	Shade
R662-050	LED-Ginger 42	Black-White	Shade
R662-213-36	LED-Ginger 42	Mauve	Shade
R662-213-37	LED-Ginger 42	Sand	Shade
R662-213-38	LED-Ginger 42	Stone Grey	Shade
R662-052	LED-Ginger 60	Oak-White	Shade
R662-025	LED-Ginger 60	Wenge-White	Shade
R662-053	LED-Ginger 60	Oak	Shade
R662-054	LED-Ginger 60	Wenge	Shade
R662-055	LED-Ginger 60	Brushed brass	Shade
R662-056	LED-Ginger 60	Brushed brass-White	Shade
R662-037	LED-Ginger 60	Black-White	Shade
R662-214-36	LED-Ginger 60	Mauve	Shade
R662-214-37	LED-Ginger 60	Sand	Shade
R662-214-38	LED-Ginger 60	Stone Grey	Shade
A662-400	LED-Ginger 20M		Battery
R968-002-USA	LED-Ginger 20M		Black power adapter
R961-057	LED-Ginger 20M		Usb type C cable black



LED-Ginger Outdoor, Joan Gaspar

The LED-Ginger collection is moving outdoors, with numerous sizes of wall sconce and bollard as well as a large-scale lamppost style light. This outdoor collection also introduces a unique new rust brown finish, with a deep, warm glow, alongside the standard black-white metal finish familiar to the indoor version.





Discover more at marset.com


LED-Ginger 15C IP65

Code	Finish
A662-649-31	Rust Brown
A662-649-39	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 67 lm - Black-White
(Power supply not included) 27 lm - Rust brown
Weight: Net 0.8 lb – Gross 1.1 lb
Package: 9.4 x 8.3 x 3.9 " – 1.1 lb Vol – 0.3 ft^3
Product notes: 24V remote power supply to be ordered separately, see pg 94.
LED included




Dimmable

ADA

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.

Canopy color: Black
Wire installation: Hardwired




LED-Ginger 20C IP65

Code	Finish
A662-650-31	Rust Brown
A662-650-39	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161 lm - Black-White
(Power supply not included) 29 lm - Rust brown
Weight: Net 1.1 lb – Gross 1.5 lb
Package: 9.4 x 8.3 x 3.9" – 1.5 lb Vol – 0.4 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 94.
LED included




Dimmable

ADA

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.

Canopy color: Black




LED-Ginger 32C IP65

Code	Finish	Dimming
A662-651-31	Rust Brown	ELV
A662-651-39	Black-White (RAL 9005-9010)	ELV

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)


Product type: Wall / Ceiling
Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm
Luminaire: 100 - 120 VAC ELV 14W 350 lm - Black-White
100 - 120 VAC ELV 14W 81 lm - Rust Brown
Weight: Net 1.9 lb – Gross 4.4 lb
Package: 16.9 x 18.9 x 6.7 " – 4.4 lb Vol – 1.4 ft³
LED included



Dimmable

Suitable for wet locations

Canopy color: Black




LED-Ginger 42C IP65

Code	Finish	Dimming
A662-653-31	Rust Brown	ELV
A662-653-39	Black-White (RAL 9005-9010)	ELV
A662-654-31	Rust Brown	0-10V
A662-654-39	Black-White (RAL 9005-9010)	0-10V

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V


Product type: Wall / Ceiling
Light source: LED SMD 700mA 15.4W 2700K CRI90 1873 lm
Luminaire: 90 - 135 VAC ELV 21W 698 lm - Black-White
120 - 277 VAC 0-10V 21W 698 lm - Black-White
90 - 135 VAC ELV 21W 186 lm - Rust brown
120 - 277 VAC 0-10V 21W 186 lm - Rust brown
Weight: Net 4 lb – Gross 7.7 lb
Package: 22.4 x 20.9 x 6.7'' – 7.7 lb Vol – 1.8 ft³
LED included



Dimmable

Suitable for wet locations

Canopy color: Black




LED-Ginger 60C IP65

Code	Finish
A662-655-31	Rust Brown
A662-655-39	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V


Product type: Wall / Ceiling
Light source: LED SMD 700mA 21W 2700K CRI90 2933 lm
Luminaire: Only 120 VAC ELV 28W 1165 lm - Black-White
120 - 277 VAC 0-10V 28W 1165 lm - Black-White
Only 120 VAC ELV 28W 245 lm - Rust brown
120 - 277 VAC 0-10V 28W 245 lm - Rust brown
Weight: Net 7.9 lb – Gross 13.9 lb
Package: 26.4 x 26.4 x 9.5'' – 13.9 lb Vol – 3.5 ft³
LED included



Dimmable

Suitable for wet locations

Canopy color: Black




LED-Ginger 20A 24V IP65 NEW

Code	Finish
A662-662-31-27K	Rust Brown
A662-662-39-27K	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.
0-10V

Product type: Wall
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm - Black-White
(Power supply not included) 29lm - Rust brown
Weight: Net 1.1 lb – Gross 2.6 lb
Package: 14.2 x 11.8 x 6.7 '' – 2.6 lb Vol – 0.7 ft³
Product notes: 24V remote power supply to be ordered separatel, see pg 94..
LED included



Dimmable

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.

Power supplies on page 96

Canopy color: Black




LED-Ginger 32A IP65 NEW

Code	Finish
A662-663-31-27K	Rust Brown
A662-663-39-27K	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Wall
Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm
Luminaire: 100 - 120 VAC ELV 14W 350 lm - Black-White
Weight: Net 3.3 lb – Gross 6.2 lb
Package: 20.5 x 16.5 x 9.5 '' – 6.2 lb Vol – 1.8 ft³
LED included



Dimmable

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.

Canopy color: Black




LED-Ginger B 20/44

Code	Finish
A662-585-31	Rust Brown-White
A662-585-39	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 1.8 lb – Gross 2.9 lb
Package: 9.8 x 9 x 4.7'' – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 18.9'' – 1.3 lb Vol – 0.3 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 94.
LED included



Dimmable

Suitable for wet locations

Cable length: 8.5 ft




LED-Ginger B 20/63

Code	Finish
A662-586-31	Rust Brown-White
A662-586-39	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 1.9 lb – Gross 3 lb
Package: 9.8 x 9 x 4.7'' – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 26.2'' – 1.5 lb Vol – 0.35 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 94.
LED included



Dimmable

Suitable for wet locations

Cable length: 7.9 ft




LED-Ginger B 20/86

Code	Finish
A662-587-31	Rust Brown-White
A662-587-39	Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 2.2 lb – Gross 3.5 lb
Package: 9.8 x 9 x 4.7'' – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 38.8'' – 2 lb Vol – 0.7 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 94.
LED included



Dimmable

Suitable for wet locations

Cable length: 6.9 ft




Ginger B 32/65 NEW

Code	Finish
A662-760-31-27K	Rust Brown - White
A662-760-39-27K	Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Bollard
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 350lm
Weight: Net 3.7 kg – Gross 6.8 lb
Package: 5.5 x 5.1 x 25.6 " - 2.6 lb – VOL - 0,35 ft³
17 x 18.9 x 6.3 " - 4.2 lb – VOL - 1.06 ft³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

Suitable for wet locations

Cable length: 8.5 ft.




Ginger B 32/88 NEW

Code	Finish
A662-761-31-27K	Rust Brown - White
A662-761-39-27K	Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Bollard
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 350lm
Weight: Net 4.2 lb – Gross 7.3 lb
Package: 5.5 x 5.1 x 34.6 " - 3.1 lb – VOL - 0.7 ft³
17 x 18.9 x 6.3 " - 4.2 lb – VOL - 1.06 ft³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

Suitable for wet locations

Cable length: 7.6 ft.




Ginger B 32/111 NEW

Code	Finish
A662-762-31-27K	Rust Brown - White
A662-762-39-27K	Black - White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Bollard
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 350lm
Weight: Net 4.6 lb – Gross 7.9 lb
Package: 5.5 x 4.7 x 43.7 " - 2.2 lb – VOL - 0.7 ft^3
17 x 18.9 x 6.3 " - 4.2 lb – VOL - 1.06 ft^3
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable

Suitable for wet locations

Cable length: 6.9 ft.




Post accessory

Code	Finish
A662-555	● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.5 x 5.5 x 11" - 0.9 lb – Vol - 0.2 ft³







Ground fixation plate

Code	Finish
A662-556	● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.9 x 5.9 x 5.1" - 0.9 lb – Vol - 0.1 ft³





LED-Ginger: Power Supply - Dimmable

Code	Description	Dimming	VAC
968-230	Power supply 60W - 24V	0-10V	120-277
968-233	Power supply 100W - 24V	0-10V	120-277

Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.


Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

These LED drivers must be installed in a cabinet / box suitable for wet locations or in a dry location.

LED-Ginger: Connector Accessory

Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).

Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.







LED-Ginger 60/298


Code
A662-745

Finish
Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Stainless Steel
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming: Depending on the connection
ON / OFF
1-10V

Product type: Lamppost
Light source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
Luminaire: 90 - 305 VAC 1-10V 35.8W 1463lm
Weight: Net 29.2 lb – Gross 44 lb
Package: 26.8 x 27.2 x 9.4'' – 12.6 lb Vol – 3.9 ft³
24 x 6.3 x 100.4'' – 24.5 lb Vol – 8.8 ft³
9.8 x 9.8 x 17.3'' – 7.2 lb Vol – 1.1 ft³
LED included



Dimmable

Suitable for wet locations



Wire installation: Hardwired


Ground fixation plate


Code
A662-733

Finish
Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger 60/298
Weight: Net 3.5 lb – Gross 5.3 lb
Package: 13.8 x 9.4 x 9.4 '' - 5.3 lb – Vol - 0.7 ft³






Ihana, Joanna Laajisto

In search of the beauty of light, Joanna Laajisto created a sculptural lamp defined by its pure, almost graphic forms, and by the balance between rigidity and fragility.

Offering the option of ambient light for any classic or contemporary interior design project, this modular collection can be used to create light compositions.





For Ihana customized configurations, get in contact with us.


Ihana x2 80

Code	Finish	Dimming	CCT
A709-157-39-27K	Opal	ELV	27K
A709-158-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 28W 994lm
Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 28W
Weight: Net 9.9 lb – Gross 14.8 lb
Package: (2x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 8.15 lb Vol – 1.41 ft³
Product notes: 0-10V upon request
LED included



Dimmable

Wire installation: Hardwired
Canopy color: Black




Ihana x2 100

Code	Finish	Dimming	CCT
A709-111-39-27K	Opal	ELV	27K
A709-112-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 28W 994lm
Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 28W
Weight: Net 9.9 lb – Gross 14.8 lb
Package: (2x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 8.15 lb Vol – 1.41 ft³
Product notes: 0-10V upon request
LED included



Dimmable

Wire installation: Hardwired
Canopy color: Black




Ihana x2 150

Code	Finish	Dimming	CCT
A709-109-39-27K	Opal	ELV	27K
A709-110-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 28W 994lm
Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 28W
Weight: Net 11.3 lb – Gross 18.1 lb
Package: (2x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
7 x 7 x 66'' – 11.5 lb Vol – 1.76 ft³
Product notes: 0-10V upon request
LED included



Dimmable

Wire installation: Hardwired
Canopy color: Black




Ihana x2 200

Code	Finish	Dimming	CCT
A709-107-39-27K	Opal	ELV	27K
A709-108-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 28W 994lm
Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 28W
Weight: Net 14.8 lb – Gross 21.4 lb
Package: (2x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
7 x 7 x 88.6'' – 14.8 lb Vol – 2.47 ft³
Product notes: 0-10V upon request
LED included



Dimmable

Wire installation: Hardwired
Canopy color: Black




Ihana x3 80

Code	Finish	Dimming	CCT
A709-156-39-27K	Opal	ELV	27K
A709-113-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 42W
Weight: Net 15 lb – Gross 21 lb
Package: (3x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 8.15 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 6.2 lb Vol – 1.41 ft³
Product notes: 0-10V upon request
LED included



Dimmable

Wire installation: Hardwired
Canopy color: Black




Ihana x3 100

Code	Finish	Dimming	CCT
A709-105-39-27K	Opal	ELV	27K
A709-106-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 42W
Weight: Net 15 lb – Gross 21 lb
Package: (3x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 8.15 lb Vol – 1.41 ft³
9.5 x 5.5 x 45'' – 6.2 lb Vol – 1.41 ft³
Product notes: 0-10V upon request
LED included



Dimmable

Wire installation: Hardwired
Canopy color: Black




Ihana x3 150

Code	Finish	Dimming	CCT
A709-103-39-27K	Opal	ELV	27K
A709-104-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 42W
Weight: Net 17.2 lb – Gross 28 lb
Package: (3x) 8.3 x 16.5 x 16.5'' – 6.61 lb Vol – 1.41 ft³
7 x 7 x 65.8'' – 11.5 lb Vol – 1.76 ft³
7 x 7 x 65.8'' – 9.9 lb Vol – 1.76 ft³
Product notes: 0-10V upon request
LED included



Dimmable

Wire installation: Hardwired
Canopy color: Black




Ihana x3 200


Code	Finish	Dimming	CCT
A709-101-39-27K	Opal	ELV	27K
A709-102-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)


Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 42W
Weight: Net 18 lb – Gross 33.3 lb
Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft^3
7 x 7 x 88.5" – 14.7 lb Vol – 2.47 ft^3
7 x 7 x 88.5" – 11.9 lb Vol – 2.47 ft^3
Product notes: 0-10V upon request
LED included





Wire installation: Hardwired
Canopy color: Black





Jaima, Joan Gaspar

Discover more at marset.com


DESIGN PLUS
powered by: light+building

Jaima 43 E26

Code	Finish
A683-047	Beige
A683-048	Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4'' – 11 lb Vol – 2.8 ft^3
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Jaima 54 E26

Code	Finish
A683-051	Beige
A683-052	Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4.85 lb – Gross 11 lb
Package: 21.5 x 21.5 x 18.1'' – 11 lb Vol – 4.95 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Jaima 71 E26

Code	Finish
A683-055	Beige
A683-056	Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 6.17 lb – Gross 16.5 lb
Package: 27.5 x 27.5 x 24.8'' – 16.5 lb Vol – 10.6 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Jaima 43 IP65


Code
A683-059
A683-060

Finish
Beige
Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120 VAC ELV 15W 528lm
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4'' – 11 lb Vol – 2.8 ft³
LED included



Dimmable

Suitable for wet locations

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Jaima 54 IP65


Code
A683-063
A683-064

Finish
Beige
Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC ELV 15W 513lm
Weight: Net 4.85 lb – Gross 11 lb
Package: 21.5 x 21.5 x 18.1'' – 11 lb Vol – 4.95 ft³
LED included



Dimmable

Suitable for wet locations

Cable length: 6.6ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Jaima 71 IP65

Code	Finish
A683-067	Beige
A683-068	Grey

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC ELV 15W 530lm
Weight: Net 6.17 lb – Gross 16.5 lb
Package: 27.5 x 27.5 x 24.8'' – 16.5 lb Vol – 10.6 ft³
LED included



Dimmable

Suitable for wet locations

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Jaima P207 + Shade 43

Code	Finish
Structure E26	
A683-070	Black (RAL 9005)
Structure LED IP65	
A683-071	Black (RAL 9005)
Shade 43	
A683-029	Beige
A683-030	Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Based on specified lamping
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC ELV 15W 528lm
Weight: Net 9 lb – Gross 22.7 lb
Package: 85.4 x 18.9 x 9'' – 178.7 lb Vol – 8.47 ft³
17.7 x 17.7 x 15.35'' – 5.51 lb Vol – 2.83 ft³
LED included



Suitable for wet locations

Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 106.

Cable length: 9.2 ft
Wire installation: Plug-in
Cord color: Black




Jaima P307 + Shade 54

Code	Finish
Structure E26	
A683-072	● Black (RAL 9005)
Structure LED IP65	
A683-073	● Black (RAL 9005)
Shade 54	
A683-037	● Beige
A683-038	● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Based on specified lamping
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC ELV 15W 513lm
Weight: Net 10.36 lb – Gross 27.5 lb
Package: 109 x 19 x 9'' – 19.82 lb Vol – 10.59 ft³
21.7 x 21.7 x 17.7'' – 7.7 lb Vol – 14.8 ft³
LED included



Suitable for wet locations

Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 106.

Cable length: min 6.6 ft - max 9.2 ft
Wire installation: Plug-in
Cord color: Black




Jaima P307 + Shade 71

Code	Finish
Structure E26	
A683-072	● Black (RAL 9005)
Structure LED IP65	
A683-073	● Black (RAL 9005)
Shade 71	
A683-041	● Beige
A683-042	● Grey

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Based on specified lamping
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120 VAC ELV 15W 530lm
Weight: Net 10.5 lb – Gross 33 lb
Package: 109 x 27.5 x 24.6'' – 15.4 lb Vol – 10.947 ft³
27.9 x 27.9 x 24.8'' – 13.2 lb Vol – 10.6 ft³
LED included



Suitable for wet locations

Product notes: a floor base 70 or a fixed stem needs to be purchased. See page 106.

Cable length: min 6.6 ft - max 9.2 ft
Wire installation: Plug-in
Cord color: Black




49 base + stem

Code
A683-033

Finish
● Concrete - Black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 31.5 lb – Gross 37.91 lb
Package: 12.2 x 7.1 x 6.7'' - 4.8 lb – Vol -0.31 ft³
24.8 x 24.8 x 2.7'' - 33.1 lb – Vol -0.95 ft³
Product notes: Base only compatible with Jaima P207






70 base + stem

Code
A683-044

Finish
● Concrete and black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 81.1 lb – Gross 113.9 lb
Package: 29.5 x 29.5 x 7.48'' - 77.2 lb – Vol -3.7 ft³
12.2 x 7.08 x 6.69'' - 4.85 lb – Vol -0.31 ft³
Product notes: Base only compatible with Jaima P307






Fixed stem

Code
A683-032

Finish
● Black (RAL 9005)

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 4.18'' – Gross 5,07"
Package: 12.2 x 7.08 x 6.69''- 4.8 lb – Vol -0.31 ft³
Product notes: Compatible with Jaima P207 and P307.






Planetary Echoes Exploring the Implications of Human Settlement in Outer Space Spector Books

Konoha, Yabu Pushelberg

Konoha is a simple, discreet wall lamp with a shade over a directed spotlight that turns through 360°. The shade, like a hat, covers the spotlight, allowing the light to be directed upwards, bounce off the inside and project a beam of soft light, creating warm ambient lighting. If instead the spotlight is focused downwards, it projects a beam of direct light, turning the fixture into a reading lamp.






Konoha NEW

Code	Finish
A716-002-39-27K	Matt Black (RAL 9005)
A716-002-35-27K	White chalk (RAL 085 80 10)
A716-002-41-27K	Terracotta (RAL 050 50 40)
A716-002-45-27K	Moss grey (RAL 7003)

Materials
Structure: Steel
Tube: Aluminium

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm
Luminaire: 120-277VAC 60Hz 3.1W 137lm
Weight: Net 2.5 lb – Gross 4.2 lb
Package: 13.8 x 13.1 x 9 " – 4.2 lb Vol – 1.05 ft³
Product notes: The ON/OFF switch is located at the base of the structure
LED included



Wire installation: Hardwired




Konoha wide NEW

Code	Finish
A716-003-39-27K	Matt Black (RAL 9005)
A716-003-35-27K	White chalk (RAL 085 80 10)
A716-003-41-27K	Terracotta (RAL 050 50 40)
A716-003-45-27K	Moss grey (RAL 7003)

Materials
Structure: Steel
Tube: Aluminium

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm
Luminaire: 120-277VAC 60Hz 3.1W 137lm
Weight: Net 2.5 lb – Gross 4.2 lb
Package: 13.8 x 13.1 x 9 '' – 4.2 lb Vol – 1.05 ft³
Product notes: The ON/OFF switch is located at the base of the structure
LED included



Wire installation: Hardwired





Lab, Francesc Rifé

Lab 2 2020


Code
A646-191

Finish
● Graphite grey (RAL 7024)

Materials
Structure: Injected aluminum
Lids: Metal, wood (see next page)

Dimmable: No

Product type: Wall
Light source: LED SMD 24Vdc 7.4W 2700K CRI90 378lm
Luminaire: 100 - 240 VAC 8.47W 322lm
Weight: Net 1.91 lb – Gross 2.20 lb
Package: 5.9 x 5.9 x 5.1'' – 2.2 lb Vol – 0,106 ft^3



Suitable for wet locations

ADA


Under approval process. For latest certification status check the spec sheet.

Wire installation: Hardwired



Lid

Code	Finish
A646-005	White (RAL 9003)
A646-022	Brown (RAL 8019)
A646-023	Rust brown
A646-007	Dark iroko






Materials
Structure: Injected aluminum
Lids: Metal, wood

Product type: Accessory

Signage Lid

Code	Finish
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units





Product type: Accessory
Product Notes: Minimum order of 3pcs.
Available upon request, Lab 2 only.


Lab A 35

Code	Finish
A646-160	Graphite grey - White (RAL 7024-9003)
A646-161	Graphite grey - Brown (RAL 7024-8019)
A646-162	Graphite grey - Rust brown
A646-163	Graphite grey - Dark iroko

Materials
Structure: Aluminum
Lids: Metal, wood

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 3.08 lb – Gross 5.07 lb
Package: 6.89 x 5.11 x 18.11" – 5.07 lb Vol – 0.35 ft^3



Suitable for wet locations

ADA

Wire installation: Hardwired




Lab B 35

Code	Finish
A646-170	Graphite grey - White (RAL 7024-9003)
A646-171	Graphite grey - Brown (RAL 7024-8019)
A646-172	Graphite grey - Rust brown
A646-173	Graphite grey - Dark iroko

Materials
Structure: Aluminum
Lids: Metal, wood

Dimmable: No

Product type: Bollard
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 3.08 lb – Gross 5.07 lb
Package: 6.89 x 5.11 x 18.11'' – 5.07 lb Vol – 0.35 ft³



Suitable for wet locations

Wire installation: Hardwired




Lab B 60

Code	Finish
A646-180	Graphite grey - White (RAL 7024-9003)
A646-181	Graphite grey - Brown (RAL 7024-8019)
A646-182	Graphite grey - Rust brown
A646-183	Graphite grey - Dark iroko

Materials
Structure: Aluminum
Lids: Metal, wood

Dimmable: No

Product type: Bollard
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 5.51 lb – Gross 7.71 lb
Package: 7.08 x 5.11 x 27.6'' – 7.71 lb Vol – 0.70 ft³



Suitable for wet locations

Wire installation: Hardwired




Ground fixation plate

Code
A646-067

Finish
● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0.57 lb – Gross 0.7 lb
Package: 9 x 10 x 21'' - 0.7 lb – Vol - 0.70 ft³







Ledtube, Daniel López

Its ergonomic design beckons you to move it in any direction, up to 360º, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed vertically or horizontally, adapting to the needs of your space. Now we present a new surface edition, just as functional but more compact. The switch is integrated in the base, maximum ergonomic design, with absolute flexibility to move it in any direction.






Ledtube RSC

Code	Finish
A622-221-17-27K	Aluminum
A622-221-18-27K	Bronze
A622-221-35-27K	Matte white (RAL 9010)
A622-221-39-27K	Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.43 lb – Gross 1.76 lb
Package: 7.9 x 4.7 x 3.1" – 1.7 lb Vol – 0.075 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired




Ledtube R right

Code	Finish
A622-223-17-27K	Aluminum
A622-223-18-27K	Bronze
A622-223-35-27K	Matte white (RAL 9010)
A622-223-39-27K	Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5'' – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired




Ledtube R left

Code	Finish
A622-224-17-27K	Aluminum
A622-224-18-27K	Bronze
A622-224-35-27K	Matte white (RAL 9010)
A622-224-39-27K	Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5'' – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired




Ledtube A

Code	Finish
A622-225-17-27K	Aluminum
A622-225-18-27K	Bronze
A622-225-35-27K	Matte white (RAL 9010)
A622-225-39-27K	Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 4.25W 131lm
Weight: Net 1 lb – Gross 1.23 lb
Package: 8.26 x 4.72 x 3.54" – 0.66 lb Vol – 0.07 ft^3
Product notes: Lens at 25º with a honeycomb grill to reduce glare.
Integrated switch
LED included



Wire installation: Hardwired




Disk accessory

Code	Finish
A622-181-17	Aluminum
A622-181-18	Bronze
A622-181-35	Matte white (RAL 9010)
A622-181-39	Matte black (RAL 9005)

Materials
Structure: Metal

Product type: Accessory
Accessory used for installation with the junction box.






Code	Finish
A622-215-17-27K	Aluminum
A622-215-18-27K	Bronze
A622-215-35-27K	Matte white (RAL 9010)
A622-215-39-27K	Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm
Luminaire: 100 - 277 VAC 3.6W 45lm
Weight: Net 0.81 lb – Gross 1.14 lb
Package: 8.26 x 4.72 x 3.54'' – 1.14 lb Vol – 0.07 ft^3
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Lens at 25º with a honeycomb grill to reduce glare.
LED included




Wire installation: Hardwired



The beauty of the Mercer stems not only from its essential shape, but also from how its materials blend together. The transparent blown glass structure surrounds the textile shade, which seems to float, conveying a sense of airiness and sophistication.






Mercer M

Code	Finish
A89-018	Pleated white cotton
A89-079	Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E26 TYPE A19 100W
Weight: Net 11 lb – Gross 9.9 lb
Package: 22 x 14.9 x 15.7'' – 9.9 lb Vol – 3.17 ft³
Lamping not included



Dimmer

c UL us

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



Mercer


Code
A89-006
A89-078

Finish
Pleated white cotton
Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E26 TYPE A21 100W
Weight: Net 11 lb – Gross 15.4 lb
Package: 26 x 19.2 x 19.2'' – 17.6 lb Vol – 5.579 ft^3
Lamping not included



Dimmer

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Mercer 30

Code
A89-054
A89-082

Finish
Pleated white cotton
Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 6.17 lb – Gross 8.1 lb
Package: 14.9 x 14.9 x 17'' – 9.9 lb Vol – 2.1 ft^3
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Mercer 44

Code	Finish
A89-020	Pleated white cotton
A89-083	Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: 2x E26 LED TYPE A 11W
Weight: Net 17.2 lb – Gross 22 lb
Package: 22 x 22 x 18.9'' – 22 lb Vol – 5.29 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Mercer A

Code	Finish
A89-065	Pleated white cotton
A89-084	Pearl white

Materials
Shade: Textile
Structure: Blown glass
Wal bracket: Chromed iron

Product type: Wall
Light source: E12 LED candle 5W
Weight: Net 3 lb – Gross 4.4 lb
Package: 12.6 x 13 x 11'' – 3.3 lb Vol – 1.06 ft³
Lamping not included



Wire installation: Hardwired




Mercer C

Code	Finish
A89-067	Pleated white cotton
A89-085	Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Ceiling
Light source: 2x E26 LED TYPE A 11W
Weight: Net 9.92 lb – Gross 13.22 lb
Package: 22.8 x 22.8 x 14.2'' – 13 lb Vol – 3.5 ft^3
Lamping not included



Wire installation: Hardwired




Spare parts

Code	Product	Finish	Spare part
A89-501	Mercer M	-	Glass
A89-500	Mercer	-	Glass
A89-505	Mercer 30	-	Glass
A89-503	Mercer 44	-	Glass
A89-504	Mercer A	-	Glass
A89-506	Mercer C	-	Glass

Milana, Jaume Ramírez

The Milana is a sleek, versatile form with an almost imperceptible point of light. The base lamp offers an impeccable downward-directed light, but when a shade is added, the light escapes upward, illuminating the lamp itself. An additional counterweight version gives the user complete control over the light.





Milana


Code	Finish
A699-101	Off-white (RAL 1013)
A699-102	Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 1.14 lb – Gross 1.54 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
LED included

Dimmable



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Milana 32

Code	Finish
A699-106	Off-white (RAL 1013)
A699-107	Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 1.91 lb – Gross 3.35 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
14.3 x 14.3 x 2.8" – 1.8 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
LED included



Dimmable

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Milana 47

Code	Finish
A699-111	Off-white (RAL 1013)
A699-112	Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 2.86 lb – Gross 5.07 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
20.7 x 20.7 x 3.9" – 3.4 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1" – 0.88 lb kg Vol – 0.2 ft³
LED included



Dimmable

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Milana Counterweight

Code	Finish
A699-116	Off-white (RAL 1013)
A699-117	Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 2.2 lb – Gross 2.86 lb
Package: 4.7 x 4.7 x 2.9'' – 1.3 lb Vol – 0.04 ft³
8.8 x 2.7 x 1.6'' – 0.7 lb Vol – 0.02 ft³
17.8 x 4.7 x 3.1'' – 0.88 lb Vol – 0.2 ft³
LED included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Milana 32 Counterweight

Code	Finish
A699-121	Off-white (RAL 1013)
A699-122	Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 3.52 lb – Gross 5.3 lb
Package: 4.7 x 4.7 x 2.9'' – 1.3 lb Vol – 0.04 ft³
8.8 x 2.7 x 1.6'' – 0.7 lb Vol – 0.02 ft³
14.3 x 14.3 x 2.8'' – 1.8 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1'' – 0.88 lb Vol – 0.2 ft³
LED included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Milana 47 Counterweight

Code	Finish
A699-126	○ Off-white (RAL 1013)
A699-127	● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 5.07 lb – Gross 7.50 lb
Package: 4.7 x 4.7 x 2.9'' – 1.3 lb Vol – 0.04 ft³
8.8 x 2.7 x 1.6'' – 0.7 lb Vol – 0.02 ft³
20.7 x 20.7 x 3.9'' – 3.4 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1'' – 0.88 lb Vol – 0.2 ft³
LED included



Dimmable

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Milana 8 NEW

Code	Finish
A699-163-35-27K	○ Off-white (RAL 1013)
A699-163-39-27K	● Black (RAL 9005

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 1.14 lb – Gross 1.54 lb
Package: 8.8 x 2.7 x 1.6'' – 0.7 lb Vol – 0.02 ft³
7.8 x 4.7 x 3.1'' – 0.88 lb Vol – 0.2 ft³
LED included



Dimmable

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Milana - 24V NEW

Code	Finish
A699-200-35-27K	Off-white (RAL 1013)
A699-200-39-27K	Black (RAL 9005

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,25 kg – Gross 0,61 kg
Package: 24 x 24 x 7 cm – 0,61 kg Vol – 0,004 m^3
Product notes: 1 pc. hook accessory included
LED included



Dimmable

Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black




Milana 32 - 24V NEW

Code	Finish
A699-201-35-27K	Off-white (RAL 1013)
A699-201-39-27K	Black (RAL 9005

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,77 kg – Gross 1,43 kg
Package: 24 x 24 x 7 cm – 0,61 kg Vol – 0,004 m^3
36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,009 m^3
Product notes: 1 pc. hook accessory included
LED included



Dimmable

Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black



A699-201-39-27K




Milana 47 - 24V NEW

Code	Finish
A699-202-35-27K	Off-white (RAL 1013)
A699-202-39-27K	Black (RAL 9005

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 1,2 kg – Gross 2,5 kg
Package: 24 x 24 x 7 cm – 0,76 kg Vol – 0,004 m^3
52,5 x 52,5 x 10 cm – 1,56 kg Vol – 0,028 m^3
Product notes: 1 pc. hook accessory included
LED included



Dimmable

Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black




Milana 8 - 24V NEW

Code	Finish
A699-136-35-27K	Off-white (RAL 1013)
A699-136-39-27K	Black (RAL 9005

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,35 kg – Gross 0,71 kg
Package: 24 x 24 x 7 cm – 0,71 kg Vol – 0,004 m^3
Product notes: 1 pc. hook accessory included
LED included



Dimmable

Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black



Circular Cluster Canopy 90W 24V ELV/Triac/0-10V

Code
A666-259-39

Finish
● Black

Materials
Structure: Painted iron


Product type: Accessory
INPUT: 120-277VAC 50/60Hz
OUTPUT: CV 24V DC 90W max.

Weight: Net 6.83 lb – Gross 8.16 lb
Package: 16.14 x 16.14 x 3.15 " - 8.16 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V

Dimmable





Circular Cluster Canopy 180W 24V ELV/Triac/0-10V

Code
A666-260-39

Finish
● Black

Materials
Structure: Painted iron


Product type: Accessory
Input: 120-277VAC 50/60Hz
Output: CV 24V DC 180W max.

Weight: Net 10.8 lb – Gross 12.35 lb
Package: 16.14 x 16.14 x 3.15 " - 12.35 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V

Dimmable





Hook Accessory


Code
A693-007


Finish
● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.8 x 0.8 x 2 " - 0.02 lb – VOL - 0.07 ft³

Product notes: Accessory to guide the cable.






Spare parts

Code	Product	Finish	Spare part
A699-025	Milana 32	White	Shade
A699-024	Milana 32	Black	Shade
A699-029	Milana 47	White	Shade
A699-028	Milana 47	Black	Shade


ISTAS

N. Ocho, Christophe Mathieu

The wooden sphere of the N. Ocho's lampshade is handcrafted, giving each fixture a human touch. Its smooth texture has the quality and feel of a billiard ball, while its flexible arm, covered in braided fabric, is a mainstay that improves its look without sacrificing its efficacy. The N. Ocho was designed to be placed at the head of a bed and add comfort to the bedroom, a place dedicated to restfulness, where a good book is always healthier than a sleeping pill.






N. Ocho

Code	Finish
A670-003	Oak
A670-004	Wenge


Materials
Plate: Metal
Arm: Metal covered in braided fabric
Diffuser: Wood

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI80 226,5lm
Luminaire: 120 - 277 VAC 3.5W
Weight: Net 1.36 lb – Gross 2.2 lb
Package: 27.2 x 6.7 x 4'' – 2.2 lb Vol – 0.35 ft³
LED included



Wire installation: Hardwired
Switch location: Canopy
Canopy color: Black



Plaff-on!, Joan Gaspar

A good design is one that endures. So it is with Plaff-on!, a lamp that has been illuminating walls and ceilings for almost ten years. Its hand-blown white glass diffuser appears to float, detaching from the ceiling and the circumference that surrounds it, and its light filters upward to create a luminous halo. Indoors, outdoors, with or without signage, the Plaff-on! now offers multiple options in one lamp that can now conquer the outdoors as well, now with a new finishing in rust brown.






Plaff-on! 16 IP65

Code	Finish	Dimming
A628-051	● Black	ELV
A628-079-31-27K	● Rust Brown	ELV
A628-069	● Black	0-10V
A628-080-31-27K	● Rust Brown	0-10V
A628-081-39-27K	● Black	on/off
A628-081-31-27K	● Rust Brown	on/off

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V (120-277V)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 225lm
120-277 VAC 0-10V 8.7W 225lm
120 VAC AC LED on/off 8.7W 225lm
Weight: Net 1.76 lb – Gross 2.65 lb
Package: 8.6 x 8.6 x 6.7" – 2.6 lb Vol – 0.28 ft^3
LED included



Dimmable

ADA

Suitable for wet locations


Wire installation: Hardwired



Signage Lid

Code	Description
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory
Product Notes: Minimum order of 3pcs.
Available upon request.






Plaff-on! 33 LED IP54

Code	Finish	CCT
A628-062	● Black	27K
A628-062-3CCT	● Black	27K - 30K - 40K
A628-062-31-27K	● Rust Brown	27K
A628-062-31-3CCT	● Rust Brown	27K - 30K - 40K

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
Light source: LED SMD 700mA 23W 2700K CRI90 2654lm
Luminaire: Only 120 VAC ELV 28W 1941lm
120 - 277 VAC 0-10V 28W 1941lm
For 3CCT
Light source: LED SMD 700mA 23W 2700~4000K CRI90 2654lm
Luminaire: Only 120 VAC ELV 28W 1941lm
120 - 277 VAC 0-10V 28W 1941lm
Weight: Net 8.8 lb – Gross 9.9 lb
Package: 15.7 x 15.7 x 8.3" – 9.9 lb Vol – 1.05 ft^3
LED included



Dimmable

Suitable for damp locations

c UL us



Wire installation: Hardwired


The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Plaff-on! 33

Code	Finish
A628-059	● Black
A628-059-31	● Rust Brown

Materials
Structure: Aluminum
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 2x E26 LED TYPE A 11W
Weight: Net 9 lb – Gross 9.9 lb
Package: 15.7 x 15.7 x 8.3'' – 9.9 lb Vol – 1.05 ft³
Lamping not included



Wire installation: Hardwired




Plaff-on! 50 LED IP54

Code	Finish	CCT
A628-063	● Black	27K
A628-063-3CCT	● Black	27K - 30K - 40K
A628-063-31	● Rust Brown	27K
A628-063-31-3CCT	● Rust Brown	27K - 30K - 40K

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
Light source: LED SMD 700mA 29W 2700K CRI90 3318lm
Luminaire: Only 120 VAC ELV 36W 2172lm
120 - 277 VAC 0-10V 36W 2172lm
For 3CCT
Light source: LED SMD 700mA 29W 2700~4000K CRI90 3318lm
Luminaire: Only 120 VAC ELV 36W 2172lm
120 - 277 VAC 0-10V 36W 2172lm
Weight: Net 15.87 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 9.8'' – 18.7 lb Vol – 3.18 ft³
LED included



Dimmable

Suitable for damp locations

Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.




Plaff-on! 50

Code	Finish
A628-060	● Black
A628-060-31	● Rust Brown

Materials
Structure: Aluminum
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 4x E26 LED TYPE A 11W
Weight: Net 14.55 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 9.8" - 18.7 lb Vol - 3.18 ft³
Lamping not included



Wire installation: Hardwired




Plaff-on! A IP65

Code	Finish	Dimming
A628-161	● Black	ELV
A628-082-31-27K	● Rust Brown	ELV
A628-084-39-27K	● Black	0-10V
A628-084-31-27K	● Rust Brown	0-10V
A628-083-39-27K	● Black	on/off
A628-083-31-27K	● Rust Brown	on/off

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 225lm
120-277 VAC 0-10V 8.7W 225lm
120 VAC AC LED on/off 8.7W 225lm
Weight: Net 1.76 lb – Gross 2.64 lb
Package: 8.7 x 8.7 x 6.5 " – 2.64 lb Vol – 0.28 ft³
LED included



Dimmable

Suitable for wet locations

Wire installation: Hardwired





Plaff-on! S 16 IP65 with canopy NEW


Code
A628-091-31-27K
A628-091-39-27K

Finish
● Rust Brown
◓ Black-White

Materials
Structure: Aluminium
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light source: LED COB 120 VAC 8W 2700K CRI90 571lm
Luminaire: 120 VAC ELV 8,47W 225lm
Weight: Net 2.9 lb – Gross 4.2 lb
Package: 8.6 x 8.6 x 9.8 " – 4.2 lb Vol – 0.4 ft³
LED included



Dimmable

Suitable for wet locations

c UL us Under approval process. For latest certification status check the spec sheet.


Wire installation: Hardwired



Plaff-on! S 16 IP65 NEW

Code
A628-089-31-27K
A628-089-39-27K

Finish
● Rust Brown
◓ Black-White



Dimmable

Suitable for wet locations

c UL us Under approval process. For latest certification status check the spec sheet.

Product type: Pendant
Light source: LED COB 120 VAC 8W 2700K CRI90 571lm
Luminaire: 120 VAC ELV 8,47W 225lm
Weight: Net 2.9 lb – Gross 4.2 lb
Package: 8.6 x 8.6 x 9.8 " – 4.2 lb Vol – 0.4 ft³
LED included

Wire installation: Hardwired




Garland accessory NEW

Code
A628-074

Finish
● Stainless steel

Product type: Accessory






Plaff-on! B IP65 NEW FINISH

Code	Finish
A628-164	● Black
A628-085-31-27K	● Rust Brown

Materials
Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 225lm
Weight: Net 4 lb – Gross 7.5 lb
Package: 9.25 x 32.7 x 13.2 " – 7.5 lb Vol – 2.47 ft³
LED included



Suitable for wet locations

Wire installation: Hardwired




Ground fixation plate

Code	Finish
A628-071	● Stainless steel

Materials
Structure: Stainless steel 316L

Product type: Accessory for Plaff-on! B IP65
Weight: Net 0.45 lb – Gross 1.85 lb
Package: 10.2 x 10.2 x 7.9" - 1.85 lb – Vol - 4.6 ft³





Spare parts

Code	Product	Finish	Spare part
R628-002	Plaff-on! 16 IP65	-	Glass
R628-010	Plaff-on! 33 IP54	-	Glass
R628-011	Plaff-on! 50 IP54	-	Glass

Pleat Box, Xavier Mañosa & Mashallah

The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base. The alchemy of the craft process leaves unpredictable traces, small marks in the metal glaze, tiny cracks in the polish... little flaws that mark the unique personality of every lamp.






Pleat Box 13

Code	Finish
A636-408-3535	White - White
A636-408-3549	White - Gold
A636-408-3835	Grey - White
A636-408-4135	Terracotta - White
A636-408-3949	Black - Gold
A636-408-4235	Ocher - White
A636-408-4535	Dark Green - White
A636-408-4549	Dark Green - Gold

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 3.1 lb – Gross 4.4 lb
Package: 9.4 x 9.4 x 20.8'' – 4.4 lb Vol – 1.06 ft^3
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade




Pleat Box 13 LED

Code	Finish
A636-409-3535-27K	White - White
A636-409-3549-27K	White - Gold
A636-409-3835-27K	Grey - White
A636-409-4135-27K	Terracotta - White
A636-409-3949-27K	Black - Gold
A636-409-4235-27K	Ocher - White
A636-409-4535-27K	Dark Green - White
A636-409-4549-27K	Dark Green - Gold

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric

Dimmable: No

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 165lm
Weight: Net 3.63 lb – Gross 5 lb
Package: 9.4 x 9.4 x 20.8'' – 5 lb Vol – 1.06 ft³
LED included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade




Pleat Box 24

Code	Finish
A636-410-3535	White - White
A636-410-3549	White - Gold
A636-410-3835	Grey - White
A636-410-4135	Terracotta - White
A636-410-3949	Black - Gold
A636-410-4235	Ocher - White
A636-410-4535	Dark Green - White
A636-410-4549	Dark Green - Gold

Materials
Shade: Ceramic with the inner part
in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 4.2 lb– Gross 5.5 lb
Package: 14.2 x 14.2 x 11.8'' – 5.5 lb Vol – 1.412 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade




Pleat Box 24 LED

Code	Finish
A636-411-3535-27K	White - White
A636-411-3549-27K	White - Gold
A636-411-3835-27K	Grey - White
A636-411-4135-27K	Terracotta - White
A636-411-3949-27K	Black - Gold
A636-411-4235-27K	Ocher - White
A636-411-4535-27K	Dark Green - White
A636-411-4549-27K	Dark Green - Gold

Materials
Shade: Ceramic with the inner part in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC ELV 14W 113lm
Weight: Net 4.2 lb– Gross 5.5 lb
Package: 14.2 x 14.2 x 11.8" – 5.5 lb Vol – 1.412 ft³
LED included



Dimmable

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade




Pleat Box 36

Code	Finish
A636-412-3535	White - White
A636-412-3549	White - Gold
A636-412-3835	Grey - White
A636-412-4135	Terracotta - White
A636-412-3949	Black - Gold
A636-412-4235	Ocher - White
A636-412-4535	Dark Green - White
A636-412-4549	Dark Green - Gold

Materials
Shade: Ceramic with the inner part in brilliant white enamel or gold
Canopy: Ceramic

Product type: Pendant
Light source: E12 LED TYPE G16.5 5W
Weight: Net 5.7 lb – Gross 9.5 lb
Package: 19.3 x 19.3 x 11.4" – 9.5 lb Vol – 2.47 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade




Pleat Box 36 LED

Code	Finish
A636-413-3535-27K	White - White
A636-413-3549-27K	White - Gold
A636-413-3835-27K	Grey - White
A636-413-4135-27K	Terracotta - White
A636-413-3949-27K	Black - Gold
A636-413-4235-27K	Ocher - White
A636-413-4535-27K	Dark Green - White
A636-413-4549-27K	Dark Green - Gold

Materials
Shade: Ceramic with the inner part in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC ELV 14W 233lm
Weight: Net 7 lb – Gross 9.5 lb
Package: 19.3 x 19.3 x 11.4" – 9.5 lb Vol – 2.47 ft³
LED included



Dimmable

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade




Pleat Box 47

Code	Finish
A636-414-3535	White - White
A636-414-3549	White - Gold
A636-414-3835	Grey - White
A636-414-4135	Terracotta - White
A636-414-3949	Black - Gold
A636-414-4235	Ocher - White
A636-414-4535	Dark Green - White
A636-414-4549	Dark Green - Gold

Materials
Shade: Ceramic with the inner part in brilliant white enamel or gold
Canopy: Ceramic

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 10.2 lb – Gross 13.2 lb
Package: 22.4 x 22.4 x 14.2" – 13.2 lb Vol – 3.5 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade




Pleat Box 47 LED

Code	Finish
A636-415-3535-27K	White - White
A636-415-3549-27K	White - Gold
A636-415-3835-27K	Grey - White
A636-415-4135-27K	Terracotta - White
A636-415-3949-27K	Black - Gold
A636-415-4235-27K	Ocher - White
A636-415-4535-27K	Dark Green - White
A636-415-4549-27K	Dark Green - Gold

Materials
Shade: Ceramic with the inner part in brilliant white enamel or gold
Canopy: Ceramic
Cord: Fabric

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 21W 625lm
Weight: Net 10.2 lb – Gross 13.2 lb
Package: 22.4 x 22.4 x 14.2'' – 13.2 lb Vol – 3.5 ft³
LED included



Dimmable

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade



Spare parts


Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White - White	Shade
R636-026	Pleat Box 13	White - Gold	Shade
R636-028	Pleat Box 13	Grey - White	Shade
R636-030	Pleat Box 13	Terracotta - White	Shade
R636-034	Pleat Box 13	Black - Gold	Shade
R636-123	Pleat Box 13	Ocher - White	Shade
R636-124	Pleat Box 13	Dark Green - White	Shade
R636-125	Pleat Box 13	Dark Green - Gold	Shade
R636-017	Pleat Box 24	White - White	Shade
R636-016	Pleat Box 24	White - Gold	Shade
R636-018	Pleat Box 24	Grey - White	Shade
R636-019	Pleat Box 24	Terracotta - White	Shade
R636-022	Pleat Box 24	Black - Gold	Shade
R636-126	Pleat Box 24	Ocher - White	Shade
R636-127	Pleat Box 24	Dark Green - White	Shade
R636-128	Pleat Box 24	Dark Green - Gold	Shade
R636-041	Pleat Box 36	White - White	Shade
R636-046	Pleat Box 36	White - Gold	Shade
R636-042	Pleat Box 36	Grey - White	Shade
R636-043	Pleat Box 36	Terracotta - White	Shade
R636-049	Pleat Box 36	Black - Gold	Shade
R636-129	Pleat Box 36	Ocher - White	Shade
R636-130	Pleat Box 36	Dark Green - White	Shade
R636-131	Pleat Box 36	Dark Green - Gold	Shade
R636-014	Pleat Box 47	White - White	Shade
R636-055	Pleat Box 47	White - Gold	Shade
R636-051	Pleat Box 47	Grey - White	Shade
R636-052	Pleat Box 47	Terracotta - White	Shade
R636-058	Pleat Box 47	Black - Gold	Shade
R636-132	Pleat Box 47	Ocher - White	Shade
R636-133	Pleat Box 47	Dark Green - White	Shade
R636-134	Pleat Box 47	Dark Green - Gold	Shade

Polo, Joan Gaspar

The fluidity of its movements and its integrated LED technology make the Polo a light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminum and a rotary switch located at the top of the shade.





Polo


Code
A642-011

Finish
● Black (RAL 9005)

Materials
Diffuser: Aluminum
Body: Aluminum

Dimmable: No

Product type: Table
Light Source: LED SMD 350mA 6.3W 3000K CRI80 532.4lm
Luminaire: 100 - 240 VAC 9W 441lm
Weight: Net 1.55 lb – Gross 4 lb
Package: 20.8 x 14 x 4.3" – 4.4 lb Vol – 0.67 ft³
Product notes: Reflector with 80º degree aperture.
Must be combined with base or floor base.
LED included



Cable length: 7.25 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the shade




Base

Code
A642-003

Finish
● Black (RAL 9005)

Materials
Base: Metal with a polycarbonate cover

Product type: Accessory
Weight: Net 8.6 lb – Gross 4.4 lb
Package: 9.4 x 9.4 x 4.7'' - 4.4 lb – Vol - 0.24 ft³






Floor base

Code
A642-020

Finish
● Black (RAL 9005)

Materials
Structure: Aluminum

Product type: Accessory
Weight: Net 11.90 lb – Gross 15.4 lb
Package: 13.4 x 13.4 x 1.18'' - 13.2 lb – Vol - 0.11 ft³
Ø1.57 x 26'' - 2.2 lb – Vol - 0.01 ft³






Roc, Joan Gaspar

The Roc is a compact indoor and outdoor wall lamp with a pressed glass diffuser. Its undulating shade blurs and softens the light, creating a unique ambiance.

Roc tempts the senses. It looks like a bright block of ice, and its irregular, almost organic texture beckons to be touched.






Roc IP65

Code	Finish	Dimming
A701-051-39-27K	● Black	ELV
A701-052-39-27K	● Black	0-10V
A701-053-39-27K	● Black	on/off

Materials
Structure: Aluminum
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V (120-277V)

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 250lm
120-277 VAC 0-10V 8.7W 250lm
100-240 VAC AC LED on/off 8.7W 250lm
Weight: Net 3.1 lb – Gross 3.7 lb
Package: 8.3 x 13.4 x 3.1 " – 4.2 lb Vol – 0.18 ft³
LED included



Dimmable

ADA

Suitable for wet locations


Wire installation: Hardwired





Inspired by the lanterns found on fishing boats, this collection of outdoor customizable lamps allows you to create multiple compositions. Users can choose how many shades to place on the diffuser, along with their order, position and direction. This interplay of combinations yields a rich array of direct or reflected light.






Silver Delta
ADI Award
2016

Santorini

Code	Finish
A654-011	White (RAL 9003)
A654-012	Grey (RAL 7039)
A654-013	Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E26 TYPE A19 8W
Weight: Net 3.1 lb – Gross 4.9 lb
Package: 16.1 x 10.2 x 9.4'' – 4.9 lb Vol – 0.81 ft³
Lamping not included



Suitable for wet locations

Cable length: 15 ft
Wire installation: Plug-in
Cord color: Black




Santorini A Fixed Stem

Code	Finish
A654-030	White (RAL 9003)
A654-031	Grey (RAL 7039)
A654-032	Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant cataphoresis treatment

Product type: Wall
Light source: E26 LED TYPE A19 8W
Weight: Net 3.3 lb – Gross 5.3 lb
Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³
Lamping not included



Suitable for wet locations

Wire installation: Hardwired




Santorini C

Code	Finish
A654-033	White (RAL 9003)
A654-034	Grey (RAL 7039)
A654-035	Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant cataphoresis treatment

Product type: Ceiling
Light source: E26 LED TYPE A19 8W
Weight: Net 3.1 lb – Gross 5.3 lb
Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³
Lamping not included



Suitable for wet locations

Wire installation: Hardwired




Santorini with Canopy IP65

Code	Finish
A654-039	White (RAL 9003)
A654-040	Grey (RAL 7039)
A654-041	Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E26 TYPE A19 8W
Weight: Net 3.1 lb – Gross 4.9 lb
Package: 20.47 x 12.99 x 9.84"- 4.41 lb Vol - 1.48ft³
6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³
Lamping not included



Suitable for wet locations

Cable length: 14.76 ft
Wire installation: Hardwired
Cord color: Black




Santorini Indoor

Code	Finish
A654-054	Light green (PANTONE 5517U)
A654-055	Sand (RAL 1001)
A654-056	Off-white (RAL 1013)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E26 LED TYPE A19 8W
Weight: Net 2.9 lb – Gross 4.4 lb
Package: 20.47 x 12.99 x 9.84"- 4.41 lb Vol - 1.48ft³
6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³
Lamping not included




Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Black



Garland accessory

Code	Finish
A654-045	Grey

Product type: Accessory






Wall bracket

Code	Finish
A654-005	Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 0.67 lb – Gross 1.1 lb
Package: 5.5 x 5.5 x 11.22" - 1.1 lb – Vol - 0.2 ft³






Floor accessory

Code	Finish
A654-009	Grey (RAL 7039)

Materials
Structure: Metallic structure with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 14.8 lb – Gross 17.2 lb
Package: 9.8 x 2 x 70.5" - 4.4 lb – Vol - 0.77 ft³
14.5 x 14.5 x 2" - 9.9 lb – Vol - 0.21 ft³





Spare parts

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade

Scantling, Mathias Hahn

Wood and metal combine in a design that utilizes the beauty and simplicity of basic geometric shapes. The Scantling is based on a highly functional and flexible system, in which all the movements of the fully rotational shade use ball joints and arms to create a versatile, easy-to-move light. In addition, its technical precision requires no exposed springs or counterweights to stay in the specified position.






Scantling P73

Code
A626-009

Finish
White (RAL 9001)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminum

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 16.5 lb – Gross 23.5 lb
Package: 18.1 x 57.7 x 6.7'' – 12.2 lb Vol – 4.04 ft³
11.8 x 11.8 x 8.6'' – 12.2 lb Vol – 0.69 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black fabric electrical cord
Switch location: Shade



Scantling A


Code
A626-015

Finish
White (RAL 9001)



Materials
Structure: Iron
Arm: Oak
Shade: Aluminum

Product type: Wall
Light source: E26 LED TYPE A 11W
Weight: Net 1.76 lb – Gross 3.1 lb
Package: 13.8 x 11.8 x 7'' – 3.1 lb Vol – 0.7 ft^3
Lamping not included



Wire installation: Hardwired
Switch location: Canopy

Sips, Christophe Mathieu

Ingenious, minimal and decisive, this is the Sips portable lamp. An understated, timeless design with a very clear purpose: to create a distinctive, intimate lighted space, even outdoors.

With a small opaque shade, the Sips illuminates the table directly but without dazzling or overpowering the space.






Sips

Code	Finish
A721-001-3534-27K	White - Silver (RAL 9001 - RAL 9006)
A721-001-4749-27K	Chocolate - Gold (RAL 8017 - RAL 1036)

Materials
Diffuser: Polycarbonate
Base: Polycarbonate
Stem: Steel

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3 positions dimmer

Product type: Table / Portable
Light source: LED SMD 2,2W 1,5 A 2700K CRI90 327lm
Luminaire: in 5 Vdc 1,5A
Weight: Net 0.75 lb – Gross 1.3 lb
Package: 14.5 x 5.3 x 4.7 " – 1.3 lb Vol – 0.2 ft^3
Product notes: Multiple order of 6 units
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer

Suitable for wet locations

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power






Soho, Joan Gaspar

The striking, industrial shapes in the Soho collection are reminiscent of the lamps that were traditionally used in markets and taverns, but they contrast through the use of thoroughly contemporary materials and textures.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.






Soho 38 LED

Code	Finish
A631-235	White
A631-236	Stone grey
A631-237	Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
Luminaire: 100 - 120 VAC ELV 16W 1051lm
Weight: Net 5.5 lb – Gross 7.71 lb
Package: 17.3 x 17.7 x 9.4'' – 7.71 lb Vol – 1.76 ft^3
LED included



Dimmable

Suitable for damp locations

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Soho 57 LED

Code	Finish
A631-356	White
A631-357	Stone grey
A631-358	Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120 VAC ELV 36W 2086lm
120 - 277 VAC 0-10V 36W 2086lm
Weight: Net 15.4 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 14.2" – 18.7 lb Vol – 4.7 ft^3
Product notes: 3000K available upon request
LED included



Dimmable

Suitable for damp locations

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Soho 112 LED

Code	Finish
A631-371	White
A631-372	Stone grey
A631-373	Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 79.2W 2700K CRI90 15648lm
Luminaire: 120 - 277 VAC 0-10V 95W 8085lm
Weight: Net 60.84 lb – Gross 68.3 lb
Package: 45.2 x 45.2 x 28.3" – 68.3 lb Vol – 33.62 ft^3
Product notes: 3000K available upon request
LED included



Dimmable

Suitable for damp locations

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Soho 38 IP44 LED

Code	Finish
A631-245	White
A631-246	Stone grey
A631-247	Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
Luminaire: 100 - 120 VAC ELV 16W 1051lm
Weight: Net 5.95 lb – Gross 7.71 lb
Package: 17.7 x 17.3 x 9.84" – 7.71 lb Vol – 1.76 ft³
LED included



Dimmable

Suitable for wet locations

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Soho 57 IP44 LED

Code	Finish
A631-362	White
A631-363	Stone grey
A631-364	Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120 VAC ELV 36W 2086lm
120 - 277 VAC 0-10V 36W 2086lm
Weight: Net 15.4 lb – Gross 18.9 lb
Package: 23.6 x 24 x 14.2" – 18.9 lb Vol – 4.6 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Suitable for wet locations

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Soho 112 IP44 LED

Code	Finish
A631-377	White
A631-378	Stone grey
A631-379	Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Pendant
Light Source: LED SMD 350mA 79.2W 2700K CRI90 15648lm
Luminaire: 120 - 277 VAC 0-10V 95W 8085lm
Weight: Net 60.9 lb – Gross 68.3 lb
Package: 45.2 x 45.2 x 28.3'' – 68.3 lb Vol – 33.62 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Suitable for wet locations

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Soho A LED

Code	Finish
A631-365	White
A631-366	Stone grey
A631-367	Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Wall
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120V VAC ELV 36W 2086lm
120 - 277V VAC 0-10V 36W 2086lm
Weight: Net 17.2 lb – Gross 21.4 lb
Package: 23.62 x 24 x 14.2'' – 21.4 lb Vol – 4.6 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Suitable for wet locations

Wire installation: Hardwired
Canopy color: Black




Soho C Fixed Stem LED

Code	Finish
A631-368	White
A631-369	Stone grey
A631-370	Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver Phase cut (ELV) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120 VAC ELV 36W 2086lm
120 - 277 VAC 0-10V 36W 2086lm
Weight: Net 16.8 lb – Gross 17.6 lb
Package: 23.62 x 23.62 x 14.56" – 17.6 lb Vol – 4.6 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Suitable for wet locations

Wire installation: Hardwired
Canopy color: Black




Soho 38 P LED

Code	Finish
A631-255	White
A631-256	Stone grey
A631-257	Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Floor
Light Source: LED SMD 700mA 8.1W 2700K CRI90 913lm
Luminaire: 120 VAC ELV 14W
Weight: Net 26 lb – Gross 32 lb
Package: 17.32 x 17.32 x 9.84" – 6.61 lb Vol – 1.76 ft³
18.1 x 18.1 x 1.18" – 19.84 lb Vol – 0.21 ft³
69.29 x 11.8 x 2.56" – 6.6 lb Vol – 1.05 ft³
LED included



Dimmable

Suitable for wet locations

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black





Tam Tam, Fabien Dumas

The Tam Tam is a festive and versatile collection that offers several options to add color and originality to all types of interior design projects. The idea is to be able to aim the light in any direction, making this fixture perfect for long or narrow spaces.


This year, the collection is updated with new colors and a semi-matt finish on all models.






Tam Tam 3 NEW FINISH

Code	Finish
Central shade	
A633-176 39	Black semi-matt (RAL 9011)
A633-176 35	Off-White semi-matt (RAL 1013)
A633-176 48	Blue grey semi-matt (RAL 7031)
A633-176 43	Khaki semi-matt (RAL 7008)
Satellite shade	
A633-177 39	Black semi-matt (RAL 9011)
A633-177 35	Off-white semi-matt (RAL 1013)
A633-177 37	Sand semi-matt (RAL 7032)
A633-177 38	Silver Grey semi-matt (RAL 7001)
A633-177 42	Olive Yellow semi-matt (RAL 1020)
A633-177 46	Orange semi-matt (RAL 2000)
A633-177 47	Brown Grey semi-matt (RAL 7013)



Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 9x E26 LED TYPE A 11W
Weight: Net 10.4 lb – Gross 18 lb
Package: 22.4 x 22.4 x 15.3" – 13.2 Vol – 4.485 ft³
(3x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³
Product notes: Combine 1 central shade and 3 satellite shades.
Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black


Tam Tam 5 NEW FINISH

Code	Finish
Central shade	
A633-178 39	● Black semi-matt (RAL 9011)
A633-178 35	● Off-White semi-matt (RAL 1013)
A633-178 48	● Blue grey semi-matt (RAL 7031)
A633-178 43	● Khaki semi-matt (RAL 7008)
Satellite shade	
A633-177 39	● Black semi-matt (RAL 9011)
A633-177 35	● Off-white semi-matt (RAL 1013)
A633-177 37	● Sand semi-matt (RAL 7032)
A633-177 38	● Silver Grey semi-matt (RAL 7001)
A633-177 42	● Olive Yellow semi-matt (RAL 1020)
A633-177 46	● Orange semi-matt (RAL 2000)
A633-177 47	● Brown Grey semi-matt (RAL 7013)



Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 13x E26 LED TYPE A 11W
Weight: Net 9.7 lb – Gross 18.07 lb
Package: 22.4 x 22.4 x 15.3" – 13.2 lb Vol – 4.48 ft³
(5x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³
Product notes: Combine 1 central shade and 5 satellite shades.
Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black


Tam Tam Mini NEW FINISH

Code	Finish
Central shade	
A633-179 39	● Black semi-matt (RAL 9011)
A633-179 35	● Off-White semi-matt (RAL 1013)
A633-179 48	● Blue grey semi-matt (RAL 7031)
A633-179 43	● Khaki semi-matt (RAL 7008)
Satellite shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)



Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 5x E26 LED TYPE A 11W
Weight: Net 6 lb – Gross 9 lb
Package: 17.3 x 17.3 x 11" – 7.5 lb Vol – 1.9 ft³
(3x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine 1 central shade and 3 satellite shades.
Lamping not included



Cable length: 8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Tam Tam 4 NEW FINISH

Code	Finish
Structure	
A633-180 39	● Black semi-matt (RAL 9011)
Shades	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 4x E26 LED TYPE A 11W
Weight: Net 5.3 lb – Gross 11.24 lb
Package: 65.7 x 7 x 7" – 9.7 lb Vol – 1.9 ft³
(4x) 9.4 x 9.4 x 6.7"– 2.2 lb Vol – 0.317 ft³
Product notes: Combine structure with 4 satellite shades.
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Tam Tam 6 NEW FINISH

Code	Finish
Structure	
A633-181 39	● Black semi-matt (RAL 9011)
Shades	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 6x E26 LED TYPE A 11W
Weight: Net 6.6 lb – Gross 14.10 lb
Package: 65.7 x 7 x 7" –9.7 lb Vol – 1.9 ft³
(6x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine structure with 6 satellite shades.
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Tam Tam P NEW FINISH

Code	Finish
Stem	
A633-182 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 6.6 lb – Gross 9.9 lb
Package: 50 x 3.1 x 3.1" – 3.3 lb Vol – 0.28 ft³
13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Tam Tam P2 NEW FINISH

Code	Finish
Stem	
A633-183 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 15.4 lb – Gross 19.84 lb
Package: 66.14 x 7 x 7" – 8.3 lb Vol – 0.28 ft³
13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
(2x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine stem with 2 satellite shades.
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Tam Tam P3 NEW FINISH

Code	Finish
Stem	
A633-184 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: 3x E26 LED TYPE A 11W
Weight: Net 15.4 lb – Gross 22.04 lb
Package: 66.14 x 7 x 7" – 8.3 lb Vol – 0.28 ft³
13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
(3x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine stem with 3 satellite shades.
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Tam Tam A NEW FINISH

Code	Finish
Base 1	
A633-145 35	● Off-white semi-matt (RAL 1013)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Plate: Metal

Product type: Wall
Light source: E26 LED TYPE A 11W
Weight: Net 2.7 lb – Gross 4.40 lb
Package: 12.2 x 12.2 x 5.1" – 2.2 lb Vol – 0.317 ft³
9.4 x 9.4 x 6.2" – 2.2 lb Vol – 0.247 ft³
Lamping not included



Wire installation: Hardwired
Switch location: Backplate




Tam Tam A2 NEW FINISH

Code	Finish
Base	
A633-146 35	Off-white semi-matt (RAL 1013)
Shade	
A633-130 39	Black semi-matt (RAL 9011)
A633-130 35	Off-white semi-matt (RAL 1013)
A633-130 37	Sand semi-matt (RAL 7032)
A633-130 38	Silver Grey semi-matt (RAL 7001)
A633-130 42	Olive Yellow semi-matt (RAL 1020)
A633-130 46	Orange semi-matt (RAL 2000)
A633-130 47	Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate
Plate: Metal

Product type: Wall
Light source: 2x E26 LED TYPE A 11W
Weight: Net 3.3 lb – Gross 5.1 lb
Package: 12.2 x 12.2 x 5.1"– 2.9 lb Vol – 0.1 ft³
(2x) 9.4 x 9.4 x 6.7" – 2.2 lb – 0.317 ft³
Product notes: Combine base with 2 satellite shades
Lamping not included



Wire installation: Hardwired




Tam Tam, 2011



The W, PerezOchando

Unfold the light or fold it. The new design of Estudio Perez Ochando proposes a lamp of large format, flexible, thought to adapt to the different necessities of lighting big spaces.

A large black vertical structure is the main shaft from which a number of rods emerge; some can be moved upwards to expand the light and others downwards to focus it.





The W


Code	Finish
A705-011-3949-27K	Black - Gold
A705-011-3937-27K	Black - Ivory (RAL 1015)
A705-011-3941-27K	Black - Terracotta (RAL 8023)

Materials
Structure: Aluminium
Diffusers: Aluminium, Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 0-10V

Product type: Pendant
Light source: LED SMD 36V 90W 2700K CRI90 8400lm
Luminaire: 120-277 VAC 0-10V 103W 5600lm

Weight: Net 29.3 lb – Gross 33.8 lb
Package: 8.3 x 8.3 x 44 " – 9.5 lb Vol – 1.8 ft³
10.2 x 7.9 x 20.1 " – 16 lb Vol – 1.05 ft³
16.5 x 16.5 x 3.1 " – 8.3 lb Vol – 0.35 ft³
LED included



Dimmable

Cable length: 9.8 ft
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Anti-rotation accessory

Code
A705-010

Finish
● Black

Materials
Structure: Steel

Product type: Accessory





From light to shadow with a single gesture. Theia has two faces: to discover them, simply swivel the fixture around its central axis. It can be pointed towards you for use as a reading lamp, or towards an object or a wall, creating a subtle, indirect light that immediately warms the atmosphere.





INTERIOR DESIGN IC FF
NYC x DESIGN
2016 AWARDS WINNER


Theia M

Code	Finish
A672-005	White (RAL 9010)
A672-006	● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 13 lb – Gross 15.9 lb
Package: 14.1 x 14.1 x 9.44" – 13.22 lb Vol – 1.06 ft³
17.3 x 7 x 4.7" – 4.41 lb Vol – 0.35 ft³
LED included



Dimmer

c UL us

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater




Theia P

Code	Finish
A672-007	White (RAL 9010)
A672-008	● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Floor
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 15 lb – Gross 19.2 lb
Package: 14.6 x 14.6 x 9" – 13.2 lb Vol – 1.06 ft^3
42.7 x 6.7 x 4.7" – 6 lb Vol – 0.7 ft^3
LED included



Dimmer

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater





Theia, 2016




TXL 2019 205

Code	Finish
A605-076	Beige
A605-077	Grey

Materials
Base: Concrete
Stem: Stainless steel
Diffuser: White acid etched glass
Shade: Textilene with the inner part always in white

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 63.5 lb – Gross 70.5 lb
Package: 16 x 13 x 13" – 5.5 lb Vol – 1.41 ft³
27.6 x 27.6 x 19.7" – 9.7 lb Vol – 8.8 ft³
86.6 x 3.9 x 3.9" – 7.9 lb Vol – 0.7 ft³
26 x 26 x 5.9" – 47.3 lb Vol – 2.11 ft³
Lamping not included



Suitable for wet locations

Cable length: 8 ft
Wire installation: Plug-in
Cord color: Black




TXL 2019 170

Code	Finish
A605-078	Beige
A605-079	Grey

Materials
Base: Concrete
Stem: Stainless steel
Diffuser: White acid etched glass
Shade: Textilene with the inner part always in white

Product type: Floor
Light source: 3x E26 LED TYPE A 8W
Weight: Net 46.7 lb – Gross 51.1 lb
Package: 10.6 x 11 x 14.9" – 4.4 lb Vol – 0.7 ft^3
23.6 x 23.6 x 17.7" – 7.9 lb Vol – 5.6 ft^3
70.8 x 3.9 x 3.9" – 6.8 lb Vol – 0.63 ft^3
22.8 x 22.8 x 5.9" – 31.9 lb Vol – 1.7 ft^3
Lamping not included



Suitable for wet locations

Cable length: 8 ft
Wire installation: Plug-in
Cord color: Black



Spare parts

Code	Product	Finish	Spare part
A605-102	Txl 205	-	Glass
A605-112	Txl 170	-	Glass
R605-004	Txl 2019 205	Beige	Shade
R605-005	Txl 2019 205	Grey	Shade
R605-006	Txl 2019 170	Beige	Shade
R605-007	Txl 2019 170	Grey	Shade



Vetra, Joan Gaspar


Vetra 43

Code	Finish	Dimming
A689-016	White	ELV
A689-023	White	0-10V
A689-043	Amber	ELV
A689-044	Amber	0-10V

Materials
Shade: Blown glass
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 19W 881lm
120 - 277 VAC 0-10V 19W 881lm
Weight: Net 12.6 lb – Gross 16.5 lb
Package: 22.4 x 22.4 x 14.6'' – 6.5 lb Vol – 4.23 ft³
LED included



Dimmable

Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Vetra P

Code	Finish
A689-019	White
A689-020	Black

Materials
Base: Iron
Stem: Iron
Shade: Blown glass
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
3 positions sensor dimmer.

Product type: Floor
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 90 - 264 VAC 11W 348lm
Weight: Net 17.4 lb – Gross 22 lb
Package: 17 x 17 x 11" – 6.61 lb Vol – 1.8 ft³
55 x 10 x 10" – 8.8 lb Vol – 3.17 ft³
14 x 14 x 2" – 6.6 lb Vol – 0.78 ft³
LED included



Dimmer

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



Spare parts

Code	Product	Finish	Spare part
R689-001	Vetra 43	White	Glass
R689-006	Vetra 43	Amber	Glass






Zenc, Joan Gaspar

Zenc

Code	Finish
A715-002-35	White (RAL 1013)
A715-002-38	Grey (RAL 7022)
A715-002-40	Red (RAL 3011)
A715-002-48	Sky Blue (PANTONE 7542C)
A715-002-42	Pale yellow (RAL 085 80 30)

Materials
Shade: Bi-injected rotary moulded polyethylene

Product type: Pendant
Light source: E26 Globe (Ø95) 12W
Weight: Net 6.6 lb – Gross 8.6 lb
Package: 20.4 x 20.42 x 14.6'' – 8.6 lb Vol – 3.53 ft³
Lamping not included





Cable length: 8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Plan your projects in our Professional Area

Photometric Data | Press Releases | Banners | 2D Models | 3D Models | HR Images | Videos



























We want to offer you an exclusive service that's designed to make your work easier. By signing up at the new professional area at marset.com, you'll be able to download technical information, images, and videos of our products, receive our newsletter, and save your preferred products. We offer direct access and personal attention.

Dimmer

Dimmer on the unit.

Dimmable

Product which can be dimmed.



Quick ship item. Always in stock, ships within 5 to 10 days.



Oversized item. Special freight policy applies. Freight assessed separately.

Technical note

The watts shown on the pricelist are the actual watts of the luminaire (including both LED and driver); otherwise, the watts are expressly shown as being for the light source. Similarly, the lumens may be for the luminaire or light source, as shown on the pricelist. For more information, you can find lighting data on our website.



Marset USA Inc.
202 N 10th Street
Brooklyn, NY 11211
T +1 646 727 4250
marsetusa@marset.com

Factory & Headquarters
Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
info@marset.com

Barcelona Showroom
Santaló 56 interior
08021 Barcelona (Spain)
T +34 934 142 844
press@marset.com

Milan Showroom
Via dell'Annunciata 29
20121 Milan (Italy)
C +39 366 6059083
milano-showroom@mdaitalia.it

Cologne Showroom
Design Post
Deutz-Mülheimer-Str. 22a
50679 Cologne (Germany)
T +49 221 69 06 50
info@marset.com

Mexico Showroom
Alejandro Dumas 212
11550 Mexico City
T+52 5568170926
marset@g-tec.com.mx


8 400000 159203

marset.com