

Working Catalogue



10 Ambrosia



37 Bohemia



49 Cluster



60 Dipping Light



65 Discocó




68 Djembé



88 Fris



107 LED-Ginger



132 Ihana



137 Jaima



153 Mercer



156 Milana



172 Pleat Box




181 Santorini



189 Soho



194 Tam Tam



202 The W



208 Vetra



210 Zenc



40 Cala



52 Copérnica



102 Funiculí



103 Funiculí Fabric



112 Ginger



140 Jaima



177 Polo



185 Scantling



198 Tam Tam



204 Theia



39 Bolita



52 Copérnica



55 Dipping Light



82 Fragile



104 Funiculí



105 Funiculí Fabric



111 LED-Ginger



152 Mercer



177 Polo



204 Theia

Portable



35 Bicoca



43 Chispa



57 Dipping Light



79 FollowMe



111 LED-Ginger



187 Sips

Wall



30 Aura



43 Caramel



59 Dipping Light



88 Fris



103 Funiculì



104 Funiculì Fabric



114 LED-Ginger



143 Konoha



148 Ledtube



154 Mercer

Wall



163 N. Ocho



164 Plaff-on!



179 Roc



186 Scantling



199 Tam Tam

Ceiling



43 Caramel



73 Djembé



114 LED-Ginger



155 Mercer



164 Plaff-on!



191 Soho



32 Babila



122 LED-Ginger



139 Jaima



145 Lab



164 Plaff-on!



179 Roc



181 Santorini



189 Soho



206 TXL





marset pro

HELPING YOUR PROJECTS SEE THE LIGHT

WE'RE PLEASED TO INTRODUCE THE NEW PROFESSIONAL AREA ON OUR WEBSITE, AN INITIATIVE DESIGNED ESPECIALLY FOR ARCHITECTS, INTERIOR AND LIGHTING DESIGNERS. THERE YOU'LL FIND EVERYTHING YOU NEED TO TAKE YOUR PROJECTS TO THE NEXT LEVEL:

[01] WE ACCOMPANY YOU EVERY STEP OF THE WAY

[02] REQUEST A QUOTE

[03] TRY OUR LIGHTING CALCULATION SERVICE

[04] DOWNLOAD IMAGES AND MATERIAL

[05] ARRANGE AN APPOINTMENT TO VISIT OUR SHOWROOMS

[06] REQUEST SAMPLES OF OUR FINISHES

ENTER WWW.MARSET.COM/USA/PROFESSIONAL
AND LET YOURSELF BE INSPIRED.



Discover more at [marset.com](https://www.marset.com)



Ambrosia 120


Code	Finish	CCT
A704-101-15-22K	● Matt Gold	22K
A704-101-15-27K	● Matt Gold	27K
A704-101-15-30K	● Matt Gold	30K
A704-101-16-22K	● Black	22K
A704-101-16-27K	● Black ☞☺	27K
A704-101-16-30K	● Black ☞☺	30K

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 19.2W 2200K CRI90 2116lm
 Luminaire Ambrosia 22K: (Power supply not included) 1885lm
 Light source Ambrosia 27K: LED SMD 24Vdc 19.2W 2700K CRI90 2028lm
 Luminaire Ambrosia 27K: (Power supply not included) 1891lm
 Light source Ambrosia 30K: LED SMD 24Vdc 19.2W 3000K CRI90 2256lm
 Luminaire Ambrosia 30K: (Power supply not included) 1927lm
 Weight: Net 5.3 lb – Gross 6.6 lb
 Package: 11.4 x 3.9 x 53.1" - 4.4 lb – Vol - 1.4 ft³
 3.1 x 3.1 x 50.4" - 2.2 lb – Vol - 0.4 ft³
 Product notes: 24V remote power supply to be ordered separately.
 Canopy not included. Supplied with 10.8 ft wire.
 Suitable for damp locations. LED included



(1) The height can be increased by means of the 15.7 or 23.6" poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 120 + Pole 24



A704-101-16-27K

Ambrosia 180

Code	Finish	CCT
A704-102-15-22K	● Matt Gold	22K
A704-102-15-27K	● Matt Gold	27K
A704-102-15-30K	● Matt Gold ☞☺	30K
A704-102-16-22K	● Black	22K
A704-102-16-27K	● Black	27K
A704-102-16-30K	● Black ☞☺	30K

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified driver/canopy.
Canopy: Aluminum / Steel	

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2823lm
Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
Luminaire Ambrosia 27K: (Power supply not included) 2833lm
Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
Luminaire Ambrosia 30K: (Power supply not included) 2886lm

Weight: Net 6.8 lb – Gross 7.9 lb


Package: 11.4 x 3.9 x 53.2" - 4.4 lb – Vol - 1.4 ft³

3.1 x 3.1 x 74" - 3.5 lb – Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 9.8 ft wire.

Suitable for damp locations. LED included



(1) The height can be increased by means of the 15.7 or 23.6" poles (max. 3 units.) They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 210

Code	Finish	CCT
A704-103-15-22K	● Matt Gold	22K
A704-103-15-27K	● Matt Gold	27K
A704-103-15-30K	● Matt Gold ☞☺	30K
A704-103-16-22K	● Black	22K
A704-103-16-27K	● Black	27K
A704-103-16-30K	● Black ☞☺	30K

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified driver/canopy.
Canopy: Aluminum / Steel	

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 2802lm
Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
Luminaire Ambrosia 27K: (Power supply not included) 2812lm
Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 6.8 lb – Gross 7.9 lb

Package: 11.4 x 3.9 x 53.1" - 4.4 lb – Vol - 1.4 ft³


3.1 x 3.1 x 26.7" - 1.3 lb – Vol - 0.14 ft³

3.1 x 3.1 x 50.4" - 2.2 lb – Vol - 0.35 ft³

Product notes: 24V remote power supply to be ordered separately.


Canopy not included. Supplied with 12.8 ft wire.

Suitable for damp locations. LED included




(1) The height can be increased by means of the 15.7 or 23.6" poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed



A704-102-15-27K



A704-103-15-27K

Ambrosia 315

Code	Finish	CCT
A704-104-15-22K	● Matt Gold	22K
A704-104-15-27K	● Matt Gold	27K
A704-104-15-30K	● Matt Gold ☺	30K
A704-104-16-22K	● Black	22K
A704-104-16-27K	● Black	27K
A704-104-16-30K	● Black ☺	30K

☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: Based on specified driver/canopy.
Canopy: Aluminum / Steel	

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm

Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4563lm

Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5076lm

Luminaire Ambrosia 30K: (Power supply not included) 4314lm

Weight: Net 11.2 lb – Gross 12.9 lb

Package: 11.4 x 3.9 x 88.6" - 7.7 lb – Vol - 2.3 ft³


3.1 x 3.1 x 38.5" - 1.7 lb – Vol - 0.2 ft³

3.1 x 3.1 x 74" - 3.5 lb – Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 12.1 ft wire.

Suitable for damp locations. LED included



(1) The height can be increased by means of the 15.7 or 23.6" (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 315 + 2 Pole 24



A704-104-16-27K

Height extension pole 16

Code	Finish
A704-005-15 ☺	● Matt Gold
A704-005-16 ☺	● Black

☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
Structure: Metal

Product type: Accessory



Height extension pole 24

Code	Finish
A704-006-15 ☺	● Matt Gold
A704-006-16 ☺	● Black

☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
Structure: Metal


Product type: Accessory



Canopy Ambrosia

Code	Finish	Dimming
A666-213-15	● Matt Gold - 60W 24V	0-10V
A666-213-16	● Black - 60W 24V	0-10V

INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 1.54 lb – Gross 2.2 lb
 Package: 14.6 x 6.7 x 2.6 " - 2.2 lb - VOL - 0.14 ft³




A666-254-15 ☞☺	● Matt Gold - 60W 24V	ELV / Triac / 0-10V
A666-254-16 ☞☺	● Black - 60W 24V	ELV / Triac / 0-10V

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 2.9 lb – Gross 3.53 lb
 Package: 14.6 x 6.7 x 2.6 " - 3.53 lb - VOL - 0.14 ft³

Materials
 Structure: Metal

Dimmable




Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Remote LED Driver

Code	Description	Dimming
A968-333 ☞☺	60W - 24V	ELV

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Product type: Power supply
 INPUT: 120 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 0.22 lb – Gross 0.44 lb
 Package: 4.3 x 4.3 x 4.3 " - 0.44 lb - VOL - 0.05 ft³




Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Dimmable

Code	Description	Dimming
968-230	60W - 24V	0-10V

Product type: Power supply
 INPUT: 120 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.



Outlet Box Cover Plate


Code	Finish
A666-219-15 ☞☺	● Matt Gold
A666-219-16 ☞☺	● Black

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Weight: Net: 0.22 lb – Gross 0.44 lb
 Package: 6.3 x 5.7 x 3.5 " - 0.44 lb - VOL - 0.07 ft³

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Ceiling cover plate for 4" octagonal junction box.





Ambrosia A 60 left

Code	Finish	CCT
A704-115-15-22K	● Matt Gold	22K
A704-115-15-27K	● Matt Gold	27K
A704-115-15-30K	● Matt Gold	30K
A704-115-16-22K	● Black	22K
A704-115-16-27K	● Black	27K
A704-115-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 1.3 lb – Gross 2.8 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
 3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed



A704-115-16-30K

Ambrosia A 60 right

Code	Finish	CCT
A704-116-15-22K	● Matt Gold	22K
A704-116-15-27K	● Matt Gold	27K
A704-116-15-30K	● Matt Gold	30K
A704-116-16-22K	● Black	22K
A704-116-16-27K	● Black	27K
A704-116-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included)


Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 1.3 lb – Gross 2.8 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
 3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed



A704-116-15-30K

Ambrosia A 90 left

Code	Finish	CCT
A704-117-15-22K	● Matt Gold	22K
A704-117-15-27K	● Matt Gold	27K
A704-117-15-30K	● Matt Gold	30K
A704-117-16-22K	● Black	22K
A704-117-16-27K	● Black	27K
A704-117-16-30K	● Black	30K

Materials: Aluminum
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
 3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed



A704-117-16-30K

Ambrosia A 90 right

Code	Finish	CCT
A704-118-15-22K	● Matt Gold	22K
A704-118-15-27K	● Matt Gold	27K
A704-118-15-30K	● Matt Gold	30K
A704-118-16-22K	● Black	22K
A704-118-16-27K	● Black	27K
A704-118-16-30K	● Black	30K

Materials: Aluminum
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included)


Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
 3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed



A704-118-15-30K

Ambrosia A 210

Code	Finish	CCT
A704-121-15-22K	● Matt Gold	22K
A704-121-15-27K	● Matt Gold	27K
A704-121-15-30K	● Matt Gold	30K
A704-121-16-22K	● Black	22K
A704-121-16-27K	● Black	27K
A704-121-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 6.2 lb – Gross 7.9 lb
 Package: 59.8 x 5.3 x 6.5 " - 4.4 lb – Vol - 1 ft³
 3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³
 3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.35 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



A704-121-16-30K


Wire installation: Hardwired / Recessed

Disk accessory

Code	Finish
A704-128-15	● Matt Gold
A704-128-16	● Black

Materials
 Structure: Metal


Product type: Accessory
 Accessory used to hide the driver behind the canopy.
 Two units are required for Ambrosia A 210, one for each canopy.



Remote LED Driver

Code	Description	Dimming
A968-333	60W - 24V	ELV

Product type: Power supply
 INPUT: 120 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 0.22 lb – Gross 0.44 lb
 Package: 4.3 x 4.3 x 4.3 " - 0.44 lb - VOL - 0.05 ft³




Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable

Code	Description	Dimming
968-230	60W - 24V	0-10V

Product type: Power supply
 INPUT: 120 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.





Ambrosia V 130 Plug-in

Code	Finish	CCT
A704-163-15-22K	● Matt Gold	22K
A704-163-15-27K	● Matt Gold	27K
A704-163-15-30K	● Matt Gold	30K
A704-163-16-22K	● Black	22K
A704-163-16-27K	● Black	27K
A704-163-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer type: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: 100 - 240 VAC 33.8W 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: 100 - 240 VAC 33.8W 3021lm


Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: 100 - 240 VAC 33.8W 3078lm

Weight: Net 3.1 lb – Gross 4.6 lb

Package: 5.1 x 5.1 x 53.5 " - 4.6 lb – VOL - 0.7 ft³

LED included

Luminaires manufactured in compliance
with North American Certification standards.



Wire installation: Plug-in
Cable length: 7.5 ft
Steel cable length: 6.6 ft
Color cord: Black
Switch location: In-line

Dimmable



A704-163-15-27K

Ambrosia V 130

Code	Finish	CCT
A704-160-15-22K	● Matt Gold	22K
A704-160-15-27K	● Matt Gold	27K
A704-160-15-30K	● Matt Gold	30K
A704-160-16-22K	● Black	22K
A704-160-16-27K	● Black	27K
A704-160-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K: (Power supply not included) 3021lm


Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K: (Power supply not included) 3078lm

Product notes: 24V remote power supply to be ordered separately.
 Weight: Net 2.6 lb – Gross 4.2 lb
 Package: 5.1 x 5.1 x 53.4" - 4.2 lb – VOL - 0,07 ft³
 LED included

Dimmable



Wire installation: Hardwired
 Cable length: 8.2 ft.
 Steel cable length: 6.5 ft.
 Color cord: Black



A704-160-16-27K

Ambrosia V 175 Plug-in

Code	Finish	CCT
A704-164-15-22K	● Matt Gold	22K
A704-164-15-27K	● Matt Gold	27K
A704-164-15-30K	● Matt Gold	30K
A704-164-16-22K	● Black	22K
A704-164-16-27K	● Black	27K
A704-164-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer type: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm
 Luminaire Ambrosia 22K: 100 - 240 50.5W VAC 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4788lm
 Luminaire Ambrosia 27K: 100 - 240 50.5W VAC 4491lm


Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5016lm
 Luminaire Ambrosia 30K: 100 - 240 50.5W VAC 4575lm

Weight: Net 3.5 lb – Gross 6 lb
 Package: 5.1 x 5.1 x 72.4 " - 6 lb – VOL - 1.06 ft³
 LED included

Luminaires manufactured in compliance with North American Certification standards.



A704-164-16-27K



Wire installation: Plug-in
 Cable length: 8.6 ft
 Steel cable length: 6.6 ft
 Color cord: Black
 Switch location: In-line

Dimmable

Ambrosia V 175

Code	Finish	CCT
A704-161-15-22K	● Matt Gold	22K
A704-161-15-27K	● Matt Gold	27K
A704-161-15-30K	● Matt Gold	30K
A704-161-16-22K	● Black	22K
A704-161-16-27K	● Black	27K
A704-161-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant


Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 476lm
Luminaire Ambrosia 22K: (Power supply not included) 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4788lm
Luminaire Ambrosia 27K: (Power supply not included) 4491lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5016lm
Luminaire Ambrosia 30K: (Power supply not included) 4575lm

Weight: Net 3.1 lb – Gross 5.5 lb
Package: 5.1 x 5.1 x 72.4 " - 5.5 lb – VOL - 1.1 m³

Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



Wire installation: Hardwired
Cable length: 8.2 ft.
Steel cable length: 6.5 ft.
Color cord: Black



A704-161-15-27K

Circular Canopy 60W 24V ELV/Triac/0-10V

Code
 A666-257-15 ● Matt Gold
 A666-257-16 ● Black


Dimming
 ELV, Triac, 0-10V
 ELV, Triac, 0-10V

Materials
 Structure: Painted iron

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: ELV, Triac, 0-10V

Product type: Accessory

Weight: Net 2.6 lb – Gross 3.5 lb
 Package: 16.5 x 16.5 x 3.1" -3.5 lb – VOL - 0.4 ft³
 Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
 Canopy color: Black - Entry points: 1

Outlet Box Cover Plate with hanging support

Code
 A666-258-39 ● Black

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Ceiling cover plate for 4" octagonal junction box.




Outlet Box Cover Plate

Code
 A666-219-15 ☉ ● Matt Gold
 A666-219-16 ☉ ● Black

☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
 Structure: Metal



Steel cable suspension kit


Code
 A704-166-15 ● Matt Gold
 A704-166-15 ● Black



Remote LED Driver

Code
 A968-333
 Description
 60W - 24V
 Dimming
 ELV

Product type: Power supply
 INPUT: 120 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 0.22 lb – Gross 0.44 lb
 Package: 4.3 x 4.3 x 4.3" - 0.44 lb - VOL - 0.05 ft³




Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.



Code
 968-230
 Description
 60W - 24V
 Dimming
 0-10V

Product type: Power supply
 INPUT: 120 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.





Circular Cluster Canopy 90W 24V ELV/Triac/0-10V

Code A666-259-39 Finish ● Black

Materials
Structure: Painted iron


Product type: Accessory
INPUT: 120-277VAC 50/60Hz
OUTPUT: CV 24V DC 90W max.

Weight: Net 6.83 lb – Gross 8.16 lb
Package: 16.14 x 16.14 x 3.15" - 8.16 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V

Dimmable



Circular Cluster Canopy 180W 24V ELV/Triac/0-10V

Code A666-260-39 Finish ● Black

Materials
Structure: Painted iron


Product type: Accessory
Input: 120-277VAC 50/60Hz
Output: CV 24V DC 180W max.

Weight: Net 10.8 lb – Gross 12.35 lb
Package: 16.14 x 16.14 x 3.15" - 12.35 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V

Dimmable




Hook Accessory

Code A693-007 Finish ● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.8 x 0.8 x 2" - 0.02 lb – VOL - 0.07 ft³

Product notes: Accessory to guide the cable.





Ambrosia V 235 Plug-in

Code	Finish	CCT
A704-165-15-22K	● Matt Gold	22K
A704-165-15-27K	● Matt Gold	27K
A704-165-15-30K	● Matt Gold	30K
A704-165-16-22K	● Black	22K
A704-165-16-27K	● Black	27K
A704-165-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive from 0 to 100

Product type: Pendant
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: 100 - 240 VAC 33.8W 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K: 100 - 240 VAC 33.8W 2812lm


Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K: 100 - 240 VAC 33.8W 2865lm

Weight: Net 3.5 lb – Gross 9.3 lb
 Package: 6.1 x 6.1 x 100.8 " - 9.3 lb – VOL - 2.1 ft³
 LED included

Luminaires manufactured in compliance with North American Certification standards.



A704-165-16-27K



Cable length: 6.6 ft.
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line

Dimmable

Ambrosia V 235

Code	Finish	CCT
A704-162-15-22K	● Matt Gold	22K
A704-162-15-27K	● Matt Gold	27K
A704-162-15-30K	● Matt Gold	30K
A704-162-16-22K	● Black	22K
A704-162-16-27K	● Black	27K
A704-162-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm


Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 3.1 lb – Gross 8.8 lb
 Package: 6.1 x 6.1 x 100.8" - 8.8 lb – VOL - 2.1 ft³
 Product notes: 24V remote power supply to be ordered separately.
 LED included



A704-162-15-27K



Dimmable




Wire installation: Hardwired
 Cable length: 6.5 ft.
 Color cord: Black

Rectangular Canopy 60W

Code	Finish	Dimming
A666-213-15	● Matt Gold - 60W 24V	0-10V
A666-213-16	● Black - 60W 24V	0-10V


INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 1.54 lb – Gross 2.2 lb
 Package: 14.6 x 6.7 x 2.6 " - 2.2 lb - VOL - 0.14 ft³



A666-254-15 ☞	● Matt Gold - 60W 24V	ELV / Triac / 0-10V
A666-254-16 ☞	● Black - 60W 24V	ELV / Triac / 0-10V

INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 2.9 lb – Gross 3.53 lb
 Package: 14.6 x 6.7 x 2.6 " - 3.53 lb - VOL - 0.14 ft³

Materials
 Structure: Metal




Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable

Remote LED Driver

Code	Description	Dimming
A968-333	60W - 24V	ELV

Product type: Power supply
 INPUT: 120 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 0.22 lb – Gross 0.44 lb
 Package: 4.3 x 4.3 x 4.3 " - 0.44 lb - VOL - 0.05 ft³




Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable

968-230	60W - 24V	0-10V
---------	-----------	-------

Product type: Power supply
 INPUT: 120 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.




Outlet Box Cover Plate

Code	Finish
A666-219-15 ☞	● Matt Gold
A666-219-16 ☞	● Black

☞ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Ceiling cover plate for 4" octagonal junction box.



Length Extension Stem V255

Code	Finish
A704-150-09	● Steel

Materials
 Structure: Stainless steel

Product type: Accessory
 Weight: Net 0.19 lb – Gross 0.9 lb
 Package: 3.1 x 3.1 x 14.9 " - 0.9 lb – VOL - 0.07 ft³
 Product notes: Ceiling stem accessory to increase the drop-length of the Ambrosia V235. Total increase 7.9".





@SalvaLopez


Aura

Code	Finish
A676-008 ☞☉	○ Transparent
A676-009 ☞☉	● Opal
A676-010 ☞☉	● Smoked
A676-012	● Copper

☞☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials Dimmable: No
Shade: Blown Glass
Structure: Polycarbonate
Dissipater: Aluminum

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 90 - 264 VAC 8.7W 448lm
Weight: Net 1.1 lb – Gross 2.2 lb
Package: 10.2 x 10.2 x 7.8" - 2.2 lb – Vol - 0.56 ft³
Product notes: Suitable for damp locations
Not suitable for ceiling mount
Structure in black, except for the opal version, with structure in white.
LED included



Wire installation: Hardwired



A676-010

Aura Plus

Code	Finish
A676-019 ☞	○ Translucent
A676-020 ☞	● Opal
A676-021 ☞	● Smoked
A676-022	● Copper

☞ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials Dimmable: No

Shade: Blown Glass

Structure: Polycarbonate

Dissipater: Aluminum

Product type: Wall / Ceiling

Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire: 90 - 264 VAC 8.7W 470lm


Weight: Net 1.96 lb – Gross 2.64 lb

Package: 13 x 13 x 8.6" - 2.64 lb – Vol - 0.74 ft³

Product notes: Suitable for damp locations

Structure in black, except for the opal version, with structure in white.

LED included



A676-022

Wire installation: Hardwired


Spare parts

Code	Product	Finish	Spare part
A676-105	Aura	Transparent	Glass
A676-104	Aura	Opal	Glass
A676-102	Aura	Smoked	Glass
A676-103	Aura	Copper	Glass
A676-111	Aura Plus	Transparent	Glass
A676-110	Aura Plus	Opal	Glass
A676-108	Aura Plus	Smoked	Glass
A676-109	Aura Plus	Copper	Glass

Babila, Marco Zanuso Jr.

Babila demonstrates that, when it comes to a design, the material can be as important as the shape. This outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is not

designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.




Babila 18

Code	Finish
A706-005	● Polished stainless steel
A706-006-35	● White (RAL 9010)
A706-006-47	● Brown (RAL 8019)


Materials: Polished stainless steel, AISI 316 or lacquered aluminum
 Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Wall / Ceiling
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 120 VAC ELV 8.7W 225lm
 Weight: Net 1.8 lb – Gross 2.6 lb
 Package: 11.4 x 12 x 4.9" - 2.6 lb – Vol - 0.35 ft³
 LED included

Product notes: 0-10V available upon request. Minimum of 5 units..



Wire installation: Hardwired



A706-005


Babila 28

Code	Finish
A706-007	● Polished stainless steel
A706-008-35	● White (RAL 9010)
A706-008-47	● Brown (RAL 8019)

Materials	Dimmable: Yes
Diffuser: Polished stainless steel	Integrated dimmer: No
AISI 316 or lacquered aluminum	Dimming protocols:
	Phase cut (ELV)

Product type: Wall / Ceiling
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 185lm
Weight: Net 3 lb – Gross 4.6 lb
Package: 15.4 x 15.7 x 4.9" - 4.6 lb Vol - 0.7 ft³
LED included

Product notes: 0-10V available upon request. Minimum of 5 units..



Wire installation: Hardwired



A706-008-47



The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tiltable shade to direct the light. Two accessories increase the applicability and versatility of the lamp.



Discover more at marset.com

DESIGN PLUS
powered by: light+building


Bicoca

Code	Finish
A680-055 ☉	● Off-white (RAL 9001)
A680-056 ☉	● Anthracite (RAL 7026)
A680-057 ☉	● Red wine (RAL 3005)
A680-058 ☉	● Yellow (RAL 1032)
A680-059 ☉	● Light blue (PANTONE 7542C)
A680-060 ☉	● Pale pink (PANTONE 5015C)

☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials	Dimmable: Yes
Shade: Polycarbonate	Integrated dimmer: Yes
Body: Polycarbonate	Dimmer Type: 3-step dimmer
Diffuser: Opal polycarbonate	

Product type: Table / Portable
 Light source: LED SMD 1A 3.5W 2700K CRI90 398lm
 Luminaire: in 5 Vdc 1.5A 241lm
 Weight: Net 1.01 lb – Gross 2.2 lb
 Package: Ø6.29 x 11.81" – 2.2 lb Vol – 0.21 ft³ (1U)
 20 x 11.8 x 13.4" – 15 lb Vol – 1.8 ft³ (6U)
 Product notes: Sold in multiples of 6.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer

 Under approval process. For latest certification status check the spec sheet.

Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




A680-056

Magnet accessory

Code A680-008 Finish ● Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.04 lb
Package: 4.72 x 6.89 x 0.39 " - 0.04 lb – Vol - 0.035 ft³




Armrest accessory + magnet

Code A680-007 Finish ● Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory
Weight: Net 2 lb – Gross 2.2 lb
Package: 6.3 x 5.5 x 3.5 " - 2.2 lb – Vol - 0.07 ft³



Spare parts

Code	Product
R680-014	Bicoca
R968-002-USA	Bicoca
R961-057	Bicoca
R968-011	Bicoca
R961-075	Bicoca

Spare part
Battery
Black power adapter USB A (USA)
Black cable USB A to USB C
Black power adapter USB C (USA)
Black cable USB C to USB C

At first glance, the Bohemia appears to be made of blown glass. However, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two volumes into

a single shape. The design allows for a large shade in different colors with a white interior for pristine reflection.



Discover more at marset.com




Bohemia 84

Code	Finish
A698-010	● Green
A698-012	● Amber
A698-023-53-27K	● Smoked


Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials	Dimmable: Yes
Shade: Rotomoulded Polycarbonate	Integrated dimmer: No
Diffuser: Opal methacrylate	Dimming protocols: Dual dimming driver
	Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: 120 VAC ELV 26W 1619lm
 120 - 277 VAC 0-10V 26W 1619lm
 Weight: Net 28 lb – Gross 44 lb
 Package: 37 x 37 x 20" – 44 lb Vol – 17.6 ft³
 LED included






Dimmable




A698-012

Cable length: 8.2 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black

Bohemia 84 E26

Code	Finish
A698-016	● Green 
A698-018	● Amber 
A698-024-53	● Smoked 

 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials

Shade: Rotomoulded Polycarbonate


Product type: Pendant

Light source: E26 LED GLOBE 20W

Weight: Net 28 lb – Gross 39 lb

Package: 37 x 37 x 20" – 39 lb Vol – 17.6 ft³

Lamping not included



Cable length: 8.2 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A698-016



Bolita, kaschkasch

A technologically innovative design that brings back the sense of touch. Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect. Bolita seeks out that user interaction.

The idea of Florian and Sebastian at the kaschkasch studio was to design a lamp in which the dimming process was mechanical and not electronic.



Discover more at marset.com




Bolita

Code A695-007 Finish ○ White (RAL 9011)

Materials
 Base: Steel
 Diffuser: Opal blown glass

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Analog, dimmed via glass movement.

Product type: Table
 Light Source: LED SMD 24Vdc 6.5W 2700K CRI90 579lm
 Luminaire: 120 VAC 8.7W 157lm
 Weight: Net 0.9 lb – Gross 3.3 lb
 Package: 9 x 7 x 5" – 3.3 lb Vol – 0.18 ft³ (1u)
 15 x 16.7 x 17.7" – 11 lb Vol – 1 ft³ (4u)
 Product note: Sold in multiples of 4.
 LED included



Cable length: 4.9 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: Base

A695-007

Spare parts

Code
R695-001

Product
Bolita

Finish
-

Spare part
Glass



Cala, Joan Gaspar

The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.

With a structure made of oak or black lacquered metal, the Cala is an iconic Marset design defined by that most valuable of pairings: form and function.




Cala P165

Code A645-020 Finish ● Oak - Pearl White

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Varnished oak

Product type: Floor
Light source: 3x E26 LED TYPE A 11W
Weight: Net 11 lb – Gross 22.7 lb
Package: 27.2 x 27.2 x 14.5" - 11.7 lb – Vol - 6.4 ft³
19.7 x 5 x 61" - 11 lb – Vol - 3.5 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




A645-020

Code A645-014 Finish Iroko - Brown

Materials
Shade: Polyethylene, Textilene
Structure: Iroko wood

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 23.6 lb – Gross 24.6 lb
Package: 22 x 22 x 11.4 " - 11.4 lb – Vol - 3.2 ft³
18.5 x 4.7 x 49.6 " - 13.2 lb – Vol - 2.5 ft³
Lamping not included



Suitable for wet locations



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Underside of shade



A645-014

Caramel, Joan Gaspar

Caramel collection surprises with its material beauty, as though it were an illuminated sculpture. This wall lamp by Joan Gaspar uses glass of a clearly decorative nature to create a circular form that envelops the light. A design that gives full prominence to

the aesthetics of this hard, shiny material: when illuminated, it pulsates with life, and when turned off, it creates a graphic play on the wall. Caramel emits diffused, soft, and warm reflecting light.



Caramel 22 NEW

Code	Finish
A726-051-51-27K	○ Opal
A726-051-57-27K	● Green
A726-051-58-27K	● Blue
A726-051-59-27K	● Brown

Materials

Shade: Blown glass
Structure: Polycarbonate
Dissipater: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: TRIAC / ELV / 0-10V

Product type: Wall / Ceiling


Light source: LED SMD 500mA 8.6W 2700K CRI90 1146lm

Luminaire: 120 - 277 VAC 10.15W 581lm

Weight: Net 3.5 lb - Gross 6.6 lb

Package: 12.6 x 14.4 x 8.1" - 6.6 lb - VOL - 0.7 ft³


LED included



Dimmable



Suitable for
damp locations



Wire installation: Hardwired




A726-051-59-27K

Caramel 28 NEW

Code Finish
A726-052-51-27K ○ Opal
A726-052-57-27K ● Green
A726-052-58-27K ● Blue
A726-052-59-27K ● Brown

Materials Dimmable: Yes
Shade: Blown glass Integrated dimmer: No
Structure: Polycarbonate Dimming protocols: TRIAC / ELV / 0-10V
Dissipater: Aluminium

Product type: Wall , Ceiling
Light source: LED SMD 500mA 11.56W 2700K CRI90 1528lm
Luminaire: 120 - 277 VAC 13.75W 1053lm
Weight: Net 5 lb – Gross 9 lb
Package: 15 x 16.7 x 8 " - 9 lb – VOL - 1 ft³
LED included



Dimmable



Suitable for damp locations

Wire installation: Hardwired




A726-052-58-27K

Caramel 38 NEW

Code Finish
A726-053-51-27K ○ Opal
A726-053-57-27K ● Green
A726-053-58-27K ● Blue
A726-053-59-27K ● Brown

Materials Dimmable: Yes
Shade: Blown glass Integrated dimmer: No
Structure: Polycarbonate Dimming protocols: TRIAC / ELV / 0-10V
Dissipater: Aluminium

Product type: Wall
Light source: LED SMD 500mA 11.56W 2700K CRI90 1528lm
Luminaire: 120 - 277 VAC 13.75W 1035lm
Weight: Net 9 lb – Gross 14.6 lb
Package: 19 x 20.7 x 8 " - 14.6 lb – VOL - 1.8 m³
LED included



Dimmable



Suitable for damp locations

Wire installation: Hardwired




A726-053-57-27K

Disk accessory

Code	Finish
A622-181-35	● Matte white (RAL 9010)
A622-181-39	● Matte black (RAL 9005)

Materials
Structure: Metal

Product type: Accessory
Accessory used for installation with the junction box.




Caramel Accessory x2 NEW

Code	Finish
A726-054-16	● Black
A726-054-15	● Matt Gold

Materials
Structure: Metal

Product type: Accessory
Product notes: Must be specified together with Caramel 22, Caramel 28 or Caramel 38 .

Weight: Net 1 lb – Gross 1.3 lb
Package: 4.7 x 20.3 x 2.2 " - 1.3 lb – VOL - 0.1 ft³



A726-054-16 / A726-052-57-27K / A726-053-58-27K


Caramel Accessory x3 NEW

Code Finish
 A726-055-16 ● Black
 A726-055-15 ● Matt Gold

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Must be specified together with Caramel 22,
 Caramel 28 or Caramel 38 .

Weight: Net 1.3 lb – Gross 3.1 lb
 Package: 11 x 34 x 2.2" - 3.1 lb – VOL - 0.4 ft³



A726-055-16 / A726-053-57-27K / A726-052-59-27K/ A726-051-51-27K

Spare parts

Code	Product	Finish	Spare part
R726-002-51	Caramel 22	Opal	Glass
R726-002-57	Caramel 22	Green	Glass
R726-002-58	Caramel 22	Blue	Glass
R726-002-59	Caramel 22	Brown	Glass
R726-001-51	Caramel 28	Opal	Glass
R726-001-57	Caramel 28	Green	Glass
R726-001-58	Caramel 28	Blue	Glass
R726-001-59	Caramel 28	Brown	Glass
R726-003-51	Caramel 38	Opal	Glass
R726-003-57	Caramel 38	Green	Glass
R726-003-58	Caramel 38	Blue	Glass
R726-003-59	Caramel 38	Brown	Glass



Discover more at marset.com

Chispa


Code	Finish
A703-001 ☞☉	● Black (RAL 9004)
A703-002 ☞☉	● Blue (RAL DESIGN 230 20 20)
A703-003 ☞☉	● Green (RAL 6009)
A703-004 ☞☉	● Orange (RAL 2010)

☞☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
 Base: Polycarbonate
 Diffuser: Opal Polyethylene
 Accessory: Rope cord with metal hook.


Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 0.7A 2.7W 2700K CRI90 216lm
Luminaire: in 5 Vdc 1.5A 110lm
Weight: Net 1.1 lb – Gross 1.7 lb
Package: 5.5 x 5.5 x 11" – 1.7 lb Vol – 0.17 ft³ (1u)
 11.8 x 11.8 x 9.4" – 7 lb Vol – 0.7 ft³ (4u)
Product notes: Sold in multiples of 4.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer

Suitable for wet locations

 Under approval process. For latest certification status check the spec sheet.



Switch location: Body
Charging time: 10 h

Battery life time:
 7 hours in peak power
 14 hours in half power
 28 hours in a quarter power

A703-001

Spare parts

Code	Product
R703-001	Chispa
R968-002-USA	Chispa
R961-057	Chispa
R968-011	Chispa
R961-075	Chispa

Spare part
Battery
Black power adapter USB A (USA)
Black cable USB A to USB C
Black power adapter USB C (USA)
Black cable USB C to USB C



Cluster, Accessory

The cluster gives you absolute freedom to design the light you desire. With it, you can illuminate large spaces and create different compositions.



Take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required. Finally, the number of lamps installed in a single canopy cannot exceed the number of wire entry points of that canopy. Customize your space with our Dipping Light cluster configurator at configurator.marset.com/dipping-light


Circular Canopy 20W

Code A693-013 Finish ● Black

Materials
Structure: Painted iron

Dimmable: No

Product type: Accessory
Luminaire: 120 - 277 VAC 24W (max.)
Weight: Net 1.7 lb - Gross 2.2 lb
Package: 9 x 8.3 x 3.5" - 2.2 lb - Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.



Wire installation: Hardwired
Canopy color: Black - Entry points: 3


Circular Canopy 50W

Code A693-015 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming Protocols: 0-10V (120-277V)

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb - Gross 3.08 lb
Package: 9 x 8.2 x 3.5" - 3.08 lb - Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Rectangular Canopy 50W

Code A693-017 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 4.6 lb – Gross 5.5 lb
Package: 16.3 x 8.3 x 2.8" - 5.5 lb – Vol - 0.25 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 50W

Code A693-019 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb – Gross 5.5 lb
Package: 16 x 15.7 x 3" - 5.5 lb – Vol - 0.38 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 100W

Code A693-021 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 114W (max.)
Weight: Net 7.2 lb – Gross 8.3 lb
Package: 16.5 x 15.7 x 3" - 8.3 lb – Vol - 0.35 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 19

Hook Accessory

Code A693-007 Finish ● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.5 x 0.5 x 1.7" - 0.02 lb – Vol - 0.035 ft³
Product notes: This accessory is included when purchasing the 24V pendants.





Discover more at marset.com




Copérnica M

Code
 A686-047 Graphite-Satin Nickel-Black
 A686-048 Graphite-Red-Black

Materials
 Structure: Steel
 Base: Steel
 Counterweight: Steel
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: 3 positions dimmer

Product type: Table
 Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
 Luminaire: 85 - 264 VAC 7W 416lm
 Weight: Net 7.7 lb – Gross 13.4 lb
 Package: 44.4 x 9.8 x 6.7" – 6.83 lb Vol – 1.68 ft³
 14.2 x 14.2 x 1.18" – 6.6 lb Vol – 0.14 ft³
 LED included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: Underside of shade.



A686-047

Copérnica P


Code
A686-053
A686-054

Finish
● Graphite-Satin Nickel-Black
● Graphite-Red-Black

Materials
Structure: Steel
Base: Steel
Counterweight: Steel
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: 3 positions dimmer

Product type: Floor
Light Source: LED SMD 24Vdc 4.7W 2700K CR190 491lm
Luminaire: 85 - 264 VAC 7W 416lm
Weight: Net 8.8 lb – Gross 15 lb
Package: 64.6 x 9.8 x 6.7" – 9 lb Vol – 2.3 ft³
14 x 14 x 1.2" – 6 lb Vol – 0.14 ft³
LED included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Underside of shade.



A686-054



Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and an

eye-catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturing the light.



Discover more at marset.com




Dipping Light NEW FINISHES

Code	Finish
A691-468-3515-27K	White - Brushed Brass
A691-468-4515-27K	Green - Brushed Brass
A691-468-3015-27K	Amber - Brushed Brass
A691-468-4015-27K	Burgundy - Brushed Brass
A691-468-4715-27K	Chocolate - Brushed Brass
A691-468-3715-27K	Cream - Brushed Brass

Materials Dimmable: No
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Product type: Table
 Light Source: LED SMD 700mA 2.2W 2700K CRI80 243lm
 Luminaire: 120 - 240 VAC 4W 123lm
 Weight: Net 2.6 lb – Gross 4 lb
 Package: 13.7 x 13.7 x 7" – 4 lb Vol – 0.38 ft³



A691-468-3015-27K


Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line

Dipping Light S NEW FINISHES

Code	Finish
A691-469-3515-27K	White - Brushed Brass
A691-469-4515-27K	Green - Brushed Brass
A691-469-3015-27K	Amber - Brushed Brass
A691-469-4015-27K	Burgundy - Brushed Brass
A691-469-4715-27K	Chocolate - Brushed Brass
A691-469-3715-27K	Cream - Brushed Brass

Materials	Dimmable: Yes
Body: Metal	Integrated dimmer: Yes
Diffuser: Brilliant white blown glass globe with layered paint	Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11W
 Weight: Net 3 lb - Gross 5.5 lb
 Package: 6.7 x 13 x 6.7" - 3 lb Vol - 0.3 ft³
 9.8 x 9.8 x 12.2" - 2.4 lb Vol - 0.7 ft³
 LED included



Cable length: 5.75 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




A691-469-4015-27K

Dipping Light M NEW FINISHES

Code	Finish
A691-470-3515-27K	White - Brushed Brass
A691-470-4515-27K	Green - Brushed Brass
A691-470-3015-27K	Amber - Brushed Brass
A691-470-4015-27K	Burgundy - Brushed Brass
A691-470-4715-27K	Chocolate - Brushed Brass
A691-470-3715-27K	Cream - Brushed Brass

Materials	Dimmable: Yes
Body: Metal	Integrated dimmer: Yes
Diffuser: Brilliant white blown glass globe with layered paint	Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11W 312lm
 Weight: Net 7.3 lb - Gross 11.7 lb
 Package: 13.4 x 10.2 x 10.2" - 6.39 lb Vol - 0.078 ft³
 16.1 x 16.1 x 16.1" - 5.29 lb Vol - 2.4 ft³
 LED included



Cable length: 5.75 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A691-470-4715-27K

Dipping Light Portable NEW FINISHES


Code	Finish
A691-453-3515-27K	● White - Brushed Brass
A691-453-4515-27K	● Green - Brushed Brass
A691-453-3015-27K [Ⓢ]	● Amber - Brushed Brass
A691-453-4015-27K	● Burgundy - Brushed Brass
A691-453-4715-27K	● Chocolate - Brushed Brass
A691-453-3715-27K	● Cream - Brushed Brass

[Ⓢ] Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials: Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table
 Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1.5A 123lm
 Weight: Net 2.6 lb – Gross 3.3 lb
 Package: 7 x 7 x 14" – 3.3 lb Vol – 0.4 ft³
 LED included



Dimmer

Under approval process. For latest certification status check the spec sheet.

Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




A691-453-3715-27K

Disk accessory + magnet

Code	Finish
A691-097	● Black

Materials
 Structure: Metal counterweight

Product type: Accessory
 Weight: Net 1.1 lb – Gross 1.3 lb
 Package: 6 x 5.5 x 3.5" - 1.3 lb – Vol - 0.07 ft³




Magnet accessory

Code	Finish
A680-008	● Inox

Materials
 Structure: Neodymium magnet

Product type: Accessory
 Weight: Net 0.04 lb – Gross 0.04 lb
 Package: 4.72 x 6.89 x 0.39" - 0.04 lb – Vol - 0.035 ft³






Dipping Light A1-13 NEW FINISHES

Code	Finish
A691-471-3515-27K	White - Brushed Brass
A691-471-4515-27K	Green - Brushed Brass
A691-471-3015-27K	Amber - Brushed Brass
A691-471-4015-27K	Burgundy - Brushed Brass
A691-471-4715-27K	Chocolate - Brushed Brass
A691-471-3715-27K	Cream - Brushed Brass

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Wall
 Light source: LED COB 500mA 5.68W 2700K CRI90 645lm
 Luminaire: 120 VAC ELV 9W
 Weight: Net 2 lb – Gross 3.3 lb
 Package: 7 x 7 x 11" – 3.3 lb Vol – 0.04 ft³
 Product notes: 0-10V dimming upon request.
 LED included



Dimmable



Wire installation: Hardwired




Dipping Light A2-13 NEW FINISHES

Code	Finish
A691-472-3515-27K	White - Brushed Brass
A691-472-4515-27K	Green - Brushed Brass
A691-472-3015-27K	Amber - Brushed Brass
A691-472-4015-27K	Burgundy - Brushed Brass
A691-472-4715-27K	Chocolate - Brushed Brass
A691-472-3715-27K	Cream - Brushed Brass

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Wall
 Light source: LED SMD 500mA 8.6W 2700K CRI90 765lm
 Luminaire: 120 VAC ELV 7.5W
 Weight: Net 2 lb – Gross 3.3 lb
 Package: 7 x 7 x 11" – 3.3 lb Vol – 0.04 ft³
 Product notes: 0-10V dimming upon request.
 LED included



Dimmable



Wire installation: Hardwired



A691-472-3015-27K


Dipping Light 13 NEW FINISHES

Code	Finish	Dimming
A691-473-35-27K	White	on/off
A691-473-45-27K	Green	on/off
A691-473-30-27K	Amber	on/off
A691-473-40-27K	Burgundy	on/off
A691-473-47-27K	Chocolate	on/off
A691-473-37-27K	Cream	on/off
A691-474-35-27K	White	0-10V
A691-474-45-27K	Green	0-10V
A691-474-30-27K	Amber	0-10V
A691-474-40-27K	Burgundy	0-10V
A691-474-47-27K	Chocolate	0-10V
A691-474-37-27K	Cream	0-10V

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 203lm
 110 - 127 VAC 0-10V 6W 203lm
Weight: Net 1.7 lb – Gross 2.86 lb
Package: 8.6 x 8.6 x 9" – 2.86 lb Vol – 0.35 ft³
 LED included



Dimmable



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Dipping Light 13 - 24V NEW FINISHES

Code	Finish
A691-457-35-27K	White
A691-457-45-27K	Green
A691-457-30-27K	Amber
A691-457-40-27K	Burgundy
A691-457-47-27K	Chocolate
A691-457-37-27K	Cream

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster accessory, page 49.


Product type: Pendant
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 203lm
Weight: Net 1.3 lb – Gross 2.86 lb
Package: 8.6 x 8.6 x 9" – 2.86 lb Vol – 0.35 ft³
Product notes: Use with cluster accessory, see pg 49.
 1 pc. hook accessory included.
 LED included



Dimmable



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black




Dipping Light 20 NEW FINISHES

Code	Finish	Dimming
A691-475-35-27K	White	on/off
A691-475-45-27K	Green	on/off
A691-475-30-27K	Amber	on/off
A691-475-40-27K	Burgundy	on/off
A691-475-47-27K	Chocolate	on/off
A691-475-37-27K	Cream	on/off
A691-476-35-27K	White	0-10V
A691-476-45-27K	Green	0-10V
A691-476-30-27K	Amber	0-10V
A691-476-40-27K	Burgundy	0-10V
A691-476-47-27K	Chocolate	0-10V
A691-476-37-27K	Cream	0-10V

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Pendant
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 90 - 264 VAC 6W 231lm / 110 - 127 VAC 0-10V 6W 231lm
 Weight: Net 2.6 lb – Gross 3.7 lb
 Package: 13 x 10.2 x 10.2" – 3.7 lb Vol – 0.7 ft³
 LED included



Dimmable



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



A691-476-40-27K


Dipping Light 20 - 24V NEW FINISHES

Code	Finish
A691-459-35-27K	White
A691-459-45-27K	Green
A691-459-30-27K	Amber
A691-459-40-27K	Burgundy
A691-459-47-27K	Chocolate
A691-459-37-27K	Cream

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster accessory, page 49.

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 231lm
 Weight: Net 2.4 lb – Gross 4.4 lb
 Package: 13 x 10.2 x 10.2" – 4.4 lb Vol – 0.7 ft³
 Product notes: Use with cluster accessory, see pg 49.
 1 pc. hook accessory included.
 LED included



Dimmable



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black



A691-459-30-27K

Dipping Light 30 NEW FINISHES

Code	Finish	Dimming
A691-477-35-27K	White	ELV
A691-477-45-27K	Green	ELV
A691-477-30-27K	Amber	ELV
A691-477-40-27K	Burgundy	ELV
A691-477-47-27K	Chocolate	ELV
A691-477-37-27K	Cream	ELV
A691-478-35-27K	White	0-10V
A691-478-45-27K	Green	0-10V
A691-478-30-27K	Amber	0-10V
A691-478-40-27K	Burgundy	0-10V
A691-478-47-27K	Chocolate	0-10V
A691-478-37-27K	Cream	0-10V

Materials

Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm


Luminaire: 100 - 120 VAC ELV 14W 379lm

110 - 127 VAC 0-10V 14W 379lm

Weight: Net 5.2 lb – Gross 8 lb

Package: 16 x 15.7 x 16 " – 8 lb Vol – 2.47 ft³

LED included



Dimmable



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



A691-477-35-27K

Dipping Light 30 - 24V NEW FINISHES

Code	Finish
A691-461-35-27K	White
A691-461-45-27K	Green
A691-461-30-27K	Amber
A691-461-40-27K	Burgundy
A691-461-47-27K	Chocolate
A691-461-37-27K	Cream

Materials

Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 49.

Product type: Pendant

Light source: LED SMD 24Vdc 11.5W 2700K CRI90 1024lm

Luminaire: (Power supply not included) 379lm


Weight: Net 4.4 lb – Gross 7.3 lb

Package: 16 x 15.7 x 16 " – 7.3 lb Vol – 2.47 ft³

Product notes: Use with cluster accessory, see pg 49.

1 pc. hook accessory included.


LED included



Dimmable



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black



A691-461-47-27K


Dipping Light 40 NEW FINISHES

Code	Finish	Dimming
A691-551-35-27K	White	ELV + 0-10V
A691-551-45-27K	Green	ELV + 0-10V
A691-551-30-27K	Amber	ELV + 0-10V
A691-551-40-27K	Burgundy	ELV + 0-10V
A691-551-47-27K	Chocolate	ELV + 0-10V
A691-551-37-27K	Cream	ELV + 0-10V

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
ELV + 0-10V

Product type: Pendant
Light source: LED COB 700mA 23.7W 2700K CRI90 3280lm
Luminaire: 120 VAC 27.5W
Weight: Net 9.3 lb – Gross 14.3 lb
Package: 21.7 x 21.7 x 22.4 " – 14.33 lb Vol – 6 ft³
LED included




Dimmable



Cable length: 9.8 ft
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



A691-551-30-27K



Spare parts

Code	Product	Finish	Spare part
R691-076-35	Dipping light	White	Glass
R691-076-45	Dipping light	Green	Glass
R691-076-30	Dipping light	Amber	Glass
R691-076-40	Dipping light	Burgundy	Glass
R691-076-47	Dipping light	Chocolate	Glass
R691-076-37	Dipping light	Cream	Glass
R691-077-35	Dipping light S	White	Glass
R691-077-45	Dipping light S	Green	Glass
R691-077-30	Dipping light S	Amber	Glass
R691-077-40	Dipping light S	Burgundy	Glass
R691-077-47	Dipping light S	Chocolate	Glass
R691-077-37	Dipping light S	Cream	Glass
R691-078-35	Dipping light M	White	Glass
R691-078-45	Dipping light M	Green	Glass
R691-078-30	Dipping light M	Amber	Glass
R691-078-40	Dipping light M	Burgundy	Glass
R691-078-47	Dipping light M	Chocolate	Glass
R691-078-37	Dipping light M	Cream	Glass
R691-079-35	Dipping light A	White	Glass
R691-079-45	Dipping light A	Green	Glass
R691-079-30	Dipping light A	Amber	Glass
R691-079-40	Dipping light A	Burgundy	Glass
R691-079-47	Dipping light A	Chocolate	Glass
R691-079-37	Dipping light A	Cream	Glass
R691-080-35	Dipping Light 13	White	Glass
R691-080-45	Dipping Light 13	Green	Glass
R691-080-30	Dipping Light 13	Amber	Glass
R691-080-40	Dipping Light 13	Burgundy	Glass
R691-080-47	Dipping Light 13	Chocolate	Glass
R691-080-37	Dipping Light 13	Cream	Glass
R691-081-35	Dipping Light 20	White	Glass
R691-081-45	Dipping Light 20	Green	Glass
R691-081-30	Dipping Light 20	Amber	Glass
R691-081-40	Dipping Light 20	Burgundy	Glass
R691-081-47	Dipping Light 20	Chocolate	Glass
R691-081-37	Dipping Light 20	Cream	Glass
R691-082-35	Dipping Light 30	White	Glass
R691-082-45	Dipping Light 30	Green	Glass
R691-082-30	Dipping Light 30	Amber	Glass
R691-082-40	Dipping Light 30	Burgundy	Glass
R691-082-47	Dipping Light 30	Chocolate	Glass
R691-082-37	Dipping Light 30	Cream	Glass
R691-083-35	Dipping Light 40	White	Glass
R691-083-45	Dipping Light 40	Green	Glass
R691-083-30	Dipping Light 40	Amber	Glass
R691-083-40	Dipping Light 40	Burgundy	Glass
R691-083-47	Dipping Light 40	Chocolate	Glass
R691-083-37	Dipping Light 40	Cream	Glass
R691-075	Dipping Light portable		Battery
R968-002-USA	Dipping Light portable		Black power adapter USB A (USA)
R961-057	Dipping Light portable		Black cable USB A to USB C
R968-011	Dipping Light portable		Black power adapter USB C (USA)
R961-075	Dipping Light portable		Black cable USB C to USB C




Discocó 35

Code	Finish
A620-055	● White (RAL 9003)
A620-127	● Matte Grey (RAL 7037)
A620-128	● Matte Beige (RAL 1001)
A620-083	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E12 LED TYPE G16.5 5W
Weight: Net 3.3 lb - Gross 5.7 lb
Package: 33.8 x 7 x 7.4" - 5.7 lb - Vol - 1.06 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White





A620-055

Discocó 53

Code	Finish
A620-005	White (RAL 9003)
A620-129	Matte Grey (RAL 7037)
A620-130	Matte Beige (RAL 1001)
A620-084	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 6.17 lb – Gross 10.4 lb
Package: 42.5 x 10.2 x 10.6" - 10.4 lb – Vol - 2.82 ft³
Lamping not included



A620-084



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White

Discocó 68

Code	Finish
A620-122	White (RAL 9003)
A620-131	Matte Grey (RAL 7037)
A620-132	Matte Beige (RAL 1001)
A620-145	Black - Gold (RAL 9004 - Gold)
A620-162	American oak-Black chrome

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E26 LED TYPE A 11W
Weight: Net 10.1 lb – Gross 16.5 lb
Package: 49.2 x 12.9 x 11.02" - 16.5 lb – Vol - 4.06 ft³
Product notes: For the wood version, the discs are made of pressed American oak of 0.16". Black chrome sphere.
Lamping not included



A620-162


Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black (American oak version), White (all the rest)
Canopy Color: Black (American oak version), White (all the rest)

Discocó 88

Code	Finish
A620-006	White (RAL 9003)
A620-133	Matte Grey (RAL 7037)
A620-134	Matte Beige (RAL 1001)
A620-085	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E26 LED TYPE A 11W
Weight: Net 14.8 lb – Gross 23.4 lb
Package: 52.7 x 12.2 x 16.5" - 23.4 lb – Vol - 6 ft³
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White




A620-006

Discocó 132


Code	Finish
A620-047	White (RAL 9003)
A620-135	Matte Grey (RAL 7037)
A620-136	Matte Beige (RAL 1001)
A620-086	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 6x E26 LED TYPE A 11W
Weight: Net 40.8 lb – Gross 52.9 lb
Package: 47.6 x 16.1 x 16.1" - 30.9 lb – Vol - 7.06 ft³
17.7 x 16.5 x 16.5" - 22 lb – Vol - 2.82 ft³
Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White



A620-086

Djembé, Joan Gaspar

Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the

spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.



Discover more at marset.com


Djembé 42.21

Code	Finish
A681-380	White (RAL 1013)
A681-381	Grey (RAL 7022)
A681-382	Red (RAL 3011)
A681-383	Sky Blue (PANTONE 7542C)

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 19W 955lm
120 - 277 VAC 0-10V 19W 955lm
Weight: Net 6.6 lb – Gross 9.7 lb
Package: 17.3 x 17.3 x 12" – 9.7 lb Vol – 2.11 ft³
Product notes: 3000K available upon request
LED included



Dimmable



Cable length: 6.56 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A681-380

Djembé 42.28

Code	Finish
A681-384	White (RAL 1013)
A681-385	Grey (RAL 7022)
A681-386	Red (RAL 3011)
A681-387	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: 90 - 135 VAC ELV 19W 925lm


120 - 277 VAC 0-10V 19W 925lm

Weight: Net 6.6 lb – Gross 11 lb

Package: 17.3 x 17.3 x 12.6" – 11 lb Vol – 2.118 ft³

Product notes: 3000K available upon request

LED included



Dimmable



Cable length: 6.56 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A681-386

Djembé 65.23

Code	Finish
A681-388	White (RAL 1013)
A681-389	Grey (RAL 7022)
A681-390	Red (RAL 3011)
A681-391	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1843lm


120 - 277 VAC 0-10V 26W 1843lm

Weight: Net 11 lb – Gross 16.3 lb

Package: 25.6 x 25.6 x 11" – 16.3 lb Vol – 4.23 ft³

Product notes: 3000K available upon request

LED included



Dimmable



Cable length: 6.56 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A681-391


Djembé 65.35

Code	Finish
A681-392	White (RAL 1013)
A681-393	Grey (RAL 7022)
A681-394	Red (RAL 3011)
A681-395	Sky Blue (PANTONE 7542C)

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC ELV 26W 1845lm
 120 - 277 VAC 0-10V 26W 1845lm
 Weight: Net 13.4 lb – Gross 18.7 lb
 Package: 25.6 x 25.6 x 16.5" – 18.7 lb Vol – 6.35 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable



Cable length: 6.56 ft
 Wire installation: Hardwired

Cord color: Black
 Canopy color: Black



A681-392


Djembé 65.45

Code	Finish
A681-396	White (RAL 1013)
A681-397	Grey (RAL 7022)
A681-398	Red (RAL 3011)
A681-399	Sky Blue (PANTONE 7542C)

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC ELV 26W 1770lm
 120 - 277 VAC 0-10V 26W 1770lm
 Weight: Net 15.2 lb – Gross 20.5 lb
 Package: 25.6 x 25.6 x 19.3" – 20.5 lb Vol – 7.06 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable



Cable length: 6.56 ft
 Wire installation: Hardwired

Cord color: Black
 Canopy color: Black



A681-398

Djembé 100.38


Code	Finish	
A681-506	White (RAL 1013)	↕ ↕ ↕
A681-507	Grey (RAL 7022)	↕ ↕ ↕
A681-508	Red (RAL 3011)	↕ ↕ ↕
A681-509	Sky Blue (PANTONE 7542C)	↕ ↕ ↕

↕ Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
 Luminaire: Only 120 VAC ELV 42W 2519lm
 120 - 277 VAC 0-10V 42W 2519lm
 Weight: Net 22 lb – Gross 41.9 lb
 Package: 45.2 x 45.2 x 20 " – 41.9 lb Vol – 24.7 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable



Cable length: 6.56 ft
 Wire installation: Hardwired

Cord color: Black
 Canopy color: Black



A681-507



Djembé C42.13

Code	Finish
A681-312	● White (RAL 1013)
A681-313	● Grey (RAL 7022)
A681-314	● Red (RAL 3011)
A681-315	● Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: Only 120 VAC ELV 19W 846lm


120 - 277 VAC 0-10V 19W 846lm

Weight: Net 5.3 lb – Gross 7.7 lb

Package: 17.3 x 17.3 x 7.4" – 7.7 lb Vol – 1.41 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



A681-313

Djembé C42.21

Code	Finish
A681-316	● White (RAL 1013)
A681-317	● Grey (RAL 7022)
A681-318	● Red (RAL 3011)
A681-319	● Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: Only 120 VAC ELV 19W 955lm


120 - 277 VAC 0-10V 19W 955lm

Weight: Net 6.6 lb – Gross 9.4 lb

Package: 17.3 x 17.3 x 9.8" – 9.4 lb Vol – 1.765 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



A681-319

Djembé C 42.28

Code	Finish
A681-320	● White (RAL 1013)
A681-321	● Grey (RAL 7022)
A681-322	● Red (RAL 3011)
A681-323	● Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm

Luminaire: Only 120 VAC ELV 19W 925lm

120 - 277 VAC 0-10V 19W 925lm

Weight: Net 6.6 lb – Gross 11.5 lb

Package: 17.3 x 17.3 x 12.6" – 11.5 lb Vol – 2.12 ft³

Product notes: 3000K available upon request

LED included

ø16.54"



Dimmable



11.02"

Wire installation: Hardwired



A681-320

Djembé C 65.23

Code	Finish
A681-324	● White (RAL 1013)
A681-325	● Grey (RAL 7022)
A681-326	● Red (RAL 3011)
A681-327	● Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1843lm

120 - 277 VAC 0-10V 26W 1843lm


Weight: Net 10.8 lb – Gross 15.4 lb

Package: 25.6 x 25.6 x 11.8" – 15.4 lb Vol – 4.59 ft³

Product notes: 3000K available upon request

LED included

ø24.8"



Dimmable



9.06"

Wire installation: Hardwired



A681-326

Djembé C 65.35

Code	Finish
A681-328	White (RAL 1013)
A681-329	Grey (RAL 7022)
A681-330	Red (RAL 3011)
A681-331	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1845lm


120 - 277 VAC 0-10V 26W 1845lm

Weight: Net 14.8 lb – Gross 19.8 lb

Package: 25.6 x 25.6 x 16.5" – 19.8 lb Vol – 6.36 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



A681-329

Djembé C 65.45

Code	Finish
A681-332	White (RAL 1013)
A681-333	Grey (RAL 7022)
A681-334	Red (RAL 3011)
A681-335	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1770lm


120 - 277 VAC 0-10V 26W 1770lm

Weight: Net 16.5 lb – Gross 22 lb

Package: 25.6 x 25.6 x 19.3" – 22 lb Vol – 7.06 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



A681-335

Djembé C 100.38


Code	Finish	
A681-514	● White (RAL 1013)	5,2 4,3
A681-515	● Grey (RAL 7022)	5,2 4,3
A681-516	● Red (RAL 3011)	5,2 4,3
A681-517	● Sky Blue (PANTONE 7542C)	5,2 4,3

📏 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Ceiling
Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
Luminaire: Only 120 VAC ELV 42W 2519lm
120 - 277 VAC 0-10V 42W 2519lm
Weight: Net 22 lb – Gross 42 lb
Package: 45.3 x 45.3 x 20" - 42lb Vol – 24.7 ft³
Product notes: 3000K available upon request
LED included



Wire installation: Hardwired




A681-515

Accessory C2 Djembé 42

Code A681-424 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2 lb – Gross 3.52 lb
Package: 24.4 x 7.8 x 3.5" - 3.52 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 2 Djembé 42 models for a single junction box.
Only compatible with ELV installation.




Accessory C3 Djembé 42

Code A681-425 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.5 lb – Gross 4.4 lb
Package: 24.4 x 7.8 x 3.5" - 4.4 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 3 Djembé 42 models for a single junction box.
Only compatible with ELV installation.




Accessory C2 Djembé 65

Code A681-426 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2.5 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 2 Djembé 65 models for a single junction box.
Only compatible with ELV installation.




Accessory C3 Djembé 65

Code A681-427 Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 3 Djembé 65 models for a single junction box.
Only compatible with ELV installation.





Few lamps have had as strong an impact as the FollowMe. A pioneer in portable lighting, this bold lantern has become a design icon in just a few short years.

Its simple and lightweight shapes, tiltable lampshade and technological rigor have cemented its position as a practical and beautiful trendsetter.



Discover more at marset.com



reddot award 2016
winner lighting design


FollowMe

Code A657-080 Finish White

Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials Integrated dimmer: Yes
Diffuser: Opal polycarbonate Dimmer Type: 3-step dimmer
Body: Polycarbonate
Handle: Plywood with natural oak varnish

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
Luminaire: in 5 Vdc 1.5A 135lm
Weight: Net 1.5 lb – Gross 4 lb
Package: 13.8 x 9.5 x 14" – 2.2lb Vol – 1 ft³ (1u)
20.08 x 13.39 x 14.17" – 17.6 lb Vol – 2.3 ft³ (6u)
Product notes: Sold in multiples of 6.
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer



Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power



A657-080



Spare parts



Code	Product	Spare part
R657-101	FollowMe	Battery
R968-002-USA	FollowMe	Black power adapter USB A (USA)
R968-006-USA	FollowMe	White power adapter USB A (USA)
R961-057	FollowMe	Black cable USB A to USB C
R961-062	FollowMe	White cable USB A to USB C
R968-011	FollowMe	Black power adapter USB C (USA)
R961-075	FollowMe	Black cable USB C to USB C






Fragile

Code
A724-103-50-22K 
A724-103-46-22K 


Finish
 Translucent
 Amber

 Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
Diffuser: Blown Glass
Base: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive from 0 to 100

Product type: Table
Light source: LED SMD 700mA 2.1W 2200K CRI80 226.5lm
Luminaire: 85 - 264 VAC
Weight: Net 4.6 lb - Gross 10.1 lb
Package: 25.6 x 15.4 x 12.2" - 10.1 lb - VOL - 2.8 ft³
LED included



Dimmer

Cable length: 3.2 ft
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



A724-103-50-22K

Spare parts

Code	Product	Finish	Spare part
R724-001-46	Fragile	Amber	Glass - Cone
R724-001-50	Fragile	Translucent	Glass - Cone
R724-002-46	Fragile	Amber	Glass - Sphere
R724-002-50	Fragile	Translucent	Glass - Sphere
R724-003	Fragile	-	Glass - Tube

Drawing thin beams of light in a space with each one of them pointing in any direction. This is why we have created Fris, a multi-purpose lighting system, available in a wall/ceiling or pendant version, which allows you to combine several units in different sizes and positions, each one aiming its own beam of light. What makes it

unique is that the glass not only protects the light, but also provides a mechanical function, suspending the whole system and allowing the lamp to rotate and the light to be steered in a certain direction. There is also a more technical Pro version where the light is distributed in cells with independent lenses, achieving a UGR of under 19.








Fris



- Diffuse decorative light.
- LED 2700K and 3000K CRI90
- 24V product, can be connected to each other.
 - Max. 5 Fris 80
 - Max. 3 Fris 155
 - Max. 2 Fris 215
- Power supply not included, order separately.





Fris Pro

- Direct light for tasks requiring higher luminance and increased glare control.
- LED 3000K CRI90 (4000K available upon request).
- Power supply not included, order separately.
They cannot be connected to each other.
- LED beam angle: 55°
(30° and 65° available upon request)
- Tunable White 2700K 4000K version (available upon request).



Fris Pro 155 NEW

Code
 A718-054-16-30K-W ● Black
 A718-054-18-30K-W ● Bronze

Materials
 Structure: Aluminium
 Diffuser: Glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 See canopy A666-256-16

Product type: Pendant
 Light source: LED SMD 1050mA 40W 3000K CRI90 5495lm
 Luminaire: 3991lm
 LED beam angle: 55°

Product notes: 1050mA power supply and hooks (see the accessories section) to be ordered separately.
 Tunable White (27K - 40K) available upon request.
 4000K available upon request.
 LED beam angle: 30° y 65° available upon request.
 LED included



Dimmable



Cable length: 9.8 ft.
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



Fris Pro 155 + Hook 47 x2

A718-054-16-30K-W

Rectangular Canopy 50W ELV/0-10V NEW


Code
 A666-256-16

Finish
 ● Black

Dimming
 ELV / Triac / 0-10V

Materials
 Structure: Metal

Product type: Ceiling
 INPUT: 120-277 VAC 50/60Hz (ELV / Triac only 120 VAC)
 OUTPUT: CC 1050mA 44W max. (24VDC - 42VDC)
 Weight: Weight 1.5 lb – Gross 2.2 lb
 Package: 13.4 x 8.3 x 2.8 " - 2.2 lb - VOL - 0.35 ft³



Dimmable



Fris Pro 155 + Support 16 x2

A718-054-18-30K-W

Fris 80 NEW

Code	Finish	CCT
A718-055-16-27K	● Black	27K
A718-055-18-27K	● Bronze	27K
A718-055-16-30K	● Black	30K
A718-055-18-30K	● Bronze	30K


Materials
Structure: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 13.7W 2700K CRI90 1657lm
Luminaire: (Power supply not included) 1165lm

Light source: LED SMD 24Vdc 13.7W 3000K CRI90 1612lm
Luminaire: (Power supply not included) 1165lm

Product notes: 24V remote power supply and hooks (see the accessories section) to be ordered separately.
LED included



Dimmable



Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black

Wire installation: Hardwired / Recessed



A718-055-16-27K

Fris 155 NEW

Code	Finish	CCT
A718-056-16-27K	● Black	27K
A718-056-18-27K	● Bronze	27K
A718-056-16-30K	● Black	30K
A718-056-18-30K	● Bronze	30K

Materials
 Structure: Aluminium
 Diffuser: Glass


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
 Light source: LED SMD 24Vdc 29.4W 2700K CRI90 3570lm
 Luminaire: (Power supply not included) 2258lm

Light source: LED SMD 24Vdc 29.4W 3000K CRI90 3472lm
 Luminaire: (Power supply not included) 2258lm

Product notes: 24V remote power supply and hooks (see the accesories section) to be ordered separately.
 LED included

Dimmable



Cable length: 9.8 ft.
 Wire installation: Hardwired
 Color cord: Black

Wire installation: Hardwired / Recessed



A718-056-18-27K



A718-056-16-27K

MILÀ I FONTANALS, 14

BAJOS

- B.1 MATCHA JEANS
- B.2 ALDI SUPERMERCADOS

PLANTA 1

- 1.4 MIA | WOMEN'S HEALTH HUB
ESTABLISHMENT LABS
- 1.6 AEGP
MODACC
- 1.6 BEAUTY CLUSTER
- 1.6 HABITAT CLUSTER
CLÚSTER GOURMET
- 1.6 EDUTECH CLUSTER
CLUSTER MAV
- 1.6 CEEC
FOODSERVICE CLUSTER
- 1.6 CLUSTER MOTO
CLÚSTER DIGITAL
- 1.6 INDESCAT
CATALAN SPORTS CLUSTER

PLANTA 2

- 2.2 WOMEN'S HEALTH HUB
ESTABLISHMENT LABS
- 2.3 SANDRA BRUNA
AGÈNCIA LITERÀRIA
- 2.4 ALMA
ANDERS PRODUCCIONE
- 2.5 ESTUDIO DE PINTURA
- 2.8 DNA CREATIVE SOLUTIO
- 2.9 BEAUTY HUB

 FABRICK

Fris 215 NEW

Code	Finish	CCT
A718-057-16-27K	● Black	27K
A718-057-18-27K	● Bronze	27K
A718-057-16-30K	● Black	30K
A718-057-18-30K	● Bronze	30K

Materials
 Structure: Aluminium
 Diffuser: Glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
 Light source: LED SMD 24Vdc 42W 2700K CRI90 5100lm
 Luminaire: (Power supply not included) 3132lm

Light source: LED SMD 24Vdc 42W 3000K CRI90 4960lm
 Luminaire: (Power supply not included) 3132lm

Product notes: 24V remote power supply and hooks (see the accesories section) to be ordered separately.
 LED included



Dimmable



Cable length: 9.8 ft.
 Wire installation: Hardwired
 Color cord: Black

Wire installation: Hardwired / Recessed



A718-057-16-27K




A718-057-16-27K

Rectangular Canopy

Code A666-213-16 Finish ● Black - 60W 24V Dimming 0-10V


INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 1.54 lb – Gross 2.2 lb
 Package: 14.6 x 6.7 x 2.6 " - 2.2 lb - VOL - 0.14 ft³



A666-254-16 ☉ ● Black - 60W 24V ELV / Triac / 0-10V

☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 2.9 lb – Gross 3.53 lb
 Package: 14.6 x 6.7 x 2.6 " - 3.53 lb - VOL - 0.14 ft³



A666-255-16 ● Black - 90W 24V ELV / Triac / 0-10V

INPUT: 120-277 VAC 50/60Hz
 OUTPUT: CV 24V DC 90W max.
 Weight: Net: 3.31 lb – Gross 3.97 lb
 Package: 14.6 x 6.7 x 2.6 " - 3.97 lb - VOL - 0.14 ft³

Materials
 Structure: Metal

Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable




These canopies are not compatible with Fris Pro.

Remote LED Driver (ELV)

Code A968-333 Description 60W - 24V Dimming ELV

Product type: Power supply
 INPUT: 120 VAC 50/60Hz
 OUTPUT: CV 24V DC 60W max.
 Weight: Net: 0.22 lb – Gross 0.44 lb
 Package: 4.3 x 4.3 x 4.3 " - 0.44 lb - VOL - 0.05 ft³



Product notes: Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Dimmable

Outlet box cover plate


Code A666-219-16 ☉ ● Black

☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Weight: Net: 0.22 lb – Gross 0.44 lb
 Package: 6.3 x 5.7 x 3.5 " - 0.44 lb - VOL - 0.07 ft³

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Ceiling cover plate for 4" octagonal junction box.




Outlet box cover plate with hanging support

Code A666-258-39 Finish ● Black

Weight: Net: 0.22 lb – Gross 0.44 lb
 Package: 6.3 x 5.7 x 3.5 " - 0.44 lb - VOL - 0.07 ft³

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Ceiling cover plate for 4" octagonal junction box.



Circular Canopy 60W 24V ELV/Triac/0-10V

Code A666-257-16
Finish ● Black

Dimming ELV / Triac / 0-10V


Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No

Product type: Accessory
INPUT: 120-277 VAC 50/60Hz
OUTPUT: CV 24V DC 60W max.

Weight: Net 2.6 lb – Gross 3.5 lb
Package: 16.5 x 16.5 x 3.1" -3.5 lb – VOL - 0.4 ft³
Product notes: Canopy for 24V luminaires.

Dimmable





Support Fris A 16 x2

Code A718-040-39
Finish ● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory for wall installation.




Support Fris A 37 x2

Code A718-041-39
Finish ● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: Accessory for wall installation.



Side cover

Code A718-033-39
Finish ● Black

Materials
Structure: Metal

Product type: Accessory
Product notes: End-cap with cable ports, to create compositions of numerous fixtures.




Hooks x2 Fris

Code
Hook 47 x2
A718-061-39

2 units included

Finish


● Black



Double hook 96 x2
A718-062-39

2 units included


● Black



Double hook 71 x2
A718-063-39

2 units included


● Black



Double hook 146 x2
A718-064-39

2 units included

● Black



Materials
Structure: Aluminium

Product notes: Hooks to make compositions.




Individual hook Fris

Code
Hook 47 x1
A718-065-39

Finish
● Black


1 unit included



Double hook 96 x1
A718-066-39

Finish
● Black


1 unit included



Double hook 71 x1
A718-067-39

Finish
● Black


1 unit included



Double hook 146 x1
A718-068-39

Finish
● Black

1 unit included



Materials
Structure: Aluminium

Product notes: Hooks to make compositions.



Unions Fris

Code
Union 30
A718-069-39

Finish
● Black

1 unit included



Code
Union 50
A718-070-39

Finish
● Black

1 unit included



Code
Union 100
A718-071-39

Finish
● Black

1 unit included



Materials
Structure: Aluminium

Product notes: Unions to make compositions.



Ceiling support x2 Fris

Code
Support 13x2
A718-072-39

Finish
● Black

2 units included






This system makes it possible to compose light structures and to join a set of lamps by means of different assembly and hanging accessories. In the pendant version, each Fris unit is supported by a strap, so that several can be placed horizontally, in line, one on top of the other, or perpendicularly, creating intersections of light. They can also function separately as an individual lamp. The other version can be fixed to the ceiling or wall.


Fris offers a very versatile and functional design for precise lighting of any type of project. An ingenious system that boldly tackles a previously unresolved issue: to have a set of lamps where each one directs the light individually.

(0.1)



3 units Fris 155 / Power supply to be defined
2 units Hook 47 x2 / 1 unit Hook 47 x1 / 1 unit Side cover / 1 unit Union 50

(0.2)



4 units Fris 155 / Power supply to be defined
4 units Support A 37 x2 / 2 units Side cover

(0.3)




3 units Fris 215 / Power supply to be defined
2 units Hook 47 x2 / 2 units Union 30

(0.4)




2 units Fris 215 / Power supply to be defined
1 unit Double Hook 146 x2

(0.5)




4 units Fris 155 / Power supply to be defined
4 units Hook 47 x2

(0.6)



4 units Fris 155 / Power supply to be defined
4 units Hook 47 x2

(0.7)



2 units Fris 215 / Power supply to be defined
2 units Support A 16 x2

(0.8)




3 units Fris 155 / Power supply to be defined
1 unit Hook 47 x2 / 1 unit Hook 71 x2 / 2 units Side cover

(0.9)




3 units Fris 155 / Power supply to be defined
1 unit Hook 47 x2 / 2 units Support A 37 x2

(0.10)



5 units Fris 155 / Power supply to be defined
5 units Hook 47 x2 / 3 units Side cover

(0.11)



1 unit Fris 215 / 2 units Fris 155 / Power supply to be defined
3 units Hook 47 x2 / 1 unit Side cover

Funiculí, Lluís Porqueras

Funiculí is a revamped edition of a lamp originally designed in 1979. Lluís Porqueras always sought an absolute simplicity in his designs, stripping everything superfluous to leave only the essence of the simple, useful object.

Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360 degree shade rotation to fit the needs of any room or user.



Discover more at marset.com

Funiculí

Code	Finish
A641-006 ☞	● Moss grey (RAL 7003)
A641-007 ☞	● Off-white (RAL 1013)
A641-008 ☞	● Black (RAL 9005)
A641-482	● Green (RAL 110 40 30)
A641-483	● Terracotta (RAL 050 40 50)
A641-484	● Mustard (RAL 075 60 70)

☞ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Base: Iron wapped with black rubber

Stem: Iron

Shade: Aluminum

Product type: Floor


Light source: E26 LED TYPE A 11W

Weight: Net 6.8 lb – Gross 11 lb

Package: 14.9 x 21.2 x 4.7" - 9.3lb Vol - 0.847 ft³

1.9 x 1.9 x 56.3" - 1.8lb Vol - 0.14 ft³

Lamping not included



A641-483

Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line

Funiculí Fabric

Code	Finish
A641-413 ☞☉	● Black - White
A641-414 ☞☉	● Black - Sand

☞☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Base: Iron wapped with black rubber

Stem: Iron

Shade: White or sand polyester shade, made of a PVC-PET laminated film


Product type: Floor

Light source: E26 LED Standard 8W

Weight: Net 11.5 lb – Gross 16.5 lb

Package: 20.4 x 16.5 x 5.1" - 13.8lb Vol - 1.051 ft³
 13.38 x 13.38 x 9" - 1.31lb Vol - 0.706 ft³
 47.2 x 1.6 x 1.6" - 1.3lb Vol - 0.07ft³

Lamping not included



Cable length: 6.6 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line



A641-414

Funiculí A

Code	Finish
A641-040 ☞☉	● Moss grey (RAL 7003)
A641-041 ☞☉	● Off-white (RAL 1013)
A641-042 ☞☉	● Black (RAL 9005)
A641-485	● Green (RAL 110 40 30)
A641-486	● Terracotta (RAL 050 40 50)
A641-487	● Mustard (RAL 075 60 70)

☞☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Stem: Iron

Shade: Aluminum


Product type: Wall

Light source: E12 LED TYPE G16.5 5W

Weight: Net 1.8 lb – Gross 3.31 lb

Package: 18.1 x 13.4 x 4.3" - 3.31 lb Vol - 0.6 ft³

Lamping not included



Cable length: 5.4 ft

Wire installation: Plug-in

Cord color: Black

Switch location: In-line



A641-485


Funiculí A Fabric

Code Finish
 A641-415 ☞☐ ● Black - White
 A641-416 ☞☐ ● Black - Sand

☞☐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
 Stem: Iron
 Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Wall
 Light source: E12 LED 5W
 Weight: Net 1.5 lb – Gross 3.7 lb
 Package: 25.6 x 11.4 x 3.9" - 6.61 lb Vol - 0.7 ft³
 10.3 x 10.3 x 7" - 2.64 lb Vol - 0.42 ft³
 Lamping not included



Cable length: 5.4 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A641-415


Funiculí S

Code Finish
 A641-030 ☞☐ ● Moss grey (RAL 7003)
 A641-031 ☞☐ ● Off-white (RAL 1013)
 A641-032 ☞☐ ● Black (RAL 9005)
 A641-488 ● Green (RAL 110 40 30)
 A641-489 ● Terracotta (RAL 050 40 50)
 A641-490 ● Mustard (RAL 075 60 70)

☞☐ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
 Base: Iron wapped with black rubber
 Stem: Iron
 Shade: Aluminum

Product type: Table
 Light source: E12 LED 5W
 Weight: Net 4 lb – Gross 6 lb
 Package: 18.5 x 13.4 x 4.3" – 6 lb Vol – 0.6 ft³
 Lamping not included



Cable length: 5.4 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A641-490

Funiculí S Fabric

Code	Finish
A641-417 ☞☺	● Black - White
A641-418 ☞☺	● Black - Sand

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Base: Iron wapped with black rubber

Stem: Iron

Shade: White or sand polyester shade, made of a PVC-PET laminated film


Product type: Table

Light source: E12 LED 5W

Weight: Net 3.7 lb – Gross 5.9 lb

Package: 25.6 x 12.2 x 3.9" - 5.31 lb Vol - 0.706 ft³
10.2 x 10.2 x 7" - 0.6 lb Vol - 0.42 ft³

Lamping not included



A641-417





LED-Ginger, Joan Gaspar

The LED-Ginger collection is notable for its great simplicity of form, its lightweight appearance and reflected direct light. A design for any type of project.

Available in two very different materials, wood or metal, it provides a warm glow with no glare, illuminating just the areas that need it.



Discover more at marset.com




LED-Ginger 20

Code	Finish
A662-189	● Oak-White
A662-190	● Wenge-White
A662-191	● Oak-Oak
A662-192	● Wenge-Wenge
A662-252	● Brushed brass-Brushed brass
A662-253	● Brushed brass-White
A662-254	● Black-White

Materials: Pressed wood or brushed aluminum
 Diffuser: Aluminum
 Dissipater: Aluminum
 Dimmable: No

Product type: Pendant
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 90 - 264 VAC 6W 161lm
 Weight: Net 1.3 lb - Gross 1.8 lb
 Package: 9 x 8.26 x 3.93" - 1.8 lb Vol - 0.35 ft³
 LED included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



A662-189


LED-Ginger 20 - 24V

Code	Finish
A662-392	● Oak-White
A662-393	● Wenge-White
A662-394	● Oak-Oak
A662-395	● Wenge-Wenge
A662-344	● Brushed brass-Brushed brass
A662-345	● Brushed brass-White
A662-346	● Black-White

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 49.

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161lm
 Weight: Net 0.7 lb – Gross 1.1 lb
 Package: 9 x 8.26 x 3.93" – 1.1 lb Vol – 0.35 ft³
 Product notes: Use with Cluster accessory, see pg 49.
 1 pc. hook accessory included.
 LED included



Dimmable



A662-392

Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black

LED-Ginger 32


Code	Finish	Dimming
A662-035	● Oak-White	ELV
A662-036	● Wenge-White	ELV
A662-241	● Brushed brass-Brushed brass	ELV
A662-242	● Brushed brass-White	ELV
A662-243	● Black-White	ELV
A662-318	● Oak-White	0-10V
A662-319	● Wenge-White	0-10V
A662-245	● Brushed brass-Brushed brass	0-10V
A662-246	● Brushed brass-White	0-10V
A662-247	● Black-White	0-10V

☑ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC ELV 14W 350lm
 120 - 277 VAC 0-10V 14W 350lm
 Weight: Net 3 lb – Gross 5.5 lb
 Package: 18.9 x 18.9 x 6.7" - 5.5 lb Vol - 1.4 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



A662-036

LED-Ginger 42

Code	Finish
A662-320 *Ⓢ	● Oak-White
A662-321	● Wenge-White
A662-280	● Brushed brass-Brushed brass
A662-281	● Brushed brass-White
A662-282 *Ⓢ	● Black-White

*Ⓢ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Dual dimming driver
	Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm


Luminaire: 90 - 135 VAC ELV 21W 698lm

120 - 277 VAC 0-10V 21W 698lm

Weight: Net 4,4 lb – Gross 7.7 lb

Package: 22.44 x 20.87 x 6.69" - 7.7 lb Vol - 1.8 ft³

LED included



Dimmable



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A662-280

LED-Ginger 60

Code	Finish
A662-746-2035-27K *Ⓢ	● Oak-White
A662-746-2135-27K	● Wenge-White
A662-749-1515-27K	● Brushed brass-Brushed brass
A662-749-1535-27K	● Brushed brass-White
A662-749-3935-27K *Ⓢ	● Black-White

*Ⓢ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Dual dimming driver
	Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm


Luminaire: Only 120 VAC ELV 28W 1165lm

120 - 277 VAC 0-10V 28W 1165lm

Weight: Net 7.7 lb – Gross 13.7 lb

Package: 26.37 x 26.37 x 9.4" - 13.7 lb Vol - 3.46 ft³

LED included



Dimmable



Cable length: 10 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A662-746-2035-27K



LED-Ginger 20 M


Code	Finish
A662-560	● Oak-White
A662-561	● Wenge-White
A662-562	● Brushed brass-Brushed brass
A662-563	● Brushed brass-White

☑ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Stem: Aluminum

Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3.5W 2700K CRI90 395lm
 Luminaire: in 5 Vdc 1.5A 290lm
 Weight: Net 1.7 lb – Gross 2.2 lb
 Package: 15.7 x 8.2 x 6.7" - 2.2 lb (1u) Vol - 0.35 ft³ (1u)
 15.3 x 8.6 x 16.1" - 5.3 lb (2u) Vol - 1.4 ft³ (2u)
 Product notes: Sold in multiples of 2.
 Charging cable included (USB to USB-C). Power adapter not included.



Dimmer



Switch location: Base
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power



A662-561


LED-Ginger S

Code	Finish
A662-039	● Oak-White
A662-040	● Wenge-White

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Stem: Aluminum

Integrated dimmer: Yes
 Dimmer Type: Progressive from 0 to 100

Product type: Table
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 85 - 264 VAC 14W 350lm
 Weight: Net 5.7 lb – Gross 9.92 lb
 Package: 22.44 x 20.87 x 6.69" - 9.92 lb Vol - 1.8 ft³
 LED included



Dimmer



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A662-039

LED-Ginger XL 42


Code	Finish
A662-120	● Oak-White
A662-121	● Wenge-White

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Stem: Metal
 Arm: Carbon fiber

Integrated dimmer: Yes
 Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 85 - 264 VAC 21W 698lm
 Weight: Net 52.5 lb – Gross 61.3 lb
 Package: 22.44 x 20.87 x 6.69" - 6.171 lb Vol - 1.8 ft³
 75.2 x 7.87 x 4.3" - 22.04 lb Vol - 1.41 ft³
 24.8 x 24.4 x 1.57" - 33.06 lb Vol - 0.7 ft³

LED included



Cable length: 8.2 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A662-121

LED-Ginger 20 A

Code	Finish	Dimmer
Plug-in		
A662-199	● Oak-White	Progressive
A662-200	● Wenge-White	Progressive


Hardwired		
A662-201	● Oak-White	No
A662-202	● Wenge-White	No

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Structure: Metal

Integrated dimmer: Yes (Plug-in version)
 Dimmer Type:
 Plug-in version, Progressive in-line dimmer from 0 to 100.

Product type: Wall
 Light source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 85 - 264 VAC 5.7W 161lm
 Weight: Net 1.3 lb – Gross 3.3 lb
 Package: 18.1 x 11 x 9.4" - 3.3 lb Vol - 1.06 ft³
 Product notes: Plug-in: Progressive dimmer from 0 to 100.
 Hardwired: Canopy with switch on/off.

LED included



Cord color: Black
 Wire installation: Plug-in / Hardwired



A662-199


LED-Ginger A

Code	Finish	Dimmer
Plug-in		
A662-087	● Oak-White	Progressive
A662-088	● Wenge-White	Progressive
Hardwired (Canopy)		
A662-095	● Oak-White	ELV / on-off
A662-096	● Wenge-White	ELV / on-off

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Structure: Metal

Integrated dimmer: Yes (Plug-in version)
 Dimmer Type:
 Plug-in version: progressive in-line dimmer from 0 to 100.
 Hardwired version: Phase cut (ELV) dimming driver

Product type: Wall
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 85 - 264 VAC 14W 350lm (Plug-in)
 100 - 120 VAC ELV 14W 350lm (Canopy)
 Weight: Net 3.3 lb – Gross 6.61 lb
 Package: 22.4 x 20.8 x 6.69" - 6.61 lb Vol - 1.8 ft³
 LED included



Cord color: Black
 Wire installation: Plug-in / Hardwired



A662-088


LED-Ginger 20C

Code	Finish
A662-288	● Oak-White
A662-289	● Wenge-White
A662-290	● Oak-Oak
A662-291	● Wenge-Wenge
A662-292	● Brushed brass-Brushed brass
A662-293	● Black-White
A662-576-36-27K	● Mauve (RAL 010 70 10)
A662-576-37-27K	● Sand (RAL 050 85 10)
A662-576-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Canopy: Metal

Dimmable: No

Product type: Wall / Ceiling
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 100 - 240 VAC 6W 161lm
 Weight: Net 0.9 lb – Gross 1.5 lb
 Package: 9.4 x 8.3 x 3.9" - 1.5 lb Vol - 0.35 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired



A662-290


LED-Ginger 32C

Code	Finish	Dimming
A662-203 ☉	● Oak-White	ELV
A662-204	● Wenge-White	ELV
A662-205 ☉	● Oak-Oak	ELV
A662-206 ☉	● Wenge-Wenge	ELV
A662-294	● Brushed brass	ELV
A662-295	▲ Black-White	ELV
A662-577-36-27K	● Mauve (RAL 010 70 10)	ELV
A662-577-37-27K	● Sand (RAL 050 85 10)	ELV
A662-577-38-27K	● Stone Grey (RAL 000 65 00)	ELV
A662-324	● Oak-White	0-10V
A662-325	● Wenge-White	0-10V
A662-326	● Oak-Oak	0-10V
A662-327	● Wenge-Wenge	0-10V
A662-296	● Brushed brass	0-10V
A662-297	▲ Black-White	0-10V
A662-578-36-27K	● Mauve (RAL 010 70 10)	0-10V
A662-578-37-27K	● Sand (RAL 050 85 10)	0-10V
A662-578-38-27K	● Stone Grey (RAL 000 65 00)	0-10V

☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols:
Canopy: Metal	Phase cut (ELV)
	0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC ELV 14W 350lm
 120 - 277 VAC 0-10V 14W 350lm
 Weight: Net 2.2 lb – Gross 4.41 lb
 Package: 16.9 x 18.9 x 6.7" - 4.41 lb Vol - 1.4 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired




A662-206

LED-Ginger 42C


Code	Finish
A662-328	● Oak-White
A662-329	● Wenge-White
A662-330	● Oak-Oak
A662-331	● Wenge-Wenge
A662-448	● Brushed brass
A662-449	● Black-White
A662-580-36-27K	● Mauve (RAL 010 70 10)
A662-580-37-27K	● Sand (RAL 050 85 10)
A662-580-38-27K	● Stone Grey (RAL 000 65 00)

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Dual dimming driver
Canopy: Metal	Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 21W 698lm
120 - 277 VAC 0-10V 21W 698lm
Weight: Net 4.2 lb - Gross 7.71 lb
Package: 22.4 x 20.8 x 6.7 " - 7.71 lb Vol - 1.80 ft³
LED included



Canopy color: Black
Wire installation: Hardwired




A662-579-38-27K

LED-Ginger 60C

Code	Finish
A662-332	● Oak-White
A662-333	● Wenge-White
A662-334	● Oak-Oak
A662-335	● Wenge-Wenge
A662-450	● Brushed brass-Brushed brass
A662-451	● Black-White
A662-581-36-27K	● Mauve (RAL 010 70 10)
A662-581-37-27K	● Sand (RAL 050 85 10)
A662-581-38-27K	● Stone Grey (RAL 000 65 00)

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Dual dimming driver
Canopy: Metal	Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC ELV 28W 1165lm
 120 - 277 VAC 0-10V 28W 1165lm
 Weight: Net 7.3 lb – Gross 13.8 lb
 Package: 26.3 x 26.3 x 9.44" - 13.8 lb Vol - 3.53 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired

Accessory C2 20/32

Code	Finish
Structure	● Black
A662-518	● Black
Shades 20	
A662-519	● Oak-White
A662-520	● Wenge-White
A662-521	● Oak-Oak
A662-522	● Wenge-Wenge
A662-523	● Brushed brass-Brushed brass
A662-524	● Black-White
A662-582-36-27K	● Mauve (RAL 010 70 10)
A662-582-37-27K	● Sand (RAL 050 85 10)
A662-582-38-27K	● Stone Grey (RAL 000 65 00)


Code	Finish
Shades 32	
A662-525	● Oak-White
A662-526	● Wenge-White
A662-527	● Oak-Oak
A662-528	● Wenge-Wenge
A662-529	● Brushed brass-Brushed brass
A662-530	● Black-White
A662-583-36-27K	● Mauve (RAL 010 70 10)
A662-583-37-27K	● Sand (RAL 050 85 10)
A662-583-38-27K	● Stone Grey (RAL 000 65 00)

Materials	Dimmable: Yes
Canopy: Metal	Integrated dimmer: No
	Dimming protocols: Dual dimming driver
	Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Luminaire: Only 120 VAC ELV 20W (max.)
 120 - 277 VAC 0-10V 20W (max.)
 Weight: Net 9.9 lb – Gross 13.2 lb
 Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft³
 22.4 x 20.9 x 6.7" - 6.6 lb Vol - 1.8 ft³
 24.4 x 7.8 x 3.5" - 4.4 lb Vol - 0.35 ft³
 LED included




A662-450



Dimmable

ADA



Canopy color: Black
 Wire installation: Hardwired

Accessory C3 20/32/42


Code	Finish
Structure	
A662-539	● Black
Shades 20	
A662-519	○ Oak-White
A662-520	○ Wenge-White
A662-521	○ Oak-Oak
A662-522	○ Wenge-Wenge
A662-523	○ Brushed brass-Brushed brass
A662-524	○ Black-White
A662-582-36-27K	○ Mauve (RAL 010 70 10)
A662-582-37-27K	○ Sand (RAL 050 85 10)
A662-582-38-27K	○ Stone Grey (RAL 000 65 00)

Shades 32	
A662-525	○ Oak-White
A662-526	○ Wenge-White
A662-527	○ Oak-Oak
A662-528	○ Wenge-Wenge
A662-529	○ Brushed brass-Brushed brass
A662-530	○ Black-White
A662-583-36-27K	○ Mauve (RAL 010 70 10)
A662-583-37-27K	○ Sand (RAL 050 85 10)
A662-583-38-27K	○ Stone Grey (RAL 000 65 00)

Shades 42	
A662-532	○ Oak-White
A662-533	○ Wenge-White
A662-534	○ Oak-Oak
A662-535	○ Wenge-Wenge
A662-536	○ Brushed brass-Brushed brass
A662-537	○ Black-White
A662-584-36-27K	○ Mauve (RAL 010 70 10)
A662-584-37-27K	○ Sand (RAL 050 85 10)
A662-584-38-27K	○ Stone Grey (RAL 000 65 00)

Materials
Canopy: Metal


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V



A662-582-37-27K / A662-583-38-27K / A662-584-36-27K

Product type: Wall / Ceiling
Luminaire: Only 120 VAC ELV 30W (max.)
120 - 277 VAC 0-10V 30W (max.)
Weight: Net 17.2 lb – Gross 22 lb
Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft³
22.4 x 20.8 x 6.7" - 7.7 lb Vol - 1.8 ft³
22.4 x 20.8 x 6.7" - 6.6 lb Vol - 1.8 ft³
20.9 x 20.9 x 4.7" - 5.5 lb Vol - 1.1 ft³

LED included




Canopy color: Black
Wire installation: Hardwired

Accessory C2 LED-Ginger 32/42

Code A662-215
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron




Product type: Accessory
Weight: Net 3.9 lb – Gross 4.4 lb
Package: When ordered, this item is shipped coupled with the Ginger 42C.
Product notes: Must be specified together with Ginger 32C + 42C .



Accessory C2 LED-Ginger 42/60

Code A662-273
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron




Product type: Accessory
Weight: Net 3.9 lb – Gross 4.8 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 42C + 60C.



Accessory C3 LED-Ginger 32/42/60

Code A662-216
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron



Product type: Accessory
Weight: Net 5.9 lb – Gross 6.6 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 32C + 42C + 60C.



Spare parts

Code	Product	Finish	Spare part
R662-013	LED-Ginger 20	Oak-White	Shade
R662-014	LED-Ginger 20	Wenge-White	Shade
R662-015	LED-Ginger 20	Oak	Shade
R662-016	LED-Ginger 20	Wenge	Shade
R662-017	LED-Ginger 20	Brushed brass	Shade
R662-018	LED-Ginger 20	Brushed brass-White	Shade
R662-019	LED-Ginger 20	Black-White	Shade
R662-211-36	LED-Ginger 20	Mauve	Shade
R662-211-37	LED-Ginger 20	Sand	Shade
R662-211-38	LED-Ginger 20	Stone Grey	Shade
R662-039	LED-Ginger 32	Oak-White	Shade
R662-040	LED-Ginger 32	Wenge-White	Shade
R662-038	LED-Ginger 32	Oak	Shade
R662-041	LED-Ginger 32	Wenge	Shade
R662-042	LED-Ginger 32	Brushed brass	Shade
R662-043	LED-Ginger 32	Brushed brass-White	Shade
R662-044	LED-Ginger 32	Black-White	Shade
R662-212-36	LED-Ginger 32	Mauve	Shade
R662-212-37	LED-Ginger 32	Sand	Shade
R662-212-38	LED-Ginger 32	Stone Grey	Shade
R662-032	LED-Ginger 42	Oak-White	Shade
R662-024	LED-Ginger 42	Wenge-White	Shade
R662-046	LED-Ginger 42	Oak	Shade
R662-047	LED-Ginger 42	Wenge	Shade
R662-048	LED-Ginger 42	Brushed brass	Shade
R662-049	LED-Ginger 42	Brushed brass-White	Shade
R662-050	LED-Ginger 42	Black-White	Shade
R662-213-36	LED-Ginger 42	Mauve	Shade
R662-213-37	LED-Ginger 42	Sand	Shade
R662-213-38	LED-Ginger 42	Stone Grey	Shade
R662-052	LED-Ginger 60	Oak-White	Shade
R662-025	LED-Ginger 60	Wenge-White	Shade
R662-053	LED-Ginger 60	Oak	Shade
R662-054	LED-Ginger 60	Wenge	Shade
R662-055	LED-Ginger 60	Brushed brass	Shade
R662-056	LED-Ginger 60	Brushed brass-White	Shade
R662-037	LED-Ginger 60	Black-White	Shade
R662-214-36	LED-Ginger 60	Mauve	Shade
R662-214-37	LED-Ginger 60	Sand	Shade
R662-214-38	LED-Ginger 60	Stone Grey	Shade
R662-400	LED-Ginger 20M		Battery
R968-002-USA	LED-Ginger 20M		Black power adapter USB A (USA)
R961-057	LED-Ginger 20M		Black cable USB A to USB C
R968-011	LED-Ginger 20M		Black power adapter USB C (USA)
R961-075	LED-Ginger 20M		Black cable USB C to USB C




LED-Ginger 20C IP65


Code	Finish
A662-650-31	● Rust Brown
A662-650-39	▲ Black-White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Based on specified driver.

Product type: Wall / Ceiling
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161 lm - Black-White
 (Power supply not included) 29 lm - Rust brown
 Weight: Net 1.1 lb – Gross 1.5 lb
 Package: 9.4 x 8.3 x 3.9" – 1.5 lb Vol – 0.4 ft³
 Product notes: 24V remote power supply to be ordered separately, see pg 130.
 LED included



Canopy color: Black



A662-650-39


LED-Ginger 32C IP65

Code	Finish	Dimming
A662-651-31 ☺	● Rust Brown	ELV
A662-651-39	▲ Black-White (RAL 9005-9010)	ELV

☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials	Dimmable: Yes
Diffuser: Aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Phase cut (ELV)

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm
 Luminaire: 100 - 120 VAC ELV 14W 350 lm - Black-White
 100 - 120 VAC ELV 14W 81 lm - Rust Brown
 Weight: Net 1.9 lb – Gross 4.4 lb
 Package: 16.9 x 18.9 x 6.7" – 4.4 lb Vol – 1.4 ft³
 LED included



Canopy color: Black




A662-651-39

LED-Ginger 42C IP65


Code Finish
 A662-654-31 ● Rust Brown
 A662-654-39 ● Black-White (RAL 9005-9010)

Materials Dimmable: Yes
 Diffuser: Aluminum Integrated dimmer: No
 Dissipater: Aluminum Dimming protocols:
 Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 15.4W 2700K CRI90 1873 lm
 Luminaire: 90 - 135 VAC ELV 21W 698 lm - Black-White
 120 - 277 VAC 0-10V 21W 698 lm - Black-White
 90 - 135 VAC ELV 21W 186 lm - Rust brown
 120 - 277 VAC 0-10V 21W 186 lm - Rust brown
 Weight: Net 4 lb – Gross 7.7 lb
 Package: 22.4 x 20.9 x 6.7" – 7.7 lb Vol – 1.8 ft³
 LED included



Canopy color: Black




A662-653-31

LED-Ginger 60C IP65

Code Finish
 A662-655-31 ● Rust Brown
 A662-655-39 ● Black-White (RAL 9005-9010)

Materials Dimmable: Yes
 Diffuser: Aluminum Integrated dimmer: No
 Dissipater: Aluminum Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 21W 2700K CRI90 2933 lm
 Luminaire: Only 120 VAC ELV 28W 1165 lm - Black-White
 120 - 277 VAC 0-10V 28W 1165 lm - Black-White
 Only 120 VAC ELV 28W 245 lm - Rust brown
 120 - 277 VAC 0-10V 28W 245 lm - Rust brown
 Weight: Net 7.9 lb – Gross 13.9 lb
 Package: 26.4 x 26.4 x 9.5" – 13.9 lb Vol – 3.5 ft³
 LED included



Canopy color: Black




A662-655-39

LED-Ginger 32A IP65

Code Finish
A662-663-31-27K ● Rust Brown
A662-663-39-27K ▲ Black-White (RAL 9005-9010)


Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Dissipater: Aluminum Dimming protocols: Phase cut (ELV)

Product type: Wall
Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm
Luminaire: 100 - 120 VAC ELV 14W 350 lm - Black-White
Weight: Net 3.3 lb – Gross 6.2 lb
Package: 20.5 x 16.5 x 9.5 " – 6.2 lb Vol – 1.8 ft³
LED included



Dimmable

Suitable for
wet locations

 Under approval process. For latest certification status check the spec sheet.



A662-663-39-27K

LED-Ginger B 20/44


Code
A662-585-31
A662-585-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 1.8 lb – Gross 2.9 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 18.9" – 1.3 lb Vol – 0.3 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 130.
LED included



Dimmable

Suitable for
wet locations



Cable length: 8.5 ft



A662-585-31

LED-Ginger B 20/63


Code
A662-586-31
A662-586-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 1.9 lb – Gross 3 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 26.2" – 1.5 lb Vol – 0.35 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 130.
LED included



Dimmable

Suitable for
wet locations



Cable length: 7.9 ft



A662-586-39

LED-Ginger B 20/86


Code
A662-587-31
A662-587-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 2.2 lb – Gross 3.5 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 38.8" – 2 lb Vol – 0.7 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 130.
LED included



Dimmable

Suitable for
wet locations



A662-587-31

Cable length: 6.9 ft




Ginger B 32/65

Code Finish
A662-760-31-27K ● Rust Brown - White
A662-760-39-27K ● Black - White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminium Integrated dimmer: No
Structure: Stainless steel Dimming protocols: Based on specified driver.

Product type: Bollard
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 350lm
Weight: Net 3.7 kg – Gross 6.8 lb
Package: 5.5 x 5.1 x 25.6 " - 2.6 lb – VOL - 0,35 ft³
 17 x 18.9 x 6.3 " - 4.2 lb – VOL - 1.06 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 130.
LED included



Dimmable

Suitable for
wet locations



Cable length: 8.5 ft.




A662-760-39-27K

Ginger B 32/88

Code Finish
A662-761-31-27K ● Rust Brown - White
A662-761-39-27K ● Black - White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminium Integrated dimmer: No
Structure: Stainless steel Dimming protocols: Based on specified driver.

Product type: Bollard
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 350lm
Weight: Net 4.2 lb – Gross 7.3 lb
Package: 5.5 x 5.1 x 34.6 " - 3.1 lb – VOL - 0.7 ft³
 17 x 18.9 x 6.3 " - 4.2 lb – VOL - 1.06 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 130.
LED included



Dimmable

Suitable for
wet locations



Cable length: 7.6 ft.




A662-761-39-27K

Ginger B 32/111

Code Finish
A662-762-31-27K ● Rust Brown - White
A662-762-39-27K ● Black - White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminium Integrated dimmer: No
Structure: Stainless steel Dimming protocols: Based on specified driver.

Product type: Bollard
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm
Luminaire: (Power supply not included) 350lm
Weight: Net 4.6 lb – Gross 7.9 lb
Package: 5.5 x 4.7 x 43.7" - 2.2 lb – VOL - 0.7 ft³
 17 x 18.9 x 6.3" - 4.2 lb – VOL - 1.06 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 130.
LED included



Dimmable

Suitable for wet locations



A662-762-39-27K


Cable length: 6.9 ft.

Post accessory

Code A662-555 Finish ● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.5 x 5.5 x 11" - 0.9 lb – Vol - 0.2 ft³





Concrete fixation plate

Code A662-556 Finish ● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
For fixing luminaire location in wet concrete/cement.

Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.9 x 5.9 x 5.1" - 0.9 lb – Vol - 0.1 ft³



LED-Ginger: Power Supply - Dimmable

Code	Description	Dimming	VAC
968-230	Power supply 60W - 24V	0-10V	120-277
968-233	Power supply 100W - 24V	0-10V	120-277

Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.

Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

These LED drivers must be installed in a cabinet / box suitable for wet locations or in a dry location.

LED-Ginger: Connector Accessory

Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).

Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.



LED-Ginger 60/298


Code A662-745 Finish Black-White (RAL 9005-9010)

Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials Dimmable: Yes
Diffuser: Aluminum Integrated dimmer: No
Structure: Stainless Steel Dimming: Depending on the connection
Dissipater: Aluminum ON / OFF
1-10V

Product type: Lamppost
Light source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
Luminaire: 90 - 305 VAC 1-10V 35.8W 1463lm
Weight: Net 29.2 lb – Gross 44 lb
Package: 26.8 x 27.2 x 9.4" – 12.6 lb Vol – 3.9 ft³
24 x 6.3 x 100.4" – 24.5 lb Vol – 8.8 ft³
9.8 x 9.8 x 17.3" – 7.2 lb Vol – 1.1 ft³

LED included



Dimmable

Suitable for wet locations



A662-745

Wire installation: Hardwired


Concrete fixation plate

Code A662-733 Finish Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger 60/298
For fixing luminaire location in wet concrete/cement.

Weight: Net 3.5 lb – Gross 5.3 lb
Package: 13.8 x 9.4 x 9.4" - 5.3 lb – Vol - 0.7 ft³





For Ihana customized configurations, get in contact with us.




Ihana x2 80

Code	Finish	Dimming	CCT
A709-157-39-27K	● Opal	ELV	27K
A709-158-39-22/30K	● Opal	ELV	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 28W
 Weight: Net 9.9 lb - Gross 14.8 lb
 Package: (2x) 8.3 x 16.5 x 16.5" - 6.61 lb Vol - 1.41 ft³
 9.5 x 5.5 x 45" - 8.15 lb Vol - 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Dimmable



Wire installation: Hardwired
 Canopy color: Black

A709-157-39-27K


Ihana x2 100

Code	Finish	Dimming	CCT
A709-111-39-27K	Opal	ELV	27K
A709-112-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 28W
 Weight: Net 9.9 lb – Gross 14.8 lb
 Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



A709-111-39-27K


Ihana x2 150

Code	Finish	Dimming	CCT
A709-109-39-27K	Opal	ELV	27K
A709-110-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 28W
 Weight: Net 11.3 lb – Gross 18.1 lb
 Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 7 x 7 x 66" – 11.5 lb Vol – 1.76 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black




A709-109-39-27K

Ihana x2 200


Code	Finish	Dimming	CCT
A709-107-39-27K	● Opal	ELV	27K
A709-108-39-22/30K	● Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 28W
 Weight: Net 14.8 lb – Gross 21.4 lb
 Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 7 x 7 x 88.6" – 14.8 lb Vol – 2.47 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black




A709-107-39-27K

Ihana x3 80

Code	Finish	Dimming	CCT
A709-156-39-27K	● Opal	ELV	27K
A709-113-39-22/30K	● Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 42W
 Weight: Net 15 lb – Gross 21 lb
 Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 6.2 lb Vol – 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



A709-156-39-27K

Ihana x3 100


Code	Finish	Dimming	CCT
A709-105-39-27K	Opal	ELV	27K
A709-106-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 42W
 Weight: Net 15 lb – Gross 21 lb
 Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 6.2 lb Vol – 1.41 ft³

Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



A709-105-39-27K

Ihana x3 150


Code	Finish	Dimming	CCT
A709-103-39-27K	Opal	ELV	27K
A709-104-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 42W
 Weight: Net 17.2 lb – Gross 28 lb
 Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 7 x 7 x 65.8" – 11.5 lb Vol – 1.76 ft³
 7 x 7 x 65.8" – 9.9 lb Vol – 1.76 ft³

Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



A709-103-39-27K



Ihana x3 200

Code	Finish	Dimming	CCT
A709-101-39-27K	Opal	ELV	27K
A709-102-39-22/30K	Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 42W
Weight: Net 18 lb – Gross 33.3 lb
Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
7 x 7 x 88.5" – 14.7 lb Vol – 2.47 ft³
7 x 7 x 88.5" – 11.9 lb Vol – 2.47 ft³

Product notes: 0-10V upon request
LED included



A709-101-39-27K

Wire installation: Hardwired
Canopy color: Black





DESIGN PLUS

powered by: light+building


Jaima 43 E26

Code A683-047
A683-048

Finish
● Beige
● Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4" – 11 lb Vol – 2.8 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black


A683-047

Jaima 54 E26

Code	Finish
A683-051	● Beige
A683-052	● Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4.85 lb – Gross 11 lb
Package: 21.5 x 21.5 x 18.1" – 11 lb Vol – 4.95 ft³
Lamping not included





Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A683-052


Jaima 71 E26

Code	Finish
A683-055	● Beige 
A683-056	● Grey 

 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 6.17 lb – Gross 16.5 lb
Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




A683-055

Jaima 43 IP65

Code Finish
A683-059 ● Beige
A683-060 ● Grey

Materials Dimmable: Yes
Shade: Textilene, inner part in white Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120 VAC ELV 15W 528lm
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4" – 11 lb Vol – 2.8 ft³
LED included



Dimmable

Suitable for wet locations




A683-059

Jaima 54 IP65

Code Finish
A683-063 ● Beige
A683-064 ● Grey

Materials Dimmable: Yes
Shade: Textilene, inner part in white Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC ELV 15W 513lm
Weight: Net 4.85 lb – Gross 11 lb
Package: 21.5 x 21.5 x 18.1" – 11 lb Vol – 4.95 ft³
LED included



Dimmable


Suitable for wet locations



A683-064

Jaima 71 IP65


Code	Finish
A683-067	● Beige 
A683-068	● Grey 

 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC ELV 15W 530lm
Weight: Net 6.17 lb – Gross 16.5 lb
Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³
LED included



Dimmable 
Suitable for wet locations 








Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A683-067

Jaima P207 + Shade 43


Code	Finish
Structure E26	
A683-070	● Black (RAL 9005) 
Structure LED IP65	
A683-071	● Black (RAL 9005) 
Shade 43	
A683-029	● Beige 
A683-030	● Grey 

 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber

Dimmable: Based on specified lamping
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC ELV 15W 528lm
Weight: Net 9 lb – Gross 22.7 lb
Package: 85.4 x 18.9 x 9" – 178.7 lb Vol – 8.47 ft³
17.7 x 17.7 x 15.35" – 5.51 lb Vol – 2.83 ft³
LED included



Suitable for wet locations 






Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 142.


Cable length: 9.2 ft
Wire installation: Plug-in
Cord color: Black



A683-071 / A683-030

Jaima P307 + Shade 54

Code	Finish
Structure E26	
A683-072	● Black (RAL 9005) 
Structure LED IP65	
A683-073	● Black (RAL 9005) 
Shade 54	
A683-037	● Beige 
A683-038	● Grey 


 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
 Shade: Textilene, inner part in white
 Structure: Stainless steel
 Extensible stem: Carbon fiber

Dimmable: Based on specified lamping
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC ELV 15W 513lm
Weight: Net 10.36 lb – Gross 27.5 lb
Package: 109 x 19 x 9" – 19.82 lb Vol – 10.59 ft³
 21.7 x 21.7 x 17.7" – 7.7 lb Vol – 14.8 ft³

LED included



Suitable for wet locations







Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 142.


Cable length: min 6.6 ft - max 9.2 ft
Wire installation: Plug-in
Cord color: Black



A683-072 / A683-037

Jaima P307 + Shade 71

Code	Finish
Structure E26	
A683-072	● Black (RAL 9005) 
Structure LED IP65	
A683-073	● Black (RAL 9005) 
Shade 71	
A683-041	● Beige 
A683-042	● Grey 


 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
 Shade: Textilene, inner part in white
 Structure: Stainless steel
 Extensible stem: Carbon fiber

Dimmable: Based on specified lamping
Integrated dimmer: No

Product type: Floor
Light Source: E26 LED Globe (ø120) 22W
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120 VAC ELV 15W 530lm
Weight: Net 10.5 lb – Gross 33 lb
Package: 109 x 27.5 x 24.6" – 15.4 lb Vol – 10.947 ft³
 27.9 x 27.9 x 24.8" – 13.2 lb Vol – 10.6 ft³

LED included



Suitable for wet locations




Product notes: a floor base 70 or a fixed stem needs to be purchased. See page 142.


Cable length: min 6.6 ft - max 9.2 ft
Wire installation: Plug-in
Cord color: Black



A683-072 / A683-041


49 base + stem

Code **Finish**
A683-033 ● Concrete - Black (RAL 9005) 

 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.


Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 31.5 lb – Gross 37.91 lb
Package: 12.2 x 7.1 x 6.7" - 4.8 lb – Vol -0.31 ft³
24.8 x 24.8 x 2.7" - 33.1 lb – Vol -0.95 ft³
Product notes: Base only compatible with Jaima P207




70 base + stem

Code **Finish**
A683-044 ● Concrete and black (RAL 9005) 

 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 81.1 lb – Gross 113.9 lb
Package: 29.5 x 29.5 x 7.48" - 77.2 lb – Vol -3.7 ft³
12.2 x 7.08 x 6.69" - 4.85 lb – Vol -0.31 ft³
Product notes: Base only compatible with Jaima P307




Fixed stem

Code **Finish**
A683-032 ● Black (RAL 9005)

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 4.18" – Gross 5.07"
Package: 12.2 x 7.08 x 6.69" - 4.8 lb – Vol -0.31 ft³
Product notes: Compatible with Jaima P207 and P307.



Konoha, Yabu Pushelberg

Konoha is a simple, discreet wall lamp with a shade over a directed spotlight that turns through 360°. The shade, like a hat, covers the spotlight, allowing the light to be directed upwards, bounce off the inside and project a beam of soft light, creating

warm ambient lighting. If instead the spotlight is focused downwards, it projects a beam of direct light, turning the fixture into a reading lamp.




Konoha

Code	Finish
A716-002-39-27K	● Matt Black (RAL 9005)
A716-002-35-27K	● White chalk (RAL 085 80 10)
A716-002-41-27K	● Terracotta (RAL 050 50 40)
A716-002-45-27K	● Moss grey (RAL 7003)

Materials
Structure: Steel
Tube: Aluminium

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm
Luminaire: 120-277VAC 60Hz 3.1W 137lm
Weight: Net 2.5 lb – Gross 4.2 lb
Package: 13.8 x 13.1 x 9" – 4.2 lb Vol – 1.05 ft³
Product notes: The ON/OFF switch is located at the base of the structure
LED included



Wire installation: Hardwired



A716-002-39-27K

Konoha wide

Code

A716-003-39-27K
A716-003-35-27K
A716-003-41-27K
A716-003-45-27K

Finish

● Matt Black (RAL 9005)
● White chalk (RAL 085 80 10)
● Terracotta (RAL 050 50 40)
● Moss grey (RAL 7003)

Materials

Structure: Steel
Tube: Aluminium

Dimmable: No

Product type: Wall


Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm

Luminaire: 120-277VAC 60Hz 3.1W 137lm

Weight: Net 2.5 lb – Gross 4.2 lb

Package: 13.8 x 13.1 x 9" – 4.2 lb Vol – 1.05 ft³

Product notes: The ON/OFF switch is located at the base of the structure
LED included



A716-003-45-27K

Wire installation: Hardwired




Lab 2 2020

Code A646-191 Finish ● Graphite grey (RAL 7024)

Materials Dimmable: No
Structure: Injected aluminum
Lids: Metal, wood (see next page)

Product type: Wall
Light source: LED SMD 24Vdc 7.4W 2700K CRI90 378lm
Luminaire: 100 - 240 VAC 8.47W 322lm
Weight: Net 1.91 lb – Gross 2.20 lb
Package: 5.9 x 5.9 x 5.1" – 2.2 lb Vol – 0,106 ft³



Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.


Wire installation: Hardwired



A646-191

Lid

Code	Finish
A646-005	● White (RAL 9003)
A646-022	● Brown (RAL 8019)
A646-023	● Rust brown
A646-007	● Dark iroko




Materials

Structure: Injected aluminum
Lids: Metal, wood

Product type: Accessory

Signage Lid

Code	Finish
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units



Product type: Accessory

Product Notes: Minimum order of 3pcs.
Available upon request, Lab 2 only.

Lab B 35

Code	Finish
A646-170	● Graphite grey - White (RAL 7024-9003)
A646-171	● Graphite grey - Brown (RAL 7024-8019)
A646-172	● Graphite grey - Rust brown
A646-173	● Graphite grey - Dark iroko


Materials

Structure: Aluminum
Lids: Metal, wood

Dimmable: No

Product type: Bollard

Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 3.08 lb – Gross 5.07 lb
Package: 6.89 x 5.11 x 18.11" – 5.07 lb Vol – 0.35 ft³



Suitable for wet locations



Wire installation: Hardwired


A646-170

Concrete fixation plate

Code A646-067 Finish ● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
For fixing luminaire location in wet concrete/cement.
Weight: Net 0.57 lb – Gross 0.7 lb
Package: 9 x 10 x 21" - 0.7 lb – Vol - 0.70 ft³



Ledtube, Daniel López

Its ergonomic design beckons you to move it in any direction, up to 360°, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed vertically

or horizontally, adapting to the needs of your space. Now we present a new surface edition, just as functional but more compact. The switch is integrated in the base, maximum ergonomic design, with absolute flexibility to move it in any direction.




Ledtube RSC

- | | |
|--------------------|--------------------------|
| Code | Finish |
| A622-221-17-27K ☞☺ | ● Aluminum |
| A622-221-18-27K ☞☺ | ● Bronze |
| A622-221-35-27K ☞☺ | ● Matte white (RAL 9010) |
| A622-221-39-27K ☞☺ | ● Matte black (RAL 9005) |

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials: Dimmable: No
 Structure: Injected aluminum
 Frontal: Transparent polycarbonate

Product type: Wall
 Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
 Luminaire: 100 - 240 VAC 3.6W 131lm
 Weight: Net 1.43 lb – Gross 1.76 lb
 Package: 7.9 x 4.7 x 3.1" – 1.7 lb Vol – 0.075 ft³
 Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
 LED included



Wire installation: Hardwired



A622-221-17-27K


Ledtube R right

Code	Finish
A622-223-17-27K	● Aluminum
A622-223-18-27K	● Bronze
A622-223-35-27K	● Matte white (RAL 9010)
A622-223-39-27K	● Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5" – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired



A622-223-17-27K


Ledtube R left

Code	Finish
A622-224-17-27K	● Aluminum
A622-224-18-27K	● Bronze
A622-224-35-27K	● Matte white (RAL 9010)
A622-224-39-27K	● Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5" – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired



A622-224-35-27K

Ledtube A


Code	Finish
A622-225-17-27K	● Aluminum
A622-225-18-27K ☞	● Bronze
A622-225-35-27K	● Matte white (RAL 9010)
A622-225-39-27K ☞	● Matte black (RAL 9005)

☞ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials Dimmable: No

Structure: Injected aluminum
Frontal: Transparent polycarbonate

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 4.25W 131lm
Weight: Net 1 lb – Gross 1.23 lb
Package: 8.26 x 4.72 x 3.54" – 0.66 lb Vol – 0.07 ft³
Product notes: Lens at 25° with a honeycomb grill to reduce glare.
Integrated switch
LED included



Wire installation: Hardwired





A622-225-17-27K

Disk accessory

Code	Finish
A622-181-17	● Aluminum
A622-181-18	● Bronze
A622-181-35	● Matte white (RAL 9010)
A622-181-39	● Matte black (RAL 9005)

Materials
Structure: Metal

Product type: Accessory
Accessory used for installation with the junction box.



Ledtube mini


Code	Finish
A622-215-17-27K ☞☺	Aluminum
A622-215-18-27K ☞☺	Bronze
A622-215-35-27K ☞☺	Matte white (RAL 9010)
A622-215-39-27K ☞☺	Matte black (RAL 9005)

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No


Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm
Luminaire: 100 - 277 VAC 3.6W 45lm
Weight: Net 0.81 lb – Gross 1.14 lb
Package: 8.26 x 4.72 x 3.54" – 1.14 lb Vol – 0.07 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Lens at 25° with a honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired



A622-215-39-27K



The beauty of the Mercer stems not only from its essential shape, but also from how its materials blend together. The transparent blown glass structure surrounds the

textile shade, which seems to float, conveying a sense of airiness and sophistication.



Mercer M


Code
A89-018
A89-079

Finish
● Pleated white cotton
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E26 TYPE A19 100W
Weight: Net 11 lb – Gross 9.9 lb
Package: 22 x 14.9 x 15.7" – 9.9 lb Vol – 3.17 ft³
Lamping not included



Dimmer

cULus

Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



A89-018


Mercer

Code Finish
A89-006 ● Pleated white cotton
A89-078 ● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E26 TYPE A21 100W
Weight: Net 11 lb – Gross 15.4 lb
Package: 26 x 19.2 x 19.2" – 17.6 lb Vol – 5.579 ft³
Lamping not included



Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



A89-078


Mercer 30

Code Finish
A89-054 ● Pleated white cotton
A89-082 ● Pearl white

☞ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 6.17 lb – Gross 8.1 lb
Package: 14.9 x 14.9 x 17" – 9.9 lb Vol – 2.1 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White



A89-054


Mercer 44

Code Finish
A89-020 ☉ ● Pleated white cotton
A89-083 ☉ ● Pearl white

☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: 2x E26 LED TYPE A 11W
Weight: Net 17.2 lb – Gross 22 lb
Package: 22 x 22 x 18.9" – 22 lb Vol – 5.29 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




A89-083

Mercer A

Code Finish
A89-065 ● Pleated white cotton
A89-084 ● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Wal bracket: Chromed iron

Product type: Wall
Light source: E12 LED candle 5W
Weight: Net 3 lb – Gross 4.4 lb
Package: 12.6 x 13 x 11" – 3.3 lb Vol – 1.06 ft³
Lamping not included



Wire installation: Hardwired



A89-084

Mercer C

Code		Finish
A89-067	☼☼	● Pleated white cotton
A89-085	☼☼	● Pearl white

☼☼ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Shade: Textile

Structure: Blown glass


Product type: Ceiling

Light source: 2x E26 LED TYPE A 11W

Weight: Net 9.92 lb – Gross 13.22 lb

Package: 22.8 x 22.8 x 14.2" – 13 lb Vol – 3.5 ft³

Lamping not included



A89-067

Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
A89-501	Mercer M	-	Glass
A89-500	Mercer	-	Glass
A89-505	Mercer 30	-	Glass
A89-503	Mercer 44	-	Glass
A89-504	Mercer A	-	Glass
A89-506	Mercer C	-	Glass

The Milana is a sleek, versatile form with an almost imperceptible point of light. The base lamp offers an impeccable downward-directed light, but when a shade

is added, the light escapes upward, illuminating the lamp itself. An additional counterweight version gives the user complete control over the light.



@02Zestudio



Milana


Code
A699-101
A699-102

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 1.14 lb - Gross 1.54 lb
Package: 8.8 x 2.7 x 1.6" - 0.7 lb Vol - 0.02 ft³
7.8 x 4.7 x 3.1" - 0.88 lb Vol - 0.2 ft³
LED included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A699-101 / A699-102

Milana 32


Code
 A699-106
 A699-107

Finish
 ● Off-white (RAL 1013)
 ● Black (RAL 9005)

Materials
 Shade: Aluminum
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC ELV 11W 340lm
 Weight: Net 1.91 lb – Gross 3.35 lb
 Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
 14.3 x 14.3 x 2.8" – 1.8 lb Vol – 0.98 ft³
 7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
 LED included



Dimmable



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



A699-106 / A699-107

Milana 47


Code
 A699-111
 A699-112

Finish
 ● Off-white (RAL 1013)
 ● Black (RAL 9005)

Materials
 Shade: Aluminum
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC ELV 11W 340lm
 Weight: Net 2.86 lb – Gross 5.07 lb
 Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
 20.7 x 20.7 x 3.9" – 3.4 lb Vol – 0.98 ft³
 7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
 LED included



Dimmable



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




A699-111 / A699-112

Milana 8 NEW

Code Finish
 A699-163-35-27K ● Off-white (RAL 1013)
 A699-163-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
 Shade: Aluminium Integrated dimmer: No
 Diffuser: Glass Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC ELV 11W 340lm
 Weight: Net 1.14 lb – Gross 1.54 lb
 Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
 7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
 LED included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




A699-163-39-27K

Milana - 24V

Code Finish
 A699-200-35-27K ● Off-white (RAL 1013)
 A699-200-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
 Shade: Aluminium Integrated dimmer: No
 Diffuser: Glass Dimming protocols: Based on specified
 driver/canopy.

Product type: Pendant
 Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
 Luminaire: (Power supply not included)
 Weight: Net 0,25 kg – Gross 0,61 kg
 Package: 24 x 24 x 7 cm – 0,61 kg Vol – 0,004 m³
 Product notes: 1 pc. hook accessory included
 LED included



Cable length: 9.8 ft.
 Wire installation: Hardwired
 Color cord: Black




A699-200-39-27K / A699-200-35-27K

Milana 32 - 24V

Code Finish
A699-201-35-27K ● Off-white (RAL 1013)
A699-201-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Glass Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,77 kg – Gross 1,43 kg
Package: 24 x 24 x 7 cm – 0,61 kg Vol – 0,004 m³
36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,009 m³
Product notes: 1 pc. hook accessory included
LED included



Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black




A699-201-39-27K

Milana 47 - 24V

Code Finish
A699-202-35-27K ● Off-white (RAL 1013)
A699-202-39-27K ● Black (RAL 9005)

Materials Dimmable: Yes
Shade: Aluminium Integrated dimmer: No
Diffuser: Glass Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 1,2 kg – Gross 2,5 kg
Package: 24 x 24 x 7 cm – 0,76 kg Vol – 0,004 m³
52,5 x 52,5 x 10 cm – 1,56 kg Vol – 0,028 m³
Product notes: 1 pc. hook accessory included
LED included



Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black



A699-202-35-27K



Milana 8 - 24V


Code
A699-136-35-27K
A699-136-39-27K

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminium
Diffuser: Glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Based on specified driver/canopy.

Product type: Pendant
Light source: LED SMD 24Vdc 7,2W 2700K CRI90 372lm
Luminaire: (Power supply not included)
Weight: Net 0,35 kg – Gross 0,71 kg
Package: 24 x 24 x 7 cm – 0,71 kg Vol – 0,004 m³
Product notes: 1 pc. hook accessory included
LED included



Cable length: 9.8 ft.
Wire installation: Hardwired
Color cord: Black



A699-136-35-27K

Circular Cluster Canopy 90W 24V ELV/Triac/0-10V

Code A666-259-39 Finish ● Black


Materials
Structure: Painted iron

Product type: Accessory
INPUT: 120-277VAC 50/60Hz
OUTPUT: CV 24V DC 90W max.

Weight: Net 6.83 lb – Gross 8.16 lb
Package: 16.14 x 16.14 x 3.15 " - 8.16 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V



Circular Cluster Canopy 180W 24V ELV/Triac/0-10V

Code A666-260-39 Finish ● Black


Materials
Structure: Painted iron

Product type: Accessory
Input: 120-277VAC 50/60Hz
Output: CV 24V DC 180W max.

Weight: Net 10.8 lb – Gross 12.35 lb
Package: 16.14 x 16.14 x 3.15 " - 12.35 lb – VOL - 0.47 ft³
Product notes: Canopy for 24V luminaires.
Total wattage of all connected fixtures must not exceed canopy or driver wattage. Make selections accordingly.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: ELV / Triac / 0-10V




Hook Accessory

Code A693-007 Finish ● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.8 x 0.8 x 2 " - 0.02 lb – VOL - 0.07 ft³

Product notes: Accessory to guide the cable.



Spare parts

Code	Product	Finish	Spare part
A699-025	Milana 32	White	Shade
A699-024	Milana 32	Black	Shade
A699-029	Milana 47	White	Shade
A699-028	Milana 47	Black	Shade

Nº8, Christophe Mathieu




N. Ocho

Code	Finish
A670-003 ☞☹	● Oak
A670-004 ☞☹	● Wenge

☞☹ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials Dimmable: No
Plate: Metal
Arm: Metal covered in braided fabric
Diffuser: Wood

Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI80 226,5lm
Luminaire: 120 - 277 VAC 3.5W
Weight: Net 1.36 lb - Gross 2.2 lb
Package: 27.2 x 6.7 x 4" - 2.2 lb Vol - 0.35 ft³
LED included



Wire installation: Hardwired
Switch location: Canopy
Canopy color: Black



A670-003

Plaff-on!, Joan Gaspar

A good design is one that endures. So it is with Plaff-on!, a lamp that has been illuminating walls and ceilings for almost ten years. Its hand-blown white glass diffuser appears to float, detaching from the ceiling and the circumference that

surrounds it, and its light filters upward to create a luminous halo. Indoors, outdoors, with or without signage, the Plaff-on! now offers multiple options in one lamp that can now conquer the outdoors as well, now with a new finishing in rust brown.




Plaff-on! 16 IP65

Code	Finish	Dimming
A628-051	● Black (RAL 9005)	ELV
A628-079-31-27K	● Rust Brown	ELV
A628-079-35-27K	● White (RAL 9010)	ELV
A628-069	● Black (RAL 9005)	0-10V
A628-080-31-27K	● Rust Brown	0-10V
A628-080-35-27K	● White (RAL 9010)	0-10V

Materials
 Structure: Aluminum
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V (120-277V)

Product type: Wall / Ceiling
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 120 VAC ELV 8.7W 225lm
 120-277 VAC 0-10V 8.7W 225lm
 Weight: Net 1.76 lb – Gross 2.65 lb
 Package: 8.6 x 8.6 x 6.7" – 2.6 lb Vol – 0.28 ft³
 LED included



Dimmable
 ADA
 Suitable for wet locations
 cULus

Wire installation: Hardwired



A628-079-31-27K


Signage Lid

Code	Description
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory

Product Notes: Minimum order of 3pcs.

Available upon request.



Plaff-on! 33 LED IP54

Code	Finish	CCT
A628-062-3CCT	● Black (RAL 9005)	27K - 30K - 40K
A628-062-31-3CCT	● Rust Brown	27K - 30K - 40K

☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 700mA 23W 2700-4000K CRI90 2654lm


Luminaire: Only 120 VAC ELV 28W 1941lm

120 - 277 VAC 0-10V 28W 1941lm

Weight: Net 8.8 lb – Gross 9.9 lb

Package: 15.7 x 15.7 x 8.3" – 9.9 lb Vol – 1.05 ft³

LED included



Dimmable

Suitable for damp locations



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

A628-062-3CCT

Plaff-on! 33

Code	Finish
A628-059 ☞☉	● Black (RAL 9005)
A628-059-31	● Rust Brown

☞☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Structure: Aluminum
Shade: Opal blown glass


Product type: Wall / Ceiling

Light source: 2x E26 LED TYPE A 11W

Weight: Net 9 lb – Gross 9.9 lb

Package: 15.7 x 15.7 x 8.3" – 9.9 lb Vol – 1.05 ft³

Lamping not included



Wire installation: Hardwired



A628-059-31

Plaff-on! 50 LED IP54

Code	Finish	CCT
A628-063-3CCT ☞☉	● Black (RAL 9005)	27K - 30K - 40K
A628-063-31-3CCT	● Rust Brown	27K - 30K - 40K

☞☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 700mA 29W 2700K CRI90 3318lm

Luminaire: Only 120 VAC ELV 36W 2172lm

120 - 277 VAC 0-10V 36W 2172lm

For 3CCT

Light source: LED SMD 700mA 29W 2700-4000K CRI90 3318lm


Luminaire: Only 120 VAC ELV 36W 2172lm

120 - 277 VAC 0-10V 36W 2172lm

Weight: Net 15.87 lb – Gross 18.7 lb

Package: 23.6 x 23.6 x 9.8" – 18.7 lb Vol – 3.18 ft³

LED included



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.



A628-063

Plaff-on! 50


Code	Finish
A628-060 ☞	● Black (RAL 9005)
A628-060-31	● Rust Brown

☞ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Structure: Aluminum
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 4x E26 LED TYPE A 11W
Weight: Net 14.55 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 9.8" - 18.7 lb Vol - 3.18 ft³
Lamping not included



Wire installation: Hardwired



A628-060

Plaff-on! A IP65

Code	Finish	Dimming
A628-161 ☞	● Black (RAL 9005)	ELV
A628-082-31-27K	● Rust Brown	ELV
A628-082-35-27K	● White (RAL 9010)	ELV
A628-084-39-27K	● Black (RAL 9005)	0-10V
A628-084-31-27K	● Rust Brown	0-10V
A628-084-35-27K	● White (RAL 9010)	0-10V


☞ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
0-10V (120-277V)

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 225lm
120-277 VAC 0-10V 8.7W 225lm
Weight: Net 1.76 lb – Gross 2.64 lb
Package: 8.7 x 8.7 x 6.5" – 2.64 lb Vol – 0.28 ft³
LED included



Wire installation: Hardwired



A628-161




Plaff-on! S 16 IP65 NEW

Code Finish
 A628-091-31-27K ● Rust Brown
 A628-091-39-27K ▲ Black-White

Materials Dimmable: Yes
 Structure: Aluminium Integrated dimmer: No
 Shade: Opal blown glass Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light source: LED COB 120 VAC 8W 2700K CRI90 571lm
 Luminaire: 120 VAC ELV 8,47W 225lm
 Weight: Net 2.9 lb – Gross 4.2 lb
 Package: 8.6 x 8.6 x 9.8 " – 4.2 lb Vol – 0.4 ft³
 LED included



Dimmable

Suitable for wet locations




A628-091-39-27K

Wire installation: Hardwired

Plaff-on! S 16 IP65 NEW

Code Finish
 A628-089-31-27K ● Rust Brown
 A628-089-39-27K ▲ Black-White



Dimmable

Suitable for wet locations



A628-089-39-27K



Product type: Pendant
 Light source: LED COB 120 VAC 8W 2700K CRI90 571lm
 Luminaire: 120 VAC ELV 8,47W 225lm
 Weight: Net 2.9 lb – Gross 4.2 lb
 Package: 8.6 x 8.6 x 9.8 " – 4.2 lb Vol – 0.4 ft³
 LED included

Wire installation: Hardwired

Garland accessory NEW

Code Finish
 A628-074 ● Stainless steel

Product type: Accessory




Plaff-on! B IP65 NEW FINISH

Code Finish
 A628-164 ● Black
 A628-085-31-27K ● Rust Brown

Materials Dimmable: Yes
 Structure: Aluminum Integrated dimmer: No
 Shade: Opal blown glass Dimming protocols: Phase cut (ELV)

Product type: Wall
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 120 VAC ELV 8.7W 225lm
 Weight: Net 4 lb – Gross 7.5 lb
 Package: 9.25 x 32.7 x 13.2" – 7.5 lb Vol – 2.47 ft³
 LED included



Suitable for wet locations



A628-085-31-27K

Wire installation: Hardwired


Concrete fixation plate

Code Finish
 A628-071 ● Stainless steel

Materials
 Structure: Stainless steel 316L

Product type: Accessory for Plaff-on! B IP65
 For fixing luminaire location in wet concrete/cement.

Weight: Net 0.45 lb – Gross 1.85 lb
 Package: 10.2 x 10.2 x 7.9" - 1.85 lb – Vol - 4.6 ft³



Spare parts

Code	Product	Finish	Spare part
R628-002	Plaff-on! 16 IP65	-	Glass
R628-010	Plaff-on! 33 IP54	-	Glass
R628-011	Plaff-on! 50 IP54	-	Glass



Pleat Box, Xavier Mañosa & Mashallah

The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base. The alchemy of the craft process leaves unpredictable traces, small marks in the

metal glaze, tiny cracks in the polish... little flaws that mark the unique personality of every lamp.




Pleat Box 13

Code	Finish
A636-408-3535	● White - White
A636-408-3549	● White - Gold
A636-408-3835	● Grey - White
A636-408-4135	● Terracotta - White
A636-408-3949	● Black - Gold
A636-408-4235	● Ocher - White
A636-408-4535	● Dark Green - White
A636-408-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 3.1 lb – Gross 4.4 lb
Package: 9.4 x 9.4 x 20.8" – 4.4 lb Vol – 1.06 ft³
Lamping not included



A636-408-3549

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade


Pleat Box 13 LED

Code	Finish
A636-409-3535-27K	● White - White
A636-409-3549-27K	● White - Gold
A636-409-3835-27K	● Grey - White
A636-409-4135-27K	● Terracotta - White
A636-409-3949-27K	● Black - Gold
A636-409-4235-27K	● Ocher - White
A636-409-4535-27K	● Dark Green - White
A636-409-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: No

Product type: Pendant
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 90 - 264 VAC 6W 165lm
 Weight: Net 3.63 lb – Gross 5 lb
 Package: 9.4 x 9.4 x 20.8" – 5 lb Vol – 1.06 ft³
 LED included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black fabric electrical cord
 Canopy color: Same color as chosen shade




A636-409-3949-27K

Pleat Box 24

Code	Finish
A636-410-3535	● White - White
A636-410-3549	● White - Gold
A636-410-3835	● Grey - White
A636-410-4135	● Terracotta - White
A636-410-3949	● Black - Gold
A636-410-4235	● Ocher - White
A636-410-4535	● Dark Green - White
A636-410-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E26 LED TYPE A 11W
 Weight: Net 4.2 lb– Gross 5.5 lb
 Package: 14.2 x 14.2 x 11.8" – 5.5 lb Vol – 1.412 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Same color as chosen shade



A636-410-4135


Pleat Box 24 LED

Code	Finish
A636-411-3535-27K	● White - White
A636-411-3549-27K	● White - Gold
A636-411-3835-27K	● Grey - White
A636-411-4135-27K	● Terracotta - White
A636-411-3949-27K	● Black - Gold
A636-411-4235-27K	● Ocher - White
A636-411-4535-27K	● Dark Green - White
A636-411-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC ELV 14W 113lm
Weight: Net 4.2 lb - Gross 5.5 lb
Package: 14.2 x 14.2 x 11.8" - 5.5 lb Vol - 1.412 ft³
LED included



Dimmable



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Same color as chosen shade




A636-411-4235-27K

Pleat Box 36

Code	Finish
A636-412-3535	● White - White
A636-412-3549	● White - Gold
A636-412-3835	● Grey - White
A636-412-4135	● Terracotta - White
A636-412-3949	● Black - Gold
A636-412-4235	● Ocher - White
A636-412-4535	● Dark Green - White
A636-412-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic

Product type: Pendant
Light source: E12 LED TYPE G16.5 5W
Weight: Net 5.7 lb - Gross 9.5 lb
Package: 19.3 x 19.3 x 11.4" - 9.5 lb Vol - 2.47 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade



A636-412-4535


Pleat Box 36 LED

Code	Finish
A636-413-3535-27K	● White - White
A636-413-3549-27K	● White - Gold
A636-413-3835-27K	● Grey - White
A636-413-4135-27K	● Terracotta - White
A636-413-3949-27K	● Black - Gold
A636-413-4235-27K	● Ocher - White
A636-413-4535-27K	● Dark Green - White
A636-413-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC ELV 14W 233lm
 Weight: Net 7 lb – Gross 9.5 lb
 Package: 19.3 x 19.3 x 11.4" – 9.5 lb Vol – 2.47 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black fabric electrical cord
 Canopy color: Same color as chosen shade




A636-413-3535-27K

Pleat Box 47

Code	Finish
A636-414-3535	● White - White
A636-414-3549	● White - Gold
A636-414-3835	● Grey - White
A636-414-4135	● Terracotta - White
A636-414-3949	● Black - Gold
A636-414-4235	● Ocher - White
A636-414-4535	● Dark Green - White
A636-414-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic

Product type: Pendant
 Light source: E26 LED TYPE A 11W
 Weight: Net 10.2 lb – Gross 13.2 lb
 Package: 22.4 x 22.4 x 14.2" – 13.2 lb Vol – 3.5 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Same color as chosen shade



A636-414-4549


Pleat Box 47 LED

Code	Finish
A636-415-3535-27K	● White - White
A636-415-3549-27K	● White - Gold
A636-415-3835-27K	● Grey - White
A636-415-4135-27K	● Terracotta - White
A636-415-3949-27K	● Black - Gold
A636-415-4235-27K	● Ocher - White
A636-415-4535-27K	● Dark Green - White
A636-415-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC ELV 21W 625lm
 Weight: Net 10.2 lb – Gross 13.2 lb
 Package: 22.4 x 22.4 x 14.2" – 13.2 lb Vol – 3.5 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black fabric electrical cord
 Canopy color: Same color as chosen shade



A636-415-3535-27K

Spare parts

Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White - White	Shade
R636-026	Pleat Box 13	White - Gold	Shade
R636-028	Pleat Box 13	Grey - White	Shade
R636-030	Pleat Box 13	Terracotta - White	Shade
R636-034	Pleat Box 13	Black - Gold	Shade
R636-123	Pleat Box 13	Ocher - White	Shade
R636-124	Pleat Box 13	Dark Green - White	Shade
R636-125	Pleat Box 13	Dark Green - Gold	Shade
R636-017	Pleat Box 24	White - White	Shade
R636-016	Pleat Box 24	White - Gold	Shade
R636-018	Pleat Box 24	Grey - White	Shade
R636-019	Pleat Box 24	Terracotta - White	Shade
R636-022	Pleat Box 24	Black - Gold	Shade
R636-126	Pleat Box 24	Ocher - White	Shade
R636-127	Pleat Box 24	Dark Green - White	Shade
R636-128	Pleat Box 24	Dark Green - Gold	Shade
R636-041	Pleat Box 36	White - White	Shade
R636-046	Pleat Box 36	White - Gold	Shade
R636-042	Pleat Box 36	Grey - White	Shade
R636-043	Pleat Box 36	Terracotta - White	Shade
R636-049	Pleat Box 36	Black - Gold	Shade
R636-129	Pleat Box 36	Ocher - White	Shade
R636-130	Pleat Box 36	Dark Green - White	Shade
R636-131	Pleat Box 36	Dark Green - Gold	Shade
R636-014	Pleat Box 47	White - White	Shade
R636-055	Pleat Box 47	White - Gold	Shade
R636-051	Pleat Box 47	Grey - White	Shade
R636-052	Pleat Box 47	Terracotta - White	Shade
R636-058	Pleat Box 47	Black - Gold	Shade
R636-132	Pleat Box 47	Ocher - White	Shade
R636-133	Pleat Box 47	Dark Green - White	Shade
R636-134	Pleat Box 47	Dark Green - Gold	Shade

Polo, Joan Gaspar

The fluidity of its movements and its integrated LED technology make the Polo a light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminum and a rotary switch located at the top of the shade.




Polo

Code A642-011 Finish ● Black (RAL 9005)

Materials Dimmable: No
Diffuser: Aluminum
Body: Aluminum

Product type: Table
Light Source: LED SMD 350mA 6.3W 3000K CRI80 532.4lm
Luminaire: 100 - 240 VAC 9W 441lm
Weight: Net 1.55 lb – Gross 4 lb
Package: 20.8 x 14 x 4.3" – 4.4 lb Vol – 0.67 ft³
Product notes: Reflector with 80° degree aperture.
Must be combined with base or floor base.
LED included



Cable length: 7.25 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the shade




A642-011

Base

Code A642-003
Finish ● Black (RAL 9005)

Materials
Base: Metal with a polycarbonate cover

Product type: Accessory
Weight: Net 8.6 lb – Gross 4.4 lb
Package: 9.4 x 9.4 x 4.7" - 4.4 lb – Vol - 0.24 ft³




Floor base

Code A642-020
Finish ● Black (RAL 9005)

Materials
Structure: Aluminum

Product type: Accessory
Weight: Net 11.90 lb – Gross 15.4 lb
Package: 13.4 x 13.4 x 1.18" - 13.2 lb – Vol - 0.11 ft³
Ø1.57 x 26" - 2.2 lb – Vol - 0.01 ft³



The Roc is a compact indoor and outdoor wall lamp with a pressed glass diffuser. Its undulating shade blurs and softens the light, creating a unique ambiance.

Roc tempts the senses. It looks like a bright block of ice, and its irregular, almost organic texture beckons to be touched.



Roc IP65

Code	Finish	Dimming
A701-051-39-27K ☞☺	● Black	ELV
A701-052-39-27K ☞☺	● Black	0-10V

☞☺ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Structure: Aluminum
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V (120-277V)

Product type: Wall


Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm

Luminaire: 120 VAC ELV 8.7W 250lm
120-277 VAC 0-10V 8.7W 250lm

Weight: Net 3.1 lb – Gross 3.7 lb

Package: 8.3 x 13.4 x 3.1" – 4.2 lb Vol – 0.18 ft³

LED included



Dimmable

ADA

Suitable for wet locations



Wire installation: Hardwired



A701-051-39-27K





Santorini

Code	Finish
A654-011	● White (RAL 9003)
A654-012	● Grey (RAL 7039)
A654-013	● Mustard (RAL 1032)

Materials

Structure: Polycarbonate
Shade: Blown pressed glass


Product type: Pendant

Light source: E26 TYPE A19 8W

Weight: Net 3.1 lb – Gross 4.9 lb

Package: 16.1 x 10.2 x 9.4" – 4.9 lb Vol – 0.81 ft³

Lamping not included



Suitable for
wet locations



Cable length: 15 ft
Wire installation: Plug-in
Cord color: Black


A654-012

Santorini A Fixed Stem

Code	Finish
A654-030	● White (RAL 9003)
A654-031	● Grey (RAL 7039)
A654-032	● Mustard (RAL 1032)

Materials
 Structure: Polycarbonate
 Shade: Blown pressed glass
 Support: Stainless anti-oxidant
 cataphoresis treatment

Product type: Wall
 Light source: E26 LED TYPE A19 8W
 Weight: Net 3.3 lb – Gross 5.3 lb
 Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³
 Lamping not included



Suitable for
wet locations



Wire installation: Hardwired




A654-032

Santorini C

Code	Finish
A654-033	● White (RAL 9003)
A654-034	● Grey (RAL 7039)
A654-035	● Mustard (RAL 1032)

Materials
 Structure: Polycarbonate
 Shade: Blown pressed glass
 Support: Stainless anti-oxidant
 cataphoresis treatment

Product type: Ceiling
 Light source: E26 LED TYPE A19 8W
 Weight: Net 3.1 lb – Gross 5.3 lb
 Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³
 Lamping not included



Suitable for
wet locations



Wire installation: Hardwired



A654-033

Santorini with Canopy IP65

Code	Finish
A654-039	● White (RAL 9003)
A654-040	● Grey (RAL 7039)
A654-041	● Mustard (RAL 1032)

Materials

Structure: Polycarbonate
Shade: Blown pressed glass


Product type: Pendant

Light source: E26 TYPE A19 8W

Weight: Net 3.1 lb – Gross 4.9 lb

Package: 20.47 x 12.99 x 9.84" - 4.41 lb Vol - 1.48ft³
6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³

Lamping not included



Suitable for wet locations



Cable length: 14.76 ft
Wire installation: Hardwired
Cord color: Black



A654-040

Santorini Indoor

Code	Finish
A654-054	● Light green (PANTONE 5517U)
A654-055	● Sand (RAL 1001)

Materials

Structure: Polycarbonate
Shade: Blown pressed glass


Product type: Pendant

Light source: E26 LED TYPE A19 8W

Weight: Net 2.9 lb – Gross 4.4 lb

Package: 20.47 x 12.99 x 9.84" - 4.41 lb Vol - 1.48ft³
6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³

Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black fabric electrical cord
Canopy color: Black




A654-054

Garland accessory

Code A654-045 Finish ● Grey

Product type: Accessory




Wall bracket

Code A654-005 Finish ● Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 0.67 lb – Gross 1.1 lb
Package: 5.5 x 5.5 x 11.22" - 1.1 lb – Vol - 0.2 ft³




Floor accessory

Code A654-009 Finish ● Grey (RAL 7039)

Materials
Structure: Metallic structure with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 14.8 lb – Gross 17.2 lb
Package: 9.8 x 2 x 70.5" - 4.4 lb – Vol - 0.77 ft³
14.5 x 14.5 x 2" - 9.9 lb – Vol - 0.21 ft³



Spare parts

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade

Wood and metal combine in a design that utilizes the beauty and simplicity of basic geometric shapes. The Scantling is based on a highly functional and flexible system, in which all the movements of the fully rotational shade use ball joints and arms to

create a versatile, easy-to-move light. In addition, its technical precision requires no exposed springs or counterweights to stay in the specified position.




Scantling P73

Code A626-009 Finish ● White (RAL 9001)

Materials
 Stem: Iron
 Base: Iron
 Arm: Oak
 Shade: Aluminum

Product type: Floor
 Light source: E26 LED TYPE A 11W
 Weight: Net 16.5 lb – Gross 23.5 lb
 Package: 18.1 x 57.7 x 6.7" – 12.2 lb Vol – 4.04 ft³
 11.8 x 11.8 x 8.6" – 12.2 lb Vol – 0.69 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black fabric electrical cord
 Switch location: Shade




A626-009

Scantling A

Code A626-015 Finish
● White (RAL 9001)

Materials
Structure: Iron
Arm: Oak
Shade: Aluminum

Product type: Wall
Light source: E26 LED TYPE A 11W
Weight: Net 1.76 lb – Gross 3.1 lb
Package: 13.8 x 11.8 x 7" – 3.1 lb Vol – 0.7 ft³
Lamping not included



Wire installation: Hardwired
Switch location: Canopy



A626-015

Ingenious, minimal and decisive, this is the Sips portable lamp. An understated, timeless design with a very clear purpose: to create a distinctive, intimate lighted space, even outdoors.

With a small opaque shade, the Sips illuminates the table directly but without dazzling or overpowering the space.




Sips

Code Finish
 A721-001-3534-27K ☉ White - Silver (RAL 9001 - RAL 9006)
 A721-001-4749-27K ☉ Chocolate - Gold (RAL 8017 - RAL 1036)
 A721-001-4549-27K ☉ Green - Gold (RAL 6009 - RAL 1036)

☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials Dimmable: Yes
 Diffuser: Polycarbonate Integrated dimmer: Yes
 Base: Polycarbonate Dimmer Type: 3 positions dimmer
 Stem: Steel

Product type: Table / Portable
 Light source: LED SMD 2,2W 1,5 A 2700K CRI90 327lm
 Luminaire: in 5 Vdc 1,5A
 Weight: Net 0.75 lb – Gross 1.3 lb
 Package: 14.5 x 5.3 x 4.7 " – 1.3 lb Vol – 0.2 ft³
 Product notes: Multiple order of 6 units
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Switch location: Body
 Charging time 10 h

Dimmer

Suitable for wet locations

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power



A721-001-4749-27K


Spare parts

Code	Product	Spare part
R721-001	Sips	Battery
R968-002-USA	Sips	Black power adapter USB A (USA)
R961-057	Sips	Black cable USB A to USB C
R968-011	Sips	Black power adapter USB C (USA)
R961-075	Sips	Black cable USB C to USB C



The striking, industrial shapes in the Soho collection are reminiscent of the lamps that were traditionally used in markets and taverns, but they contrast through the use of thoroughly contemporary materials and textures.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.




Soho 38 IP44 LED

- | | |
|----------|--------------|
| Code | Finish |
| A631-245 | ● White |
| A631-246 | ● Stone grey |
| A631-247 | ● Black |

Materials	Dimmable: Yes
Shade: Rotary moulded polyethylene	Integrated dimmer: No
Diffuser: Methacrylate opal	Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
 Luminaire: 100 - 120 VAC ELV 16W 1051lm
 Weight: Net 5.95 lb – Gross 7.71 lb
 Package: 17.7 x 17.3 x 9.84" – 7.71 lb Vol – 1.76 ft³
 LED included



Dimmable

Suitable for wet locations



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: White



A631-245


Soho 57 IP44 LED

Code	Finish
A631-362	● White
A631-363	● Stone grey
A631-364	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
 Luminaire: Only 120 VAC ELV 36W 2086lm
 120 - 277 VAC 0-10V 36W 2086lm
 Weight: Net 15.4 lb – Gross 18.9 lb
 Package: 23.6 x 24 x 14.2" – 18.9 lb Vol – 4.6 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for wet locations



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: White



A631-364

Soho 112 IP44 LED


Code	Finish
A631-377	● White
A631-378	● Stone grey
A631-379	● Black

⚠ Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Pendant
 Light Source: LED SMD 350mA 79.2W 2700K CRI90 15648lm
 Luminaire: 120 - 277 VAC 0-10V 95W 8085lm
 Weight: Net 60.9 lb – Gross 68.3 lb
 Package: 45.2 x 45.2 x 28.3" – 68.3 lb Vol – 33.62 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for wet locations



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: White



A631-377


Soho A LED

Code	Finish
A631-365	● White
A631-366	● Stone grey
A631-367	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Wall
 Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
 Luminaire: Only 120V VAC ELV 36W 2086lm
 120 - 277V VAC 0-10V 36W 2086lm
 Weight: Net 17.2 lb – Gross 21.4 lb
 Package: 23.62 x 24 x 14.2" – 21.4 lb Vol – 4.6 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for wet locations



A631-366

Wire installation: Hardwired
 Canopy color: Black


Soho C Fixed Stem LED

Code	Finish
A631-368	● White
A631-369	● Stone grey
A631-370	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Ceiling
 Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
 Luminaire: Only 120 VAC ELV 36W 2086lm
 120 - 277 VAC 0-10V 36W 2086lm
 Weight: Net 16.8 lb – Gross 17.6 lb
 Package: 23.62 x 23.62 x 14.56" – 17.6 lb Vol – 4.6 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for wet locations



A631-370

Wire installation: Hardwired
 Canopy color: Black


Soho 38 P LED

Code	Finish
A631-255	● White
A631-256	● Stone grey
A631-257	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Floor
Light Source: LED SMD 700mA 8.1W 2700K CRI90 913lm
Luminaire: 120 VAC ELV 14W
Weight: Net 26 lb – Gross 32 lb
Package: 17.32 x 17.32 x 9.84" – 6.61 lb Vol – 1.76 ft³
18.1 x 18.1 x 1.18" – 19.84 lb Vol – 0.21 ft³
69.29 x 11.8 x 2.56" – 6.6 lb Vol – 1.05 ft³
LED included



Dimmable

Suitable for
wet locations



A631-256



The Tam Tam is a festive and versatile collection that offers several options to add color and originality to all types of interior design projects. The idea is to be able to aim the light in any direction, making this fixture perfect for long or narrow spaces.

This year, the collection is updated with new colors and a semi-matt finish on all models.



Tam Tam 3

Code
Central shade
A633-176 39
A633-176 35
A633-176 48
A633-176 43


Finish
● Black semi-matt (RAL 9011)
● Off-White semi-matt (RAL 1013)
● Blue grey semi-matt (RAL 7031)
● Khaki semi-matt (RAL 7008)

Satellite shade
A633-177 39
A633-177 35
A633-177 37
A633-177 38
A633-177 42
A633-177 46
A633-177 47


● Black semi-matt (RAL 9011)
● Off-white semi-matt (RAL 1013)
● Sand semi-matt (RAL 7032)
● Silver Grey semi-matt (RAL 7001)
● Olive Yellow semi-matt (RAL 1020)
● Orange semi-matt (RAL 2000)
● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 9x E26 LED TYPE A 11W
Weight: Net 10.4 lb – Gross 18 lb
Package: 22.4 x 22.4 x 15.3" – 13.2 Vol – 4.485 ft³
(3x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³
Product notes: Combine 1 central shade and 3 satellite shades.
Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




A633-176 43 / A633-177 42

Tam Tam 5

Code	Finish
Central shade	
A633-178 39	● Black semi-matt (RAL 9011)
A633-178 35	● Off-White semi-matt (RAL 1013)
A633-178 48	● Blue grey semi-matt (RAL 7031)
A633-178 43	● Khaki semi-matt (RAL 7008)
Satellite shade	
A633-177 39	● Black semi-matt (RAL 9011)
A633-177 35	● Off-white semi-matt (RAL 1013)
A633-177 37	● Sand semi-matt (RAL 7032)
A633-177 38	● Silver Grey semi-matt (RAL 7001)
A633-177 42	● Olive Yellow semi-matt (RAL 1020)
A633-177 46	● Orange semi-matt (RAL 2000)
A633-177 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 13x E26 LED TYPE A 11W
Weight: Net 9.7 lb – Gross 18.07 lb
Package: 22.4 x 22.4 x 15.3" – 13.2 lb Vol – 4.48 ft³
(5x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³
Product notes: Combine 1 central shade and 5 satellite shades.
Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




A633-178 39 / A633-177 39

Tam Tam Mini


Code	Finish
Central shade	
A633-179 39	● Black semi-matt (RAL 9011)
A633-179 35	● Off-White semi-matt (RAL 1013)
A633-179 48	● Blue grey semi-matt (RAL 7031)
A633-179 43	● Khaki semi-matt (RAL 7008)
Satellite shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 5x E26 LED TYPE A 11W
Weight: Net 6 lb – Gross 9 lb
Package: 17.3 x 17.3 x 11" – 7.5 lb Vol – 1.9 ft³
(3x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine 1 central shade and 3 satellite shades.
Lamping not included



Cable length: 8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A633-179 48 / A633-130 38



Tam Tam 4

Code Finish
 Structure
 A633-180 39 ☞ ● Black semi-matt (RAL 9011)

Shades
 A633-130 39 ☞ ● Black semi-matt (RAL 9011)
 A633-130 35 ☞ ● Off-white semi-matt (RAL 1013)
 A633-130 37 ☞ ● Sand semi-matt (RAL 7032)
 A633-130 38 ☞ ● Silver Grey semi-matt (RAL 7001)
 A633-130 42 ☞ ● Olive Yellow semi-matt (RAL 1020)
 A633-130 46 ☞ ● Orange semi-matt (RAL 2000)
 A633-130 47 ☞ ● Brown Grey semi-matt (RAL 7013)

☞ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant

Light source: 4x E26 LED TYPE A 11W


Weight: Net 5.3 lb – Gross 11.24 lb

Package: 65.7 x 7 x 7" – 9.7 lb Vol – 1.9 ft³

(4x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³

Product notes: Combine structure with 4 satellite shades.

Lamping not included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



A633-180 39 / A633-130 47

Tam Tam 6

Code Finish
 Structure
 A633-181 39 ☞ ● Black semi-matt (RAL 9011)

Shades
 A633-130 39 ☞ ● Black semi-matt (RAL 9011)
 A633-130 35 ☞ ● Off-white semi-matt (RAL 1013)
 A633-130 37 ☞ ● Sand semi-matt (RAL 7032)
 A633-130 38 ☞ ● Silver Grey semi-matt (RAL 7001)
 A633-130 42 ☞ ● Olive Yellow semi-matt (RAL 1020)
 A633-130 46 ☞ ● Orange semi-matt (RAL 2000)
 A633-130 47 ☞ ● Brown Grey semi-matt (RAL 7013)

☞ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Shade: Aluminum

Diffuser: Opalescent methacrylate

Product type: Pendant

Light source: 6x E26 LED TYPE A 11W


Weight: Net 6.6 lb – Gross 14.10 lb

Package: 65.7 x 7 x 7" – 9.7 lb Vol – 1.9 ft³

(6x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³

Product notes: Combine structure with 6 satellite shades.

Lamping not included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




A633-181 39 / A633-130 37

Tam Tam P

Code	Finish
Stem	
A633-182 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: E26 LED TYPE A 11W
 Weight: Net 6.6 lb – Gross 9.9 lb
 Package: 50 x 3.1 x 3.1" – 3.3 lb Vol – 0.28 ft³
 13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




A633-182 39 / A633-130 35

Tam Tam P2

Code	Finish
Stem	
A633-183 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011)
A633-130 35	● Off-white semi-matt (RAL 1013)
A633-130 37	● Sand semi-matt (RAL 7032)
A633-130 38	● Silver Grey semi-matt (RAL 7001)
A633-130 42	● Olive Yellow semi-matt (RAL 1020)
A633-130 46	● Orange semi-matt (RAL 2000)
A633-130 47	● Brown Grey semi-matt (RAL 7013)

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: 2x E26 LED TYPE A 11W
 Weight: Net 15.4 lb – Gross 19.84 lb
 Package: 66.14 x 7 x 7" – 8.3 lb Vol – 0.28 ft³
 13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
 (2x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
 Product notes: Combine stem with 2 satellite shades.
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A633-183 39 / A633-130 37


Tam Tam P3

Code Finish
 Stem
 A633-184 39 ● Black semi-matt (RAL 9011)

Shade
 A633-130 39 ● Black semi-matt (RAL 9011)
 A633-130 35 ● Off-white semi-matt (RAL 1013)
 A633-130 37 ● Sand semi-matt (RAL 7032)
 A633-130 38 ● Silver Grey semi-matt (RAL 7001)
 A633-130 42 ● Olive Yellow semi-matt (RAL 1020)
 A633-130 46 ● Orange semi-matt (RAL 2000)
 A633-130 47 ● Brown Grey semi-matt (RAL 7013)

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: 3x E26 LED TYPE A 11W
 Weight: Net 15.4 lb – Gross 22.04 lb
 Package: 66.14 x 7 x 7" – 8.3 lb Vol – 0.28 ft³
 13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
 (3x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
 Product notes: Combine stem with 3 satellite shades.
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



A633-184 39 / A633-130 38

Tam Tam A

Code Finish
 Base 1
 A633-145 35 ☉ Off-white semi-matt (RAL 1013)

Shade
 A633-130 39 ☉ ● Black semi-matt (RAL 9011)
 A633-130 35 ☉ ● Off-white semi-matt (RAL 1013)
 A633-130 37 ☉ ● Sand semi-matt (RAL 7032)
 A633-130 38 ☉ ● Silver Grey semi-matt (RAL 7001)
 A633-130 42 ☉ ● Olive Yellow semi-matt (RAL 1020)
 A633-130 46 ☉ ● Orange semi-matt (RAL 2000)
 A633-130 47 ☉ ● Brown Grey semi-matt (RAL 7013)

☉ Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Plate: Metal









Product type: Wall
 Light source: E26 LED TYPE A 11W
 Weight: Net 2.7 lb – Gross 4.40 lb
 Package: 12.2 x 12.2 x 5.1" – 2.2 lb Vol – 0.317 ft³
 9.4 x 9.4 x 6.2" – 2.2 lb Vol – 0.247 ft³
 Lamping not included




Wire installation: Hardwired
 Switch location: Backplate



A633-145 35 / A633-130 38

Code	Finish
Base	
A633-146 35 	● Off-white semi-matt (RAL 1013)
Shade	
A633-130 39 	● Black semi-matt (RAL 9011)
A633-130 35 	● Off-white semi-matt (RAL 1013)
A633-130 37 	● Sand semi-matt (RAL 7032)
A633-130 38 	● Silver Grey semi-matt (RAL 7001)
A633-130 42 	● Olive Yellow semi-matt (RAL 1020)
A633-130 46 	● Orange semi-matt (RAL 2000)
A633-130 47 	● Brown Grey semi-matt (RAL 7013)

 Quick ship item. Ships within 3 days. See *Quick Ship* on page 213.

Materials

Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Plate: Metal

Product type: Wall

Light source: 2x E26 LED TYPE A 11W


Weight: Net 3.3 lb – Gross 5.1 lb

Package: 12.2 x 12.2 x 5.1" – 2.9 lb Vol – 0.1 ft³

(2x) 9.4 x 9.4 x 6.7" – 2.2 lb – 0.317 ft³

Product notes: Combine base with 2 satellite shades

Lamping not included



Wire installation: Hardwired



A633-146 35 / A633-130 46 / A633-130 47



The W, PerezOchando

Unfold the light or fold it. The new design of Estudio Perez Ochando proposes a lamp of large format, flexible, thought to adapt to the different necessities of lighting big spaces.

A large black vertical structure is the main shaft from which a number of rods emerge; some can be moved upwards to expand the light and others downwards to focus it.




The W

Code Finish
 A705-011-3949-27K ● Black - Gold
 A705-011-3937-27K ● Black - Ivory (RAL 1015)
 A705-011-3941-27K ● Black - Terracotta (RAL 8023)

Materials Dimmable: Yes
 Structure: Aluminium Integrated dimmer: No
 Diffusers: Aluminium, Polycarbonate Dimming protocols: 0-10V

Product type: Pendant
 Light source: LED SMD 36V 90W 2700K CRI90 8400lm
 Luminaire: 120-277 VAC 0-10V 103W 5600lm

Weight: Net 29.3 lb – Gross 33.8 lb
 Package: 8.3 x 8.3 x 44" – 9.5 lb Vol – 1.8 ft³
 10.2 x 7.9 x 20.1" – 16 lb Vol – 1.05 ft³
 16.5 x 16.5 x 3.1" – 8.3 lb Vol – 0.35 ft³
 LED included



Dimmable



Cable length: 9.8 ft
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



A705-011-3937-27K


Anti-rotation accessory

Code
A705-010

Finish
● Black

Materials
Structure: Steel

Product type: Accessory






Theia M

Code A672-006 Finish ● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 13 lb – Gross 15.9 lb
Package: 14.1 x 14.1 x 9.44" – 13.22 lb Vol – 1.06 ft³
17.3 x 7 x 4.7" – 4.41 lb Vol – 0.35 ft³
LED included



Dimmer



Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater



A672-006


Theia P

Code A672-008
Finish ● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Floor
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 15 lb - Gross 19.2 lb
Package: 14.6 x 14.6 x 9" - 13.2 lb Vol - 1.06 ft³
42.7 x 6.7 x 4.7" - 6 lb Vol - 0.7 ft³
LED included



Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater




A672-008



TXL 2019 205


Code Finish
 A605-076 ● Beige 

 Oversized item. Special freight policy applies. See *Freight Exceptions* on page 213.

Materials
 Base: Concrete
 Stem: Stainless steel
 Diffuser: White acid etched glass
 Shade: Textile with the inner part
 always in white

Product type: Floor
 Light source: 2x E26 LED TYPE A 11W
 Weight: Net 63.5 lb – Gross 70.5 lb
 Package: 16 x 13 x 13" – 5.5 lb Vol – 1.41 ft³
 27.6 x 27.6 x 19.7" – 9.7 lb Vol – 8.8 ft³
 86.6 x 3.9 x 3.9" – 7.9 lb Vol – 0.7 ft³
 26 x 26 x 5.9" – 47.3 lb Vol – 2.11 ft³

Lamping not included



Suitable for wet locations



A605-076

TXL 2019 170

Code Finish
 A605-078 ● Beige

Materials

Base: Concrete
 Stem: Stainless steel
 Diffuser: White acid etched glass
 Shade: Textilene with the inner part
 always in white

Product type: Floor

Light source: 3x E26 LED TYPE A 8W

Weight: Net 46.7 lb – Gross 51.1 lb


Package: 10.6 x 11 x 14.9" – 4.4 lb Vol – 0.7 ft³

23.6 x 23.6 x 17.7" – 7.9 lb Vol – 5.6 ft³

70.8 x 3.9 x 3.9" – 6.8 lb Vol – 0.63 ft³

22.8 x 22.8 x 5.9" – 31.9 lb Vol – 1.7 ft³

Lamping not included



Suitable for
 wet locations



A605-078

Cable length: 8 ft
 Wire installation: Plug-in
 Cord color: Black

Spare parts

Code	Product	Finish	Spare part
R605-102	Txl 205	-	Glass
R605-112	Txl 170	-	Glass
R605-004	Txl 2019 205	Beige	Shade
R605-006	Txl 2019 170	Beige	Shade



Vetra 43


Code
A689-023
A689-044

Finish
● White
● Amber

Materials
Shade: Blown glass
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 19W 881lm
120 - 277 VAC 0-10V 19W 881lm
Weight: Net 12.6 lb – Gross 16.5 lb
Package: 22.4 x 22.4 x 14.6" – 6.5 lb Vol – 4.23 ft³
LED included



Dimmable



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



A689-043

Spare parts

Code	Product	Finish	Spare part
R689-001	Vetra 43	White	Glass
R689-006	Vetra 43	Amber	Glass



Zenc

Code

A715-002-35
A715-002-38
A715-002-40
A715-002-48
A715-002-42

Finish

● White (RAL 1013)
● Grey (RAL 7022)
● Red (RAL 3011)
● Sky Blue (PANTONE 7542C)
● Pale yellow (RAL 085 80 30)

Materials

Shade: Bi-injected rotary moulded polyethylene


Product type: Pendant

Light source: E26 Globe (Ø95) 12W

Weight: Net 6.6 lb – Gross 8.6 lb

Package: 20.4 x 20.42 x 14.6" – 8.6 lb Vol – 3.53 ft³

Lamping not included



Cable length: 8 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



A715-002-48



Dimmer

Dimmer on the unit.

Dimmable

Product which can be dimmed.



Quick ship item. Ships within 3 days.
See *Quick Ship* on page 213.



Oversized item. Special freight policy applies.
See *Freight Exceptions* on page 213.

Technical note

The watts shown on the pricelist are the actual watts of the luminaire (including both LED and driver); otherwise, the watts are expressly shown as being for the light source. Similarly, the lumens may be for the luminaire or light source, as shown on the pricelist. For more information, you can find lighting data on our website.

Warranty

At Marset, our luminaires not only provide the light you need but also create spaces, moments and emotions. Each design is made to last, with a quality that reflects our passion for detail and sustainability. We're confident in what we do, so we offer a 5-year warranty on all our products - because trust isn't imposed; it's steadily built, project by project, light by light.



Applicable conditions: <https://www.marset.com/usa/warranty>



Marset USA Inc.
202 N 10th Street
Brooklyn, NY 11211
T +1 646 727 4250
marsetusa@marset.com

Milan Showroom
Via dell'Annunciata 29
20121 Milan (Italy)
C +39 366 6059083
milano-showroom@mdaitalia.it

Portugal Showroom
R. da Aliança 369
4250-029 Porto
T. +351 934 705 605
mail@design-minder.com

Mexico Showroom
Av. Paseo de las Palmas 980
Lomas de Chapultepec, Miguel Hidalgo
11000 Mexico City
T+52 5568170926
marset@g-tec.com.mx



Factory & Headquarters
Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
info@marset.com





